

Publication List 2011

31.12.2011

* external Authors

Comprehensive Pneumology Center

Berschneider, B. & Königshoff, M.: WNT1 inducible signaling pathway protein 1 (WISP1): A novel mediator linking development and disease. *Int. J. Biochem. Cell Biol.* 43, 306-309 (2011)

Beyerle, A. et al.: Inflammatory responses to pulmonary application of PEI-based siRNA nanocarriers in mice. *Biomaterials* 32, 8694-8701 (2011)

Bidmon, B.* et al.: Increased immunogenicity is an integral part of the heat shock response following renal ischemia. *Cell Stress Chaperones* , 10.1007/s12192-011-0314-2 (2011)

Crowe, S.M.* & Ziegler-Heitbrock, L.: Editorial: Monocyte subpopulations and lentiviral infection. *J. Leukoc. Biol.* 87, 541-543 (2010)

Frankenberger, M. et al.: Chemokine expression by small sputum macrophages in COPD. *Mol. Med.* 17, 762-770 (2011)

Guenther, A.* on behalf of the European IPF Network: The European IPF Network: Towards better care for a dreadful disease. *Eur. Respir. J.* 37, 747-748 (2011)

Harner, S. et al.: Cord blood V α 24-v β 11 natural killer T cells display a Th2-chemokine receptor profile and cytokine responses. *PLoS One* 9:e15714 (2011)

Hector, A.* et al.: The chitinase-like protein YKL-40 modulates cystic fibrosis lung disease. *PLoS One* 6:e24399 (2011)

Jenkins, G.* et al.: In search of the fibrotic epithelial cell: Opportunities for a collaborative network. *Thorax* 67, 179-182 (2012)

Kilinc, E.* et al.: The procoagulant effects of fine particulate matter *in vivo*. *Part. Fibre Toxicol.* 8:12 (2011)

Königshoff, M.: Lung cancer in pulmonary fibrosis: Tales of epithelial cell plasticity. *Respiration* 81, 353-358 (2011)

Königshoff, M., Schwarz, J. & Eickelberg, O.: Human lung stem cells: Oh, the places you'll go! *EMBO Mol. Med.* 3, 575-577 (2011)

Königshoff, M., Uhl, F. & Gosens, R*.: From molecule to man: Integrating molecular biology with whole organ physiology in studying respiratory disease. *Pulm. Pharmacol. Ther.* 24, 466-470 (2011)

Marsland, B.J.*, Königshoff, M., Saglani, S.* & Eickelberg, O.: Immune system dysregulation in chronic lung disease. *Eur. Respir. J.* 38, 500-501 (2011)

Neurohr, C.* et al.: Is sirolimus a therapeutic option for patients with progressive pulmonary lymphangiomyomatosis? *Respir. Res.* 12:66 (2011)

Pullamsetti, S.S.* et al.: The role of dimethylarginine dimethylaminohydrolase in idiopathic pulmonary fibrosis. *Sci. Transl. Med.* 3:87ra53 (2011)

Schwarz, J.: Emerging role of c-kit⁺ progenitor cells in pulmonary hypertension. *Am. J. Respir. Crit. Care Med.* 184, 5-7 (2011)

Publication List 2011

31.12.2011

* external Authors

Comprehensive Pneumology Center

Siedlar, M.* et al.: Preparations of intravenous immunoglobulins diminish the number and proinflammatory response of CD14⁺CD16⁺⁺ monocytes in common variable immunodeficiency (CVID) patients. *Clin. Immunol.* 139, 122-132 (2011)

Silverman, E.K.* et al.: Opportunities and challenges in the genetics of COPD 2010: An International COPD Genetics Conference report. *COPD* 8, 121-135 (2011)

Staples, K.J.* et al.: Monocyte-derived macrophages matured under prolonged hypoxia transcriptionally up-regulate HIF-1 α mRNA. *Immunobiology* 216, 832-839 (2011)

Zhang, Y.* et al.: High throughput determination of TGF β 1/SMAD3 targets in A549 lung epithelial cells. *PLoS One* 6:e20319 (2011)

Zhou, Q.* et al.: Role of von Hippel-Lindau protein in fibroblast proliferation and fibrosis. *FASEB J.* 25, 3032-3044 (2011)

Publication List 2011

31.12.2011

* external Authors

Cooperation Group "Comprehensive Molecular Analytics"

Adam, T.W.* et al.: Chemical analysis and ozone formation potential of exhaust from dual-fuel (liquefied petroleum gas/gasoline) light duty vehicles. *Atmos. Environ.* 45, 2842-2848 (2011)

Adam, T.W.* et al.: Application of modern online instrumentation for chemical analysis of gas and particulate phases of exhaust at the European Commission heavy-duty vehicle emission laboratory. *Anal. Chem.* 83, 67-76 (2011)

Brandt, C.* et al.: Ambient PM₁₀ concentrations from wood combustion - emission modeling and dispersion calculation for the city area of Augsburg, Germany. *Atmos. Environ.* 45, 3466-3474 (2011)

Eschner, M.S.*, Gröger, T.M., Horvath, T.*, Gonin, M.* & Zimmermann, R.: Quasi-simultaneous acquisition of hard electron ionization and soft single-photon ionization mass spectra during GC/MS analysis by rapid switching between both ionization methods: Analytical concept, setup, and application on diesel fuel. *Anal. Chem.* 83, 3865-3872 (2011)

Eschner, M.S., Selmani, I., Gröger, T.M. & Zimmermann, R.: Online comprehensive two-dimensional characterization of puff-by-puff resolved cigarette smoke by hyphenation of fast gas chromatography to single-photon ionization time-of-flight mass spectrometry: Quantification of hazardous volatile organic compounds. *Anal. Chem.* 83, 6619-6627 (2011)

Eschner, M.S. & Zimmermann, R.: Determination of photoionization cross-sections of different organic molecules using gas chromatography coupled to single-photon ionization (SPI) time-of-flight mass spectrometry (TOF-MS) with an electron-beam-pumped rare gas excimer light source (EBEL): Influence of molecular structure and analytical implications. *Appl. Spectrosc.* 65, 806-816 (2011)

Gonzalez, O.* et al.: Development of an LC-MS/MS method for the quantitation of 55 compounds prescribed in combined cardiovascular therapy. *J. Chromatogr. B* 879, 243-252 (2011)

Grabowsky, J.* et al.: Hyphenation of a carbon analyzer to photo-ionization mass spectrometry to unravel the organic composition of particulate matter on a molecular level. *Anal. Bioanal. Chem.* 401, 3153-3164 (2011)

Gröger, T. & Zimmermann, R.: Application of parallel computing to speed up chemometrics for GC×GC-TOFMS based metabolic fingerprinting. *Talanta* 83, 1289-1294 (2011)

Gu, J.W. et al.: Source apportionment of ambient particles: Comparison of positive matrix factorization analysis applied to particle size distribution and chemical composition data. *Atmos. Environ.* 45, 1849-1857 (2011)

Kamysek, S.* et al.: Drug detection in breath: Effects of pulmonary blood flow and cardiac output on propofol exhalation. *Anal. Bioanal. Chem.* 401, 2093-2102 (2011)

Kraus, U. et al.: Particle-associated organic compounds and symptoms in myocardial infarction survivors. *Inhal. Toxicol.* 23, 431-447 (2011)

Kunde, R.* et al.: Anteil der Partikel-Emissionen aus Holzverbrennung an PM₁₀-Feinstaubimmissionen im städtischen Umfeld am Beispiel von Augsburg - Teil 2: Ausbreitungsrechnung. *Gefahrst. Reinhalt. Luft* 71, 507-512 (2011)

Publication List 2011

31.12.2011

* external Authors

Cooperation Group "Comprehensive Molecular Analytics"

Orasche, J., Schnelle-Kreis, J., Abbaszade, G. & Zimmermann, R.: Technical Note: In-situ derivatization thermal desorption GC-TOFMS for direct analysis of particle-bound non-polar and polar organic species. *Atmos. Chem. Phys.* 11, 8977-8993 (2011)

Oster, M., Elsasser, M., Schnelle-Kreis, J. & Zimmermann, R.: First field application of a thermal desorption resonance-enhanced multiphoton-ionisation single particle time-of-flight mass spectrometer for the on-line detection of particle-bound polycyclic aromatic hydrocarbons. *Anal. Bioanal. Chem.* 401, 3173-3182 (2011)

Pietrogrande, M.C.* et al.: Seasonal variation and source estimation of organic compounds in urban aerosol of Augsburg, Germany. *Environ. Pollut.* 159, 1861-1868 (2011)

Saraji-Bozorgzad, M.R. et al.: Highly resolved online organic-chemical speciation of evolved gases from thermal analysis devices by cryogenically modulated fast gas chromatography coupled to single photon ionization mass spectrometry. *Anal. Chem.* 82, 9644-9653 (2010)

Saraji-Bozorgzad, M.R., Streibel, T.*, Kaisersberger, E.*, Denner, T.* & Zimmermann, R.: Detection of organic products of polymer pyrolysis by thermogravimetry-supersonic jet-skimmer time-of-flight mass spectrometry (TG-Skimmer-SPI-TOFMS) using an electron beam pumped rare gas excimer VUV-light source (EBEL) for soft photo ionisation. *J. Therm. Anal. Calorim.* 105, 691-697 (2011)

Saraji-Bozorgzad, M.R. et al.: Investigation of polymers by a novel analytical approach for evolved gas analysis in thermogravimetry. *J. Therm. Anal. Calorim.* 105, 859-866 (2011)

Schäfer, K.* et al.: Influences of the 2010 Eyjafjallajökull volcanic plume on air quality in the northern Alpine region. *Atmos. Chem. Phys.* 11, 9083-9132 (2011)

Schnelle-Kreis, J. et al.: Application of direct thermal desorption gas chromatography time-of-flight mass spectrometry for determination of nonpolar organics in low-volume samples from ambient particulate matter and personal samplers. *Anal. Bioanal. Chem.* 401, 3083-3094 (2011)

Schwoebel, H. et al.: Phase-resolved real-time breath analysis during exercise by means of smart processing of PTR-MS data. *Anal. Bioanal. Chem.* 401, 2079-2091 (2011)

Wang, J., Meisenberg, O., Chen, Y.*, Karg, E. & Tschiersch, J.: Mitigation of radon and thoron decay products by filtration. *Sci. Total Environ.* 409, 3613-3619 (2011)

Zhu, X.H.* et al.: QSPR study about sampling rates of semipermeable membrane devices for monitoring of organochlorine pesticides in Alps air. *Chinese Sci. Bull.* 56, 1884-1889 (2011)

Zimmermann, R.: Ambient aerosols and human health: Working towards a combined analytical and toxicological approach. *Anal. Bioanal. Chem.* 401, 3041-3044 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute for Diabetes and Regeneration Research

Burtscher, I., Barkey, W., Schwarzfischer, M., Theis, F.J. & Lickert, H.: The Sox17-mCherry fusion mouse line allows visualization of endoderm and vascular endothelial development. *Genesis* , 10.1002/dvg.20829 (2011)

David, R.* et al.: Induction of MesP1 by Brachyury(T) generates the common multipotent cardiovascular stem cell. *Cardiovasc. Res.* 92, 115-122 (2011)

Lange, A. et al.: Fltp^{T2AiCre}: A new knock-in mouse line for conditional gene targeting in distinct mono- and multiciliated tissues. *Differentiation* 83, S105-S113 (2012)

Simon, C., Lickert, H., Götz, M. & Dimou, L.: Sox10-iCreER^{T2} : A mouse line to inducibly trace the neural crest and oligodendrocyte lineage. *Genesis* , 10.1002/dvg.22003 (2011)

Simrick, S.* , Lickert, H. & Basson, M.A.*: Sprouty genes are essential for the normal development of epibranchial ganglia in the mouse embryo. *Dev. Biol.* 358, 147-155 (2011)

Van Campenhout, C.A. et al.: Dlg3 trafficking and apical tight junction formation is regulated by Nedd4 and Nedd4-2 E3 ubiquitin ligases. *Dev. Cell* 21, 479-491 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Biochemical Plant Pathology

Abril, N.* et al.: Proteomics research on forest trees, the most recalcitrant and orphan plant species. *Phytochemistry* 72, 1219-1242 (2011)

Arango Isaza, L. et al.: Lack of glyphosate resistance gene transfer from Roundup Ready® soybean to *Bradyrhizobium japonicum* under field and laboratory conditions. *Z. Naturforsch. C* 66c, 595-604 (2011)

Astier, J.* et al.: S-nitrosylation: An emerging post-translational protein modification in plants. *Plant Sci.* 181, 527-533 (2011)

Endlweber, K.*, Krome, K.*, Welzl, G., Schäffner, A.R. & Scheu, S.*: Decomposer animals induce differential expression of defence and auxin-responsive genes in plants. *Soil Biol. Biochem.* 43, 1130-1138 (2011)

Fröhlich, A., Buddrus-Schiemann, K., Durner, J., Hartmann, A. & von Rad, U.: Response of barley to root colonization by *Pseudomonas* sp. DSMZ 13134 under laboratory, greenhouse, and field conditions. *J. Plant Interact.* 7, 1-9 (2012)

Fröhlich, A. & Durner, J.: The hunt for plant nitric oxide synthase (NOS): Is one really needed? *Plant Sci.* 181, 401-404 (2011)

Fröhlich, A. & Lindermayr, C.: Deep insights into the plant proteome by pretreatment with combinatorial hexapeptide ligand libraries. *J. Proteomics* 74, 1182-1189 (2011)

Gaupels, F., Kuruthukulangarakoola, G.T. & Durner, J.: Upstream and downstream signals of nitric oxide in pathogen defence. *Curr. Opin. Plant Biol.* 14, 707-714 (2011)

Ghirardo, A., Gutknecht, J., Zimmer, I., Brüggemann, N.* & Schnitzler, J.P.: Biogenic volatile organic compound and respiratory CO₂ emissions after ¹³C-labeling: Online tracing of C translocation dynamics in poplar plants. *PLoS One* 6:e17393 (2011)

González Besteiro, M.A.*, Bartels, S.*, Albert, A. & Ulm, R.*: Arabidopsis MAP kinase phosphatase 1 and its target MAP kinases 3 and 6 antagonistically determine UV-B stress tolerance, independent of the UVR8 photoreceptor pathway. *Plant J.* 68, 727-737 (2011)

Holzmeister, C. et al.: Proteomic analysis of defense response of wildtype *Arabidopsis thaliana* and plants with impaired NO-homeostasis. *Proteomics* 11, 1664-1683 (2011)

Kanawati, B., von Saint Paul, V., Herrmann, C., Schäffner, A.R. & Schmitt-Kopplin, P.: Mass spectrometric stereoisomeric differentiation between α - and β -ascorbic acid 2-O-glucosides. Experimental and density functional theory study. *Rapid Commun. Mass Spectrom.* 25, 806-814 (2011)

Kerner, R. et al.: Changes in the proteome of juvenile European beech following three years exposure to free-air elevated ozone. *iForest Biog. For.* 4, 69-76 (2011)

Maldonado-Alconada, A.M.* et al.: Proteomic analysis of Arabidopsis protein S-nitrosylation in response to inoculation with *Pseudomonas syringae*. *Acta Physiol. Plant* 33, 1493-1514 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Biochemical Plant Pathology

Manning, W.J.* , Paoletti, E.* , Sandermann, H. Jr. & Ernst, D.*: Ethylenediurea (EDU): A research tool for assessment and verification of the effects of ground level ozone on plants under natural conditions. *Environ. Pollut.* 159, 3283-3293 (2011)

Protz, R.L.* et al.: Histological, physiological and molecular investigations of *Fagus sylvatica* seedlings infected with *Phytophthora citricola*. *For. Path.* 41, 202-211 (2011)

Radziejwoski, A.* et al.: Atypical E2F activity coordinates PHR1 photolyase gene transcription with endoreduplication onset. *EMBO J.* 30, 355-363 (2011)

Spannagl, M., Mayer, K., Durner, J., Haberer, G. & Fröhlich, A.: Exploring the genomes: From *Arabidopsis* to crops. *J. Plant Physiol.* 168, 3-8 (2011)

van der Linde, K.* et al.: Regulation of plant cytosolic aldolase functions by redox-modifications. *Plant Physiol. Biochem.* 49, 946-957 (2011)

von Saint Paul, V. et al.: The *arabidopsis* glucosyltransferase UGT76B1 conjugates isoleucic acid and modulates plant defense and senescence. *Plant Cell* 23, 4124-4145 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Bioinformatics and Systems Biology

Amselem, J.* et al.: Genomic analysis of the necrotrophic fungal pathogens *Sclerotinia sclerotiorum* and *Botrytis cinerea*. PLoS Genet. 7:e1002230 (2011)

Antonov, A.V.: BioProfiling.de: Analytical web portal for high-throughput cell biology. Nucleic Acids Res. 39, W323-W327 (2011)

Augustin, R. et al.: Bioinformatics identification of modules of transcription factor binding sites in Alzheimer's disease-related genes by in silico promoter analysis and microarrays. Int. J. Alzheimers Dis. 2011:154325 (2011)

Bao, C.*, Tian, F. & Estrada, G.: Improved visualisation of internalised carbon nanotubes by maximising cell spreading on nanostructured substrates. Nano. Biomed. Eng. 2, 201-210 (2010)

Bhatarai, B.* et al.: CADASTER QSPR models for predictions of melting and boiling points of perfluorinated chemicals. Mol. Inform. 30, 189-204 (2011)

Blöchl, F., Theis, F.J., Vega-Redondo, F.* & Fisher, E.*: Vertex centralities in input-output networks reveal the structure of modern economies. Phys. Rev. E 83:046127 (2011)

Breindl, C.*, Waldherr, S.*, Wittmann, D.M., Theis, F.J. & Allgoewer, F.*: Steady-state robustness of qualitative gene regulation networks. Int. J. Robust Nonlin. 21, 1742-1758 (2011)

Burtscher, I., Barkey, W., Schwarzfischer, M., Theis, F.J. & Lickert, H.: The Sox17-mCherry fusion mouse line allows visualization of endoderm and vascular endothelial development. Genesis , 10.1002/dvg.20829 (2011)

Ellwanger, D.C., Büttner, F.A., Mewes, H.W. & Stümpflen, V.: The sufficient minimal set of miRNA seed types. Bioinformatics 27, 1346-1350 (2011)

Föhse, L.* et al.: High TCR diversity ensures optimal function and homeostasis of Foxp3⁺ regulatory T cells. Eur. J. Immunol. 41, 3101-3113 (2011)

Gehrmann, E.* et al.: Robustness of glycolysis in yeast to internal and external noise. Phys. Rev. E 84:021913 (2011)

Gutch, H.W.*, Gruber, P.*, Yeredor, A.* & Theis, F.J.: ICA over finite fields - separability and algorithms. Signal Process. , 10.1016/j.sigpro.2011.10.003 (2011)

Gutch, H.W.*, Krumsiek, J. & Theis, F.J.: An ISA algorithm with unknown group sizes identifies meaningful clusters in metabolomics data. In: Proceedings of the 19th European Signal Processing Conference (EUSIPCO 2011), August 29 - September 2, 2011, Barcelona. Barcelona : EUSIPCO, 2011, 1733-1737

Haberer, H., Wang, Y. & Mayer, K.: The noncoding landscape of the genome of *Arabidopsis thaliana*. In: Schmidt, R., Bancroft, I. [Eds.]: Genetics and Genomics of the Brassicaceae. New York : Springer, 2011 (Plant Genetics and Genomics: Crops and Models ; 9), 67-121

Haseneyer, G.* et al.: From RNA-seq to large-scale genotyping - genomics resources for rye (*Secale cereale* L.). BMC Plant Biol. 11:131 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Bioinformatics and Systems Biology

Hennig, H.* et al.: The nature and perception of fluctuations in human musical rhythms. *PLoS One* 6:e26457 (2011)

Hernandez, P.* et al.: Next generation sequencing and syntenic integration of flow-sorted arms of wheat chromosome 4A exposes the chromosome structure and gene content. *Plant J.* 69, 377-386 (2012)

Hu, T.T.* et al.: The *Arabidopsis lyrata* genome sequence and the basis of rapid genome size change. *Nat. Genet.* 43, 476-481 (2011)

Jay, F.* et al.: Misregulation of *AUXIN RESPONSE FACTOR 8* underlies the developmental abnormalities caused by three distinct viral silencing suppressors in *Arabidopsis*. *PLoS Pathog.* 7:e1002035 (2011)

Kowarsch, A., Preusse, M., Marr, C. & Theis, F.J.: miTALOS: Analyzing the tissue-specific regulation of signaling pathways by human and mouse microRNAs. *RNA* 17, 809-819 (2011)

Krumsiek, J., Marr, C., Schroeder, T. & Theis, F.J.: Hierarchical differentiation of myeloid progenitors is encoded in the transcription factor network. *PLoS One* 6:e22649 (2011)

Krumsiek, J., Suhre, K., Illig, T., Adamski, J. & Theis, F.J.: Gaussian graphical modeling reconstructs pathway reactions from high-throughput metabolomics data. *BMC Syst. Biol.* 5:21 (2011)

Krumsiek, J., Wittmann, D. & Theis F.J.: From discrete to continuous gene regulation models - a tutorial using the odefy toolbox. In: Michalowski, T. [Ed.]: *Applications of MATLAB in Science and Engineering*. Rijeka : InTech, 2011, 35-60

Laaser, I., Theis, F.J., Hrabé de Angelis, M., Kolb, H.-J. & Adamski, J.: Huge splicing frequency in human Y chromosomal UTY gene. *OMICS* 15, 141-154 (2011)

Leister, D.*, Wang, X., Haberer, G., Mayer, K.F. & Kleine, T.*: Intracompartamental and intercompartmental transcriptional networks coordinate the expression of genes for organellar functions. *Plant Physiol.* 157, 386-404 (2011)

Luo, Q.*, Pagel, P., Vilne, B.* & Frishman, D.: DIMA 3.0: Domain Interaction Map. *Nucleic Acids Res.* 39, D724-D729 (2011)

Mayer, K.F. et al.: Unlocking the barley genome by chromosomal and comparative genomics. *Plant Cell* 23, 1249-1263 (2011)

Mittelstrass, K. et al.: Discovery of sexual dimorphisms in metabolic and genetic biomarkers. *PLoS Genet.* 7:e1002215 (2011)

Mueller, N.*, Krumsiek, J., Theis, F.J., Böhm, C.* & Meyer-Baese, A.*: Gaussian graphical modeling reveals specific lipid correlations in glioblastoma cells. In: Szu, H.; Dai, L. [Eds.]: *Independent Component Analyses, Wavelets, Neural Networks, Biosystems, and Nanoengineering IX*. Bellingham, WA : SPIE, 2011 (Proceedings of SPIE ; 8058), 805819

Nicholson, G.* et al.: A genome-wide metabolic QTL analysis in Europeans implicates two loci shaped by recent positive selection. *PLoS Genet.* 7:e1002270 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Bioinformatics and Systems Biology

Novotarskyi, S., Sushko, I., Körner, R., Pandey, A.K. & Tetko, I.V.: A comparison of different QSAR approaches to modeling CYP450 1A2 inhibition. *J. Chem. Inf. Model.* 51, 1271-1280 (2011)

Port, M.* et al.: A gene signature of primary tumor identifies metastasized seminoma. *Urol. Oncol. - Semin. Orig. Investig.* 29, 764-773 (2011)

Römisch-Margl, W. et al.: Procedure for tissue sample preparation and metabolite extraction for high-throughput targeted metabolomics. *Metabolomics* 8, 133-142 (2012)

Rupp, M., Körner, R. & Tetko, I.V.: Predicting the pK_a of small molecules. *Comb. Chem. High Throughput Screen.* 14, 307-327 (2011)

Sass, S. et al.: MicroRNAs coordinately regulate protein complexes. *BMC Syst. Biol.* 5:136 (2011)

Schulz, N.* et al.: Role of medium- and short-chain L-3-hydroxyacyl-CoA dehydrogenase in the regulation of body weight and thermogenesis. *Endocrinology* 152, 4641-4651 (2011)

Schwarzfischer, M. et al.: Efficient fluorescence image normalization for time lapse movies. In: *Proceedings of the Microscopic Image Analysis with Applications in Biology*, Heidelberg, Germany, September 2, 2011. Heidelberg : MIAAB, 2011, <http://www.miaab.org/miaab-2011-heidelberg-papers/miaab-2011-h-schwarzfischer.pdf>

Spannagl, M., Mayer, K., Durner, J., Haberer, G. & Fröhlich, A.: Exploring the genomes: From Arabidopsis to crops. *J. Plant Physiol.* 168, 3-8 (2011)

Suhre, K. et al.: Identification of a potential biomarker for FABP4 inhibition: The power of lipidomics in preclinical drug testing. *J. Biomol. Screen.* 16, 467-475 (2011)

Suhre, K. et al.: Human metabolic individuality in biomedical and pharmaceutical research. *Nature* 477, 54-60 (2011)

Suhre, K. et al.: A genome-wide association study of metabolic traits in human urine. *Nat. Genet.* 43, 565-571 (2011)

Sushko, I. et al.: Online chemical modeling environment (OCHEM): Web platform for data storage, model development and publishing of chemical information. *J. Comput.-Aided Mol. Des.* 25, 533-554 (2011)

Taudien, S.* et al.: Sequencing of BAC pools by different next generation sequencing platforms and strategies. *BMC Res Notes* 4:411 (2011)

Theis, F.J., Kawanabe, M.* & Müller, K.-R.*: Uniqueness of non-Gaussianity-based dimension reduction. *IEEE Trans. Signal Process.* 59, 4478 - 4482 (2011)

Theis, F.J., Latif, N.*, Wong, P. & Frishman, D.: Complex principal component and correlation structure of 16 yeast genomic variables. *Mol. Biol. Evol.* 28, 2501-2512 (2011)

Theis, F.J. & Meyer-Bäse, A.: Foundations of medical imaging and signal recording. In: *Biomedical Signal Analysis - Contemporary Methods and Applications*. Cambridge, MA : The MIT Press, 2010, 1-28

Publication List 2011

31.12.2011

* external Authors

Institute of Bioinformatics and Systems Biology

Tretter, F.* et al.: Affective disorders as complex dynamic diseases - a perspective from systems biology. *Pharmacopsychiatry* 44, S2-S8 (2011)

Vincent, E.* et al.: The signal separation evaluation campaign (2007-2010): Achievements and remaining challenges. *Signal Process.* , 10.1016/j.sigpro.2011.10.007 (2011)

Wicker, T.* et al.: Frequent gene movement and pseudogene evolution is common to the large and complex genomes of wheat, barley, and their relatives. *Plant Cell* 23, 1706-1718 (2011)

Wittmann, D.M. & Theis, F.J.: Dynamic regimes of random fuzzy logic networks. *New J. Phys.* 13:013041 (2011)

Young, N.D.* et al.: The *Medicago* genome provides insight into the evolution of rhizobial symbioses. *Nature* 480, 520-524 (2011)

Yu, Z. et al.: Differences between human plasma and serum metabolite profiles. *PLoS One* 6:e21230 (2011)

Zuccaro, A.* et al.: Endophytic life strategies decoded by genome and transcriptome analyses of the mutualistic root symbiont *Piriformospora indica*. *PLoS Pathog.* 7:e1002290 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Biological and Medical Imaging

Bézière, N. & Ntziachristos, V.: Optoacoustic imaging: An emerging modality for the gastrointestinal tract. *Gastroenterology* 141, 1979-1985 (2011)

Björn, S., Englmeier, K.-H., Ntziachristos, V. & Schulz, R.: Reconstruction of fluorescence distribution hidden in biological tissue using mesoscopic epifluorescence tomography. *J. Biomed. Opt.* 16:046005 (2011)

Buehler, A. et al.: Model-based optoacoustic inversions with incomplete projection data. *Med. Phys.* 38, 1694-1704 (2011)

Busch, A.* et al.: Qualitätskriterien im Umfeld von AAL. BMBF/VDE Innovationspartnerschaft AAL [Hrsg.]: Berlin : VDE-Verlag, 2011 (Produkte, Dienstleistungen, Systeme ; 6/2011), 124 S.

Calfon, M.A.* et al.: *In vivo* near infrared fluorescence (NIRF) intravascular molecular imaging of inflammatory plaque, a multimodal approach to imaging of atherosclerosis. *J. Vis. Exp.* 54:e2257 (2011)

Dean-Ben, X.L., Ntziachristos, V. & Razansky, D.: Statistical optoacoustic image reconstruction using a-priori knowledge on the location of acoustic distortions. *Appl. Phys. Lett.* 98:171110 (2011)

Deán-Ben, X.L., Razansky, D. & Ntziachristos, V.: The effects of acoustic attenuation in optoacoustic signals. *Phys. Med. Biol.* 56, 6129-6148 (2011)

Deliolanis, N.C. et al.: In vivo tomographic imaging of red-shifted fluorescent proteins. *Biomed. Opt. Express.* 2, 887-900 (2011)

Glatz, J. et al.: Multiparametric optimization of multispectral optoacoustic tomography for deep tissue imaging. In: Oraevsky, A.; Wang, L.V. [Eds.]: *Photons Plus Ultrasound: Imaging and Sensing 2010*. Bellingham, WA : SPIE, 2010 (Proceedings of SPIE ; 7564), 75642Z

Glatz, J., Deliolanis, N.C., Buehler, A., Razansky, D. & Ntziachristos, V.: Blind source unmixing in multi-spectral optoacoustic tomography. *Opt. Express* 19, 3175-3184 (2011)

Jaffer, F.A.* et al.: Two-dimensional intravascular near-infrared fluorescence molecular imaging of inflammation in atherosclerosis and stent-induced vascular injury. *J. Am. Coll. Cardiol.* 57, 2516-2526 (2011)

Jetzfellner, T. & Ntziachristos, N.: Performance of blind deconvolution in optoacoustic tomography. *J. Innov. Opt. Health Sci.* 4, 385-393 (2011)

Jetzfellner, T. et al.: Interpolated model-matrix optoacoustic tomography of the mouse brain. *Appl. Phys. Lett.* 98:163701 (2011)

Jetzfellner, T. et al.: Multispectral optoacoustic tomography by means of normalized spectral ratio. *Opt. Lett.* 36, 4176-4178 (2011)

Jetzfellner, T. et al.: Tomographic optoacoustic inversion in dynamic illumination scenarios. In: Oraevsky, A.A.; Wang, L.V. [Eds.]: *Photons Plus Ultrasound: Imaging and Sensing 2011*. Bellingham, WA : SPIE, 2011 (Proceedings of SPIE ; 7899), 78991Y

Publication List 2011

31.12.2011

* external Authors

Institute of Biological and Medical Imaging

- Kellnberger, S., Hajiaboli, A., Razansky, D. & Ntziachristos, V.: Near-field thermoacoustic tomography of small animals. *Phys. Med. Biol.* 56, 3433-3444 (2011)
- Mallas, G.* et al.: Progress on multimodal molecular / anatomical intravascular imaging of coronary vessels combining near infrared fluorescence and ultrasound. In: Proceedings of the 33rd Annual International Conference of the IEEE EMBS, Boston MA, 30.8-3.9.2011. Piscataway, NJ : IEEE, 2011, 1117-1120
- Ntziachristos, V.: Clinical translation of optical and optoacoustic imaging. *Philos. Transact. R. Soc. A - Math. Phys. Eng. Sci.* 369, 4666-4678 (2011)
- Peters, A. et al.: Multimorbidität und erfolgreiches Altern. Ein Blick auf die Bevölkerung im Rahmen der KORA-Age-Studie. *Z. Gerontol. Geriatr.* 44, Suppl. 2, 41-54 (2011)
- Pike, L.S.* et al.: Imaging gene delivery in a mouse model of congenital neuronal ceroid lipofuscinosis. *Gene Ther.* 18, 1173-1178 (2011)
- Pleijhuis, R.G.* et al.: Near-infrared fluorescence (NIRF) imaging in breast-conserving surgery: Assessing intraoperative techniques in tissue-simulating breast phantoms. *Eur. J. Surg. Oncol.* 37, 32-39 (2011)
- Pyka, T., Schulz, R., Ale, A. & Ntziachristos, V.: Revisiting the normalized Born approximation: Effects of scattering. *Opt. Lett.* 36, 4329-4331 (2011)
- Razansky, D., Buehler, A. & Ntziachristos, V.: Volumetric real-time multispectral optoacoustic tomography of biomarkers. *Nat. Protoc.* 6, 1121-1129 (2011)
- Razansky, D. et al.: Multispectral optoacoustic tomography of matrix metalloproteinase activity in vulnerable human carotid plaques. *Mol. Imaging Biol.* , 10.1007/s11307-011-0502-6 (2011)
- Rosenthal, A., Ntziachristos, V. & Razansky, D.: Optoacoustic methods for frequency calibration of ultrasonic sensors. *IEEE Trans. Ultrason. Ferroelectr. Freq. Control.* 58, 316-326 (2011)
- Rosenthal, A., Ntziachristos, V. & Razansky, D.: Model-based optoacoustic inversion with arbitrary-shape detectors. *Med. Phys.* 38, 4285-4295 (2011)
- Rosenthal, A., Razansky, D. & Ntziachristos, V.: High-sensitivity compact ultrasonic detector based on a pi-phase-shifted fiber Bragg grating. *Opt. Lett.* 36, 1833-1835 (2011)
- Stangl, S. et al.: Detection of irradiation-induced, membrane heat shock protein 70 (Hsp70) in mouse tumors using Hsp70 Fab fragment. *Radiother. Oncol.* 99, 313-316 (2011)
- Terwisscha van Scheltinga, A.G.* et al.: Intraoperative near-infrared fluorescence tumor imaging with vascular endothelial growth factor and human epidermal growth factor receptor 2 targeting antibodies. *J. Nucl. Med.* 52, 1778-1785 (2011)
- Themelis, G. et al.: Enhancing surgical vision by using real-time imaging of $\alpha_v\beta_3$ -integrin targeted near-infrared fluorescent agent. *Ann. Surg. Oncol.* 18, 3506-3513 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Biological and Medical Imaging

van Dam, G.M.* et al.: Intraoperative tumor-specific fluorescence imaging in ovarian cancer by folate receptor- α targeting: First in-human results. *Nat. Med.* 17, 1315-1319 (2011)

Vinegoni, C.* et al.: Indocyanine green enables near-infrared fluorescence imaging of lipid-rich, inflamed atherosclerotic plaques. *Sci. Transl. Med.* 3:84ra85 (2011)

Wang, G.* , Bresler, Y.* & Ntziachristos, V.: Compressive sensing for biomedical imaging. *IEEE Trans. Med. Imaging* 30, 1013-1016 (2011)

Yoo, H.* et al.: Intra-arterial catheter for simultaneous microstructural and molecular imaging *in vivo*. *Nat. Med.* 17, 1680-1684 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Biomathematics and Biometry

- Bader, S.R.* et al.: Evaluation of lumbosacral nerve root conduction in chickens by electrophysiological testing including high-resolution spinal magnetic stimulation. *J. Neurosci. Methods* 194, 342-349 (2011)
- Balluff, B. et al.: MALDI imaging identifies prognostic seven-protein signature of novel tissue markers in intestinal-type gastric cancer. *Am. J. Pathol.* 179, 2720-2729 (2011)
- Beatson, R.K.* , zu Castell, W. & Schrödl, S.J.: Kernel-based methods for vector-valued data with correlated components. *Siam J. Sci. Comput.* 33, 1975-1995 (2011)
- Beatson, R.K.* & zu Castell, W.: Scattered data interpolation of Radon data. *Calcolo* 48, 5-19 (2011)
- Brüggemann, R.* & Voigt, K.: A new tool to analyze partially ordered sets application: Ranking of polychlorinated biphenyls and alkanes/alkenes in river Main, Germany. *Match-Commun. Math. Comput. Chem.* 66, 231-251 (2011)
- Carbou, G.*, Efendiev, M. & Fabrie, P.*: Global weak solutions for the Landau-Lifschitz equation with magnetostriction. *Math. Meth. Appl. Sci.* 34, 1274-1288 (2011)
- Chen, K.*, Dong, Y. & Hintermüller, M.*: A nonlinear multigrid solver with line Gauss-Seidel-semismooth-Newton smoother for the Fenchel pre-dual in total variation based image restoration. *Inverse Probl. Imaging* 5, 323-339 (2011)
- Czaja, R.* & Efendiev, M.: Pullback exponential attractors for nonautonomous equations. Part I: Semilinear parabolic problems. *J. Math. Anal. Appl.* 381, 748-765 (2011)
- Czaja, R.* & Efendiev, M.: Pullback exponential attractors for nonautonomous equations. Part II: Applications to reaction-diffusion systems. *J. Math. Anal. Appl.* 381, 766-780 (2011)
- Dong, Y., Hintermüller, M.* & Rincon-Camacho, M.M.*: Automated regularization parameter selection in multi-scale total variation models for image restoration. *J. Math. Imaging Vis.* 40, 82-104 (2011)
- Dornseifer, U.* et al.: Peripheral nerve reconstruction with collagen tubes filled with denatured autologous muscle tissue in the rat model. *Microsurgery* 31, 632-641 (2011)
- Efendiev, M.: Infinite-dimensional exponential attractors for fourth-order nonlinear parabolic equations in unbounded domains. *Math. Meth. Appl. Sci.* 34, 939-949 (2011)
- Efendiev, M.: Note on trajectory attractors for elliptic equations in unbounded domains. *Int. J. Biomath. Biostat.* 1, 141-150 (2010)
- Efendiev, M. & Hamel, F.*: Asymptotic behavior of solutions of semilinear elliptic equations in unbounded domains: Two approaches. *Adv. Math.* 228, 1237-1261 (2011)
- Efendiev, M. & Infante, G.*: Professor Jeffrey R.L. Webb. *Comm. Appl. Anal.* 15, i-x (2011)
- Efendiev, M. & Otani, M.*: Infinite-dimensional attractors for parabolic equations with μ -Laplacian in heterogeneous medium. *Ann. Inst. Henri Poincaré - Anal. Non Linéaire* 28, 565-582 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Biomathematics and Biometry

Efendiev, M. & Russ, E.*: Hardy spaces for the conjugated Beltrami equation in a doubly connected domain. *J. Math. Anal. Appl.* 383, 439-450 (2011)

Efendiev, M. & Senba, T.*: On the well-posedness of a class of PDEs including porous medium and chemotaxis effect. *Adv. Differ. Equat.* 16, 937-954 (2011)

Efendiev, M., Yamamoto, Y.* & Yagi, A.*: Exponential attractors for non-autonomous dissipative system. *J. Math. Soc. Jpn.* 63, 647-673 (2011)

Efendiev, M. & Zhigun, A.: On a 'balance' condition for a class of PDEs including porous medium and chemotaxis effect: Non-aoutonomous case. *Adv. Math. Sci. Appl.* 21, 285-304 (2011)

Ehler, M.: Shrinkage rules for variational minimization problems and applications to analytical ultracentrifugation. *J. Inverse Ill-Posed Probl.* 19, 593-614 (2011)

Ehler, M. & Okoudjou, K.A.*: Minimization of the probabilistic p -frame potential. *J. Stat. Plan. Infer.* 142, 645-659 (2012)

Filbir, F. & Mhaskar, H.N.*: Marcinkiewicz-Zygmund measures on manifolds. *J. Complex.* 27, 568-596 (2011)

Forster, B.* & Massopust, P.: Splines of complex order: Fourier, filters and fractional derivatives. *Sampl. Theor. Signal Image Process.* 10, 89-109 (2011)

Forster, B. & Massopust, P.: Multivariate interpolation with fundamental splines of fractional order. *Proc. Appl. Math. Mech.* 11, 857-858 (2011)

Frederick, M.*, Kuttler, C.*, Hense, B.A., Müller, J.* & Eberl, H.J.*: A mathematical model of quorum sensing in patchy biofilm communities with slow background flow. *Can. Appl. Math. Quart.* 18, 267-298 (2010)

Frederick, M.R.*, Kuttler, C.*, Hense, B.A. & Eberl, H.J.*: A mathematical model of quorum sensing regulated EPS production in biofilm communities. *Theor. Biol. Med. Model.* 8:8 (2011)

Frikel, J.: Dimensionality reduction of curvelet sparse regularizations in limited angle tomography. *Proc. Appl. Math. Mech.* 11, 847-848 (2011)

Fuß, R., Ruth, B., Schilling, R., Scherb, H. & Munch, J.C.: Pulse emissions of N₂O and CO₂ from an arable field depending on fertilization and tillage practice. *Agric. Ecosyst. Environ.* 144, 61-68 (2011)

Gorbushina, A.A.* et al.: Quantitative 3-dimensional image analysis of mineral surface modifications - chemical, mechanical and biological. *Geomicrobiol. J.* 28, 172-184 (2011)

Hangelbroeck, T.* & Schmid, D.: Surface spline approximation on SO(3). *Appl. Comput. Harmon. Anal.* 31, 169-184 (2011)

Hasan, K.M.*, Walimuni, I.S.*, Abid, H.* & Hahn, K.R.: A review of diffusion tensor magnetic resonance imaging computational methods and software tools. *Comput. Biol. Med.* 41, 1062-1072 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Biomathematics and Biometry

Jonoska, N.* , McColm, G.L.* & Staninska, A.: On stoichiometry for the assembly of flexible tile DNA complexes. *Nat. Comput.* 10, 1121-1141 (2011)

Lasser, R.: On positive definite and stationary sequences with respect to polynomial hypergroups. *J. Appl. Anal.* 17, 207-230 (2011)

Lasser, R. & Skanthurajah, M.: Reiter's condition for amenable hypergroups. *Monatsh. Math.* 163, 327-338 (2011)

Ngigi, A. et al.: Effect of fluctuating soil humidity on *in situ* bioavailability and degradation of atrazine. *Chemosphere* 84, 369-375 (2011)

Obermaier, J.: A modified Fejer and Jackson summability method with respect to orthogonal polynomials. *J. Approx. Theory* 163, 554-567 (2011)

Perreiter, E.: Spectra of L^1 -convolution operators acting on L^p -spaces of commutative hypergroups. *Math. Proc. Camb. Phil. Soc.* 151, 503-519 (2011)

Prigarin, S.M.* , Hahn, K. & Winkler, G.: Estimation of fractal dimension of random fields on the basis of variance analysis of increments. *Num. Ana. App.* 4, 71-80 (2011)

Scherb, H. & Sperling, K.*: Heutige Lehren aus dem Reaktorunfall von Tschernobyl. *Naturwiss. Rundsch.* 64, 229-239 (2011)

Scherb, H. & Voigt, K.: Adverse genetic effects induced by chemical or physical environmental pollution. *Environ. Sci. Pollut. Res.* 18, 695-696 (2011)

Scherb, H. & Voigt, K.: The human sex odds at birth after the atmospheric atomic bomb tests, after Chernobyl, and in the vicinity of nuclear facilities. *Environ. Sci. Pollut. Res.* 18, 697-707 (2011)

Shao, J.* et al.: Combining time series similarity with density-based clustering to identify fiber bundles in the human brain. In: Webb, G.I. et al. [Eds.]: *Proceedings of the 10th IEEE International Conference on Data Mining*, 14.-17. Dec 2010, Sidney. Piscataway, NJ : IEEE, 2010, 747-754

Sonner, S., Efendiev, M.A. & Eberl, H.J.*: On the well-posedness of a mathematical model of quorum-sensing in patchy biofilm communities. *Math. Meth. Appl. Sci.* 34, 1667-1684 (2011)

Stavropoulou, F. & Müller, J.*: A polynomial chaos based Bayesian approach for on-line parameter estimation and control. In: *2011 IEEE International Conference on Computer-Aided Control System Design (CACSD)*, 28.-30. Sep 2011, Denver, CO. Piscataway, NJ : IEEE, 2011, 1391 - 1396

Voigt, K., Brüggemann, R.* , Scherb, H. & Schramm, K.-W.: Local partial order model applied on the evaluation of environmental health data. In: Wittmann, J.; Wohlgemuth, V. [Hrsg.]: *Simulation in Umwelt- und Geowissenschaften. Workshop Berlin 2011*. Aachen : Shaker, 2011 (Berichte aus der Umweltinformatik), 259-274

Voigt, K. et al.: Similarities of environmental health data of persistent organic pollutants in three countries analyzed by the pyHasse software. In: Pillmann, W.; Schade, S.; Smits, P. [Eds.]: *Proceedings of the 25th Conference EnviroInfo 2011*. Aachen : Shaker, 2011 (Innovations in Sharing Environmental Observations and Information), 137-144

Publication List 2011

31.12.2011

* external Authors

Institute of Biomathematics and Biometry

Weinmann, A. & Lasser, R.: Lipschitz spaces with respect to Jacobi translation. Math. Nachr. 284, 2312-2326 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Clinical Molecular Biology and Tumor Genetics

Azimzadeh, O. et al.: Rapid proteomic remodeling of cardiac tissue caused by total body ionizing radiation. *Proteomics* 11, 3299-3311 (2011)

Berchtold, D.* et al.: Nuclei of chicken neurons in tissues and three-dimensional cell cultures are organized into distinct radial zones. *Chromosome Res.* 19, 165-182 (2011)

Clemente-Blanco, A.* et al.: Cdc14 phosphatase promotes segregation of telomeres through repression of RNA polymerase II transcription. *Nat. Cell Biol.* 13, 1450-1456 (2011)

de Almeida, S.F.* et al.: Splicing enhances recruitment of methyltransferase HYPB/Setd2 and methylation of histone H3 Lys36. *Nat. Struct. Mol. Biol.* 18, 977-984 (2011)

Deshpande, A.J. et al.: The clathrin-binding domain of CALM and the OM-LZ domain of AF10 are sufficient to induce acute myeloid leukemia in mice. *Leukemia* 25, 1718-1727 (2011)

Dreyling, M.* et al.: Update on the molecular pathogenesis and clinical treatment of mantle cell lymphoma: Report of the 10th annual conference of the European Mantle Cell Lymphoma Network. *Leuk. Lymphoma* 52, 2226-2236 (2011)

Greif, P.A. et al.: Identification of recurring tumor-specific somatic mutations in acute myeloid leukemia by transcriptome sequencing. *Leukemia* 25, 821-827 (2011)

Greif, P.A. et al.: Somatic mutations in acute promyelocytic leukemia (APL) identified by exome sequencing. *Leukemia* 25, 1519-1522 (2011)

Heidemann, M., Hintermair, C., Schüller, R., Voss, K. & Eick, D.: Die CTD der RNA-Polymerase II - eine neue Ebene der Genregulation. *Biospektrum* 17, 270-273 (2011)

Herold, T.* et al.: An eight-gene expression signature for the prediction of survival and time to treatment in chronic lymphocytic leukemia. *Leukemia* 25, 1639-1645 (2011)

Herold, T. et al.: Expression analysis of genes located in the minimally deleted regions of 13q14 and 11q22-23 in chronic lymphocytic leukemia - unexpected expression pattern of the RHO GTPase activator *ARHGAP20*. *Genes Chromosomes Cancer* 50, 546-558 (2011)

Horstkotte, J.* et al.: Mitochondrial thioredoxin reductase is essential for early postischemic myocardial protection. *Circulation* 124, 2892-2902 (2011)

Kakadia, P.M. et al.: A novel *ABL1* fusion to the SH2 containing inositol phosphatase-1 (*SHIP1*) in acute lymphoblastic leukemia (ALL). *Leukemia* 25, 1645-1649 (2011)

Koch, F.* et al.: Transcription initiation platforms and GTF recruitment at tissue-specific enhancers and promoters. *Nat. Struct. Mol. Biol.* 18, 956-963 (2011)

Konstandin, N. et al.: Genomic 5-hydroxymethylcytosine levels correlate with *TET2* mutations and a distinct global gene expression pattern in secondary acute myeloid leukemia. *Leukemia* 25, 1649-1652 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Clinical Molecular Biology and Tumor Genetics

Mannes, A.M., Seiler, A., Bosello, V.* , Maiorino, M.* & Conrad, M.: Cysteine mutant of mammalian GPx4 rescues cell death induced by disruption of the wild type selenoenzyme. *FASEB J.* 25, 2135-2144 (2011)

Markaki, Y.* et al.: Functional nuclear organization of transcription and DNA replication: A topographical marriage between chromatin domains and the interchromatin compartment. *Cold Spring Harb. Symp. Quant. Biol.* 75, 475-492 (2011)

Najjar, I.* et al.: STAT1-dependent IgG cell-surface expression in a human B cell line derived from a STAT1-deficient patient. *J. Leukoc. Biol.* 87, 1145-1152 (2010)

Najjar, I.* et al.: Novel function of STAT1 β in B cells: Induction of cell death by a mechanism different from that of STAT1 α . *J. Leukoc. Biol.* 84, 1604-1612 (2008)

Polier, G.* et al.: Wogonin and related natural flavones are inhibitors of CDK9 that induce apoptosis in cancer cells by transcriptional suppression of Mcl-1. *Cell Death Dis.* 2:e182 (2011)

Prenzel, T.* et al.: Estrogen-dependent gene transcription in human breast cancer cells relies upon proteasome-dependent monoubiquitination of histone H2B. *Cancer Res.* 71, 5739-5753 (2011)

Schneider, F.* et al.: Age-dependent frequencies of *NPM1* mutations and *FLT3*-ITD in patients with normal karyotype AML (NK-AML). *Ann. Hematol.* 91, 9-18 (2012)

Sibbing, D.* et al.: Mutations in the mitochondrial thioredoxin reductase gene *TXNRD2* cause dilated cardiomyopathy. *Eur. Heart J.* 32, 1121-1133 (2011)

Sims, R.J.* et al.: The C-terminal domain of RNA polymerase II is modified by site-specific methylation. *Science* 332, 99-103 (2011)

Weidle, U.H.* , Maisel, D.* & Eick, D.: Synthetic lethality-based targets for discovery of new cancer therapeutics. *Cancer Genomics Proteomics* 8, 159-171 (2011)

Youlyouz-Marfak, I.* et al.: Identification of a novel p53-dependent activation pathway of STAT1 by antitumour genotoxic agents. *Cell Death Differ.* 15, 376-385 (2008)

Zehnpfennig, D. et al.: B-cell-specific elements enhance sustained gene expression mediated by self-replicating extrachromosomal vectors. *Mol. Med. Report* 3, 689-692 (2010)

Publication List 2011

31.12.2011

* external Authors

Institute of Developmental Genetics

Abe, K. et al.: A novel *N*-ethyl-*N*-nitrosourea-induced mutation in *phospholipase C γ 2* causes inflammatory arthritis, metabolic defects, and male infertility in vitro in a murine model. *Arthritis Rheum.* 63, 1301-1311 (2011)

Augustin, R. et al.: Bioinformatics identification of modules of transcription factor binding sites in Alzheimer's disease-related genes by in silico promoter analysis and microarrays. *Int. J. Alzheimers Dis.* 2011:154325 (2011)

Azimzadeh, O. et al.: Rapid proteomic remodeling of cardiac tissue caused by total body ionizing radiation. *Proteomics* 11, 3299-3311 (2011)

Bolze, F.* et al.: Characterization of the melanocortin-4-receptor nonsense mutation W16X *in vitro* and *in vivo*. *Pharmacogenomics J.* , 10.1038/tpj.2011.43 (2011)

Carlson, B.A.* et al.: Protein kinase-regulated expression and immune function of thioredoxin reductase 1 in mouse macrophages. *Mol. Immunol.* 49, 311-316 (2011)

Churchill, A.* & Graw, J.: Clinical and experimental advances in congenital and paediatric cataracts. *Philos. Transact. R. Soc. B - Biol. Sci.* 366, 1234-1249 (2011)

Conrad, M. & Sato, H.*: The oxidative stress-inducible cystine/glutamate antiporter, system x_c⁻: Cystine supplier and beyond. *Amino Acids* 42, 231-246 (2012)

de Andrés-Aguayo, L.* et al.: Musashi 2 is a regulator of the HSC compartment identified by a retroviral insertion screen and knockout mice. *Blood* 118, 554-564 (2011)

Dedic, N. et al.: Assessing behavioural effects of chronic HPA axis activation using conditional CRH-overexpressing mice. *Cell. Mol. Neurobiol.* , 10.1007/s10571-011-9784-0 (2011)

Devigny, C.* et al.: Biomimetic screening of class-B G protein-coupled receptors. *J. Am. Chem. Soc.* 133, 8927-2933 (2011)

Di Benedetto, B.* et al.: N-desalkylquetiapine activates ERK1/2 to induce GDNF release in C6 glioma cells: A putative cellular mechanism for quetiapine as antidepressant. *Neuropharmacology* 62, 209-216 (2011)

Distel, M.*, Hocking, J.C.* & Köster, R.W.: In vivo cell biology using Gal4-mediated multicolor subcellular labeling in zebrafish. *Commun. Integr. Biol.* 4, 336-339 (2011)

Endlweber, K.*, Krome, K.*, Welzl, G., Schäffner, A.R. & Scheu, S.*: Decomposer animals induce differential expression of defence and auxin-responsive genes in plants. *Soil Biol. Biochem.* 43, 1130-1138 (2011)

Esperschütz, J. et al.: Microbial food web dynamics along a soil chronosequence of a glacier forefield. *Biogeosciences* 8, 3283-3294 (2011)

Esperschütz, J. et al.: Incorporation of carbon from decomposing litter of two pioneer plant species into microbial communities of the detritosphere. *FEMS Microbiol. Lett.* 320, 48-55 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Developmental Genetics

- Fenzl, T.* , Romanowski, C.P.* , Flachskamm, C.* , Deussing, J.M. & Kimura, M.*: Wake-promoting effects of orexin: Its independent actions against the background of an impaired corticotropine-releasing hormone receptor system. *Behav. Brain Res.* 222, 43-50 (2011)
- Fischer, T. et al.: Fgf15-mediated control of neurogenic and proneural gene expression regulates dorsal midbrain neurogenesis. *Dev. Biol.* 350, 496-510 (2011)
- Friedel, R.H.* , Wurst, W., Wefers, B.* & Kühn, R.: Generating conditional knockout mice. *Methods Mol. Biol.* 693, 205-231 (2011)
- Gates, H.* , Mallon, A.M.* , Brown, S .D* & EUMODIC Consortium: High-throughput mouse phenotyping. *Methods* 53, 394-404 (2011)
- Graw, J.: Confirmation of single nucleotide mutations. In: Gu, W.; Wang, Y. [Eds.]: *Gene Discovery for Disease Models*. New York, NY : Wiley, 2011, 391-402
- Graw, J. et al.: The KORA eye study: A population-based study on eye diseases in southern Germany (KORA F4). *Invest. Ophthalmol. Vis. Sci.* 52, 7778-7786 (2011)
- Hampel, F. et al.: CD19-independent instruction of murine marginal zone B-cell development by constitutive Notch2 signaling. *Blood* 118, 6321-6331 (2011)
- Hölter, S.M. & Glasl, L.: High-throughput mouse phenotyping. In: Lane, E.L.; Dunnett, S.B. [Eds.]: *Animal Models of Movement Disorders. Volume I*. New York, NY : Human Press, 2011 (Neuromethods ; 61), 109-133
- Horsch, M. et al.: Requirement of the RNA-editing enzyme ADAR2 for normal physiology in mice. *J. Biol. Chem.* 286, 18614-18622 (2011)
- Huettl, R.E. & Huber, A.B.: Cranial nerve fasciculation and Schwann cell migration are impaired after loss of Npn-1. *Dev. Biol.* 359, 230-241 (2011)
- Huettl, R.E., Soellner, H., Bianchi, E., Novitsch, B.G.* & Huber, A.B.: Npn-1 contributes to axon-axon interactions that differentially control sensory and motor innervation of the limb. *PLoS Biol.* 9:e1001020 (2011)
- Jakubcakova, V.* , Flachskamm, C.* , Deussing, J.M. & Kimura, M.*: Deficiency of corticotropin-releasing hormone type-2 receptor alters sleep responses to bacterial lipopolysaccharide in mice. *Brain Behav. Immun.* 25, 1626-1636 (2011)
- Karalay, O.* et al.: Prospero-related homeobox 1 gene (Prox1) is regulated by canonical Wnt signaling and has a stage-specific role in adult hippocampal neurogenesis. *Proc. Natl. Acad. Sci. U.S.A.* 108, 5807-5812 (2011)
- Khan, M.A. & Lie, D.C.: MicroRNA - a contributor to age-associated neural stem cell dysfunction? *Aging-US* 3, 182-183 (2011)
- Kleinhammer, A., Wurst, W. & Kühn, R.: Constitutive and conditional RNAi transgenesis in mice. *Methods* 53, 430-436 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Developmental Genetics

- Kollias, G.* et al.: Animal models for arthritis: Innovative tools for prevention and treatment. *Ann. Rheum. Dis.* 70, 1357-1362 (2011)
- Kotzerke, A.* et al.: Alterations in total microbial activity and nitrification rates in soil due to amoxicillin-spiked pig manure. *J. Plant Nutr. Soil Sci.* 174, 56-64 (2011)
- Kühn, R., Vogt-Weisenhorn, D. & Wurst, W.: Genetic models of Parkinson's disease. In: *Animal Models of Movement Disorders. Volume I.* New York, NY : Humana Press, 2011 (Neuromethods ; 61), 243-265
- Lee, M. et al.: Levels of p27 sensitize to dual PI3K/mTOR inhibition. *Mol. Cancer Ther.* 10, 1450-1459 (2011)
- Maier, V. et al.: Semaphorin 4C and 4G are ligands of Plexin-B2 required in cerebellar development. *Mol. Cell. Neurosci.* 46, 419-431 (2011)
- Mannes, A.M., Seiler, A., Bosello, V.*, Maiorino, M.* & Conrad, M.: Cysteine mutant of mammalian GPx4 rescues cell death induced by disruption of the wild type selenoenzyme. *FASEB J.* 25, 2135-2144 (2011)
- Merz, K., Herold, S. & Lie, D.C.: CREB in adult neurogenesis - master and partner in the development of adult-born neurons? *Eur. J. Neurosci.* 33, 1078-1086 (2011)
- Meyer, M., Wefers, B., Ortiz, O., Wurst, W. & Kühn, R.: Gezielte Manipulation des Genoms mit Zinkfingernukleasen. *Biospektrum* 17, 537-540 (2011)
- Molander, A.* et al.: Brain-specific inactivation of the Crhr1 gene inhibits post-dependent and stress-induced alcohol intake, but does not affect relapse-like drinking. *Neuropsychopharmacology* 37, 1047-1056 (2012)
- Noblanc, A.* et al.: Glutathione peroxidases (GPX) at work on epididymal spermatozoa: An example of the dual effect of reactive oxygen species on mammalian male fertilizing ability. *J. Androl.* 32, 641-650 (2011)
- Oberoi, T.K.* et al.: IAPs regulate the plasticity of cell migration by directly targeting Rac1 for degradation. *EMBO J.* 31, 14-28 (2012)
- Patchev, A.V.*, Wolff-Muscatte, A., Fischer, D.* & Almeida, O.F.X.*: Probing the role of estrogen receptor isoforms in neonatal programming of neuroendocrine and behavioral functions. *Endocrinology Studies* 1:e12 (2011)
- Peng, C. et al.: Pitx3 is a critical mediator of GDNF-induced BDNF expression in nigrostriatal dopaminergic neurons. *J. Neurosci.* 31, 12802-12815 (2011)
- Piaton, G.* et al.: Class 3 semaphorins influence oligodendrocyte precursor recruitment and remyelination in adult central nervous system. *Brain* 134, 1156-1167 (2011)
- Piccoli, G. et al.: LRRK2 controls synaptic vesicle storage and mobilization within the recycling pool. *J. Neurosci.* 31, 2225-2237 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Developmental Genetics

Pihlajamäki, J.* et al.: Expression of the splicing factor gene *SFRS10* is reduced in human obesity and contributes to enhanced lipogenesis. *Cell Metab.* 14, 208-218 (2011)

Puglisi, R.* et al.: The nuclear form of Glutathione Peroxidase 4 is associated with sperm nuclear matrix and is required for proper paternal chromatin decondensation at fertilization. *J. Cell Physiol.* 227, 1420-1427 (2012)

Puk, O., Ahmad, N., Wagner, S., Hrabé de Angelis, M. & Graw, J.: First mutation in the β A2-crystallin encoding gene is associated with small lenses and age-related cataracts. *Invest. Ophthalmol. Vis. Sci.* 52, 2571-2576 (2011)

Puk, O., Ahmad, N., Wagner, S., Hrabé de Angelis, M. & Graw, J.: Microphakia and congenital cataract formation in a novel *Lim2*^{C51R} mutant mouse. *Mol. Vis.* 17, 1164-1171 (2011)

Puk, O. et al.: The pathologic effect of a novel neomorphic *Fgf9*^{Y162C} allele is restricted to decreased vision and retarded lens growth. *PLoS One* 6:e23678 (2011)

Refojo, D.* et al.: Glutamatergic and dopaminergic neurons mediate anxiogenic and anxiolytic effects of CRHR1. *Science* 333, 1903-1907 (2011)

Ringwald, M.* et al.: The IKMC web portal: A central point of entry to data and resources from the International Knockout Mouse Consortium. *Nucleic Acids Res.* 39, D849-D855 (2011)

Rolyan, H.* et al.: Telomere shortening reduces Alzheimer's disease amyloid pathology in mice. *Brain* 134, 2044-2056 (2011)

Schmidt, M.V.* et al.: Tumor suppressor down-regulated in renal cell carcinoma 1 (DRR1) is a stress-induced actin bundling factor that modulates synaptic efficacy and cognition. *Proc. Natl. Acad. Sci. U.S.A.* 108, 17213-17218 (2011)

Schnütgen, F.* et al.: Resources for proteomics in mouse embryonic stem cells. *Nat. Methods* 8, 103-104 (2011)

Sibbing, D.* et al.: Mutations in the mitochondrial thioredoxin reductase gene *TXNRD2* cause dilated cardiomyopathy. *Eur. Heart J.* 32, 1121-1133 (2011)

Thoeringer, C.K.* et al.: Consolidation of remote fear memories involves corticotropin-releasing hormone (CRH) receptor type 1-mediated enhancement of AMPA receptor GluR1 signaling in the dentate gyrus. *Neuropsychopharmacology* 37, 787-796 (2012)

von Saint Paul, V. et al.: The *arabidopsis* glucosyltransferase *UGT76B1* conjugates isoleucic acid and modulates plant defense and senescence. *Plant Cell* 23, 4124-4145 (2011)

Wang, X.D.* et al.: Forebrain CRHR1 deficiency attenuates chronic stress-induced cognitive deficits and dendritic remodeling. *Neurobiol. Dis.* 42, 300-310 (2011)

Wang, X.D.* et al.: Forebrain CRF₁ modulates early-life stress-programmed cognitive deficits. *J. Neurosci.* 31, 13625-13634 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Developmental Genetics

Wefers, B., Wurst, W. & Kühn, R.: Design and generation of gene-targeting vectors. In: Current Protocols in Mouse Biology. Hoboken, NJ : Wiley & Sons, Inc., 2011, 199-211

Wullmann, M.F.* et al.: The long adventurous journey of rhombic lip cells in jawed vertebrates: A comparative developmental analysis. Front. Neuroanat. 5:27 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Diabetes Research

Benhalima, K.* , Standl, E. & Mathieu, C.*: The importance of glycemic control: How low should we go with HbA1c? Start early, go safe, go low. *J. Diabetes Complications* 25, 202-207 (2011)

Bonifacio, E., Warncke, K., Winkler, C., Wallner, M.* & Ziegler, A.-G.: Cesarean section and interferon-induced helicase gene polymorphisms combine to increase childhood type 1 diabetes risk. *Diabetes* 60, 3300-3306 (2011)

Harsunen, M.H.* & Warncke, K.: Primär- und Sekundärprävention des Typ-1-Diabetes. *Diabetologe* 7, 561-567 (2011)

Hummel, S., Pflüger, M., Hummel, M., Bonifacio, E.* & Ziegler, A.-G.: Primary dietary intervention study to reduce the risk of islet autoimmunity in children at increased risk for type 1 diabetes: The BABYDIET study. *Diabetes Care* 34, 1301-1305 (2011)

Hummel, S. & Ziegler, A.-G.: Early determinants of type 1 diabetes: Experience from the BABYDIAB and BABYDIET studies. *Am. J. Clin. Nutr.* 94, 1821-1823 (2011)

Kempf, K.* et al.: Screening for overt diabetes by oral glucose tolerance test: Stratification by fasting blood glucose and patients' age improve practicability of guidelines in cardiological routine. *Int. J. Cardiol.* 150, 201-205 (2011)

Lampasona, V.* et al.: Diabetes antibody standardization program: First proficiency evaluation of assays for autoantibodies to zinc transporter 8. *Clin. Chem.* 57, 1693-1702 (2011)

Meier-Stiegen, F.* & Ziegler, A.-G.: Prospective observational studies of the development of type 1 diabetes during childhood and puberty. *Dtsch. Med. Wochenschr.* 136, 271-275 (2011)

Nicolucci, A.* & Standl, E.: Antiplatelet therapy for every diabetic person? *Diabetes Care* 34, S150-S154 (2011)

Pflueger, M. et al.: Age- and islet autoimmunity-associated differences in amino acid and lipid metabolites in children at risk for type 1 diabetes. *Diabetes* 60, 2740-2747 (2011)

Schlosser, M.* et al.: Diabetes antibody standardization program: First evaluation of assays for autoantibodies to IA-2 β . *Diabetes Care* 34, 2410-2412 (2011)

Simonen-Tikka, M.-L.* et al.: Human enterovirus infections in children at increased risk for type 1 diabetes: The Babydiet study. *Diabetologia* 54, 2995-3002 (2011)

Standl, E., Schnell, O. & Ceriello, A.*: Postprandial hyperglycemia and glycemic variability: Should we care? *Diabetes Care* 34, S120-S127 (2011)

Winkler, C. et al.: An interferon-induced helicase (IFIH1) gene polymorphism associates with different rates of progression from autoimmunity to type 1 diabetes. *Diabetes* 60, 685-690 (2011)

Winkler, C., Schober, E.* , Ziegler, A.-G. & Holl, R.W.*: Markedly reduced rate of diabetic ketoacidosis at onset of type 1 diabetes in relatives screened for islet autoantibodies. *Pediatr. Diabetes* , 10.1111/j.1399-5448.2011.00829.x (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Diabetes Research

Ziegler, A.-G., Meier-Stiegen, F.* , Winkler, C., Bonifacio, E.* & the TEENDIAB Study Group:
Prospective evaluation of risk factors for the development of islet autoimmunity and type 1 diabetes
during puberty - TEENDIAB: study design. *Pediatr. Diabetes* , 10.1111/j.1399-5448.2011.00763.x
(2011)

Ziegler, A.-G. et al.: Accelerated progression from islet autoimmunity to diabetes is causing the
escalating incidence of type 1 diabetes in young children. *J. Autoimmun.* 37, 3-7 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Ecological Chemistry

- Botaro, D.* et al.: Organochlorine pesticides residues in feed and muscle of farmed Nile tilapia from Brazilian fish farms. *Food Chem. Toxicol.* 49, 2125-2130 (2011)
- Boutegrabet, L. et al.: Determination of stilbene derivatives in Burgundy red wines by ultra-high-pressure liquid chromatography. *Anal. Bioanal. Chem.* 401, 1513-1521 (2011)
- Brito-Echeverria, J.* et al.: Response to adverse conditions in two strains of the extremely halophilic species *Salinibacter ruber*. *Extremophiles* 15, 379-389 (2011)
- Chen, J.* et al.: Serum 27-nor-5 β -Cholestane-3,7,12,24,25 pentol glucuronide discovered by metabolomics as potential diagnostic biomarker for epithelium ovarian cancer. *J. Proteome Res.* 10, 2625-2632 (2011)
- Diederich, J. & Michalke, B.: Charakterisierung von Manganspezies in Sprague-Dawley Ratten nach Fütterung mit einer eisen- und manganreichen Standard Diät. In: Schwerdtle; Ebert; Hartwig [Hrsg.]: Mikronährstoffe: Nahrungsergänzungsmittel, Analytik, Essentialität und Toxizität. München : Herbert Utz Verlag, 2011 (Schriftenreihe der Gesellschaft für Mineralstoffe und Spurenelemente e.V. ; 4), 102-108
- Ebrahim, A.M.* et al.: Study on some trace element contents in serum and nail samples obtained from sudanese subjects. *Biol. Trace Elem. Res.* 144, 225-233 (2011)
- Eissen, M.* et al.: Oxidation numbers, oxidants, and redox reactions: Variants of the electrophilic bromination of alkenes and variants of the application of oxone. *J. Chem. Educ.* 88, 284-291 (2011)
- Fekete, A., Rothballer, M., Hartmann, A. & Schmitt-Kopplin, P.: Identification of bacterial autoinducers. In: Krämer, R.; Jung, K. [Eds.]: *Bacterial Signaling*. Weinheim : Wiley-VCH, 2010, 95-111
- Fekete, V.* et al.: Use of the kinetic plot method to compare the efficiency and resolution of liquid-phase separation techniques based on different driving forces. *J. Planar. Chromat.* 23, 440-446 (2010)
- Flerus, R.*, Koch, B.P.*, Schmitt-Kopplin, P., Witt, M.* & Kattner, G.*: Molecular level investigation of reactions between dissolved organic matter and extraction solvents using FT-ICR MS. *Mar. Chem.* 124, 100-107 (2011)
- Gaspar, A., Lucio, M., Harir, M. & Schmitt-Kopplin, P.: Targeted and non-targeted boron complex formation followed by electrospray Fourier transform ion cyclotron mass spectrometry: A novel approach for identifying boron esters with natural organic matter. *Eur. J. Mass Spectrom.* 17, 113-123 (2011)
- Gerhardt, A.*, Ud-Daulla, A. & Schramm, K.-W.: *Tetrahymena* spp. (Protista, Ciliophora) as test species in rapid multi-level ecotoxicity tests. *Acta Protozool.* 49, 271-280 (2010)
- Gilles, S. et al.: Pollen metabolome analysis reveals adenosine as a major regulator of dendritic cell-primed T_H cell responses. *J. Allergy Clin. Immunol.* 127, 454-461 (2011)
- Gonsior, M.* et al.: Molecular characterization of effluent organic matter identified by ultrahigh resolution mass spectrometry. *Water Res.* 45, 2943-2953 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Ecological Chemistry

Grinhut, T.* , Hertkorn, N., Schmitt-Kopplin, P., Hadar, Y.* & Chen, Y.N.*: Mechanisms of humic acids degradation by white rot fungi explored using ¹H NMR spectroscopy and FTICR mass spectrometry. *Environ. Sci. Technol.* 45, 2748-2754 (2011)

Höllriegel, V., Arogunjo, A.M., Giussani, A., Michalke, B. & Oeh, U.: Daily urinary excretion of uranium in members of the public of Southwest Nigeria. *Sci. Total Environ.* 412-413, 344-350 (2011)

Hong, Y.S.* et al.: Metabolic influence of *Botrytis cinerea* infection in champagne base wine. *J. Agric. Food Chem.* 59, 7237-7245 (2011)

Kanawati, B., Lenoir, D. & Schmitt-Kopplin, P.: Can tetra-tert-butylethylene be formed by ion-ion recombination or ion-molecule reaction of two di-tert-butylcarbene units? A DFT study. *J. Phys. Org. Chem.* 24, 83-91 (2011)

Kanawati, B., von Saint Paul, V., Herrmann, C., Schäffner, A.R. & Schmitt-Kopplin, P.: Mass spectrometric stereoisomeric differentiation between α - and β -ascorbic acid 2-O-glucosides. Experimental and density functional theory study. *Rapid Commun. Mass Spectrom.* 25, 806-814 (2011)

Krämer, P.M., Keß, M., Kremmer, E. & Schulte-Hostede, S.: Multi-parameter determination of TNF α , PCT and CRP for point-of-care testing. *Analyst* 136, 692-695 (2011)

Lundstedt-Enkel, K.*: Comments on "Levels of PCDD/F and dioxin-like PCB in Baltic fish of different age and gender" by M. Pandelova, B. Henkelmann, O. Roots, M. Simm, L. Järv, E. Benfenati and K.-W. Schramm [*Chemosphere* 71(2) (2008) 369-378]. *Chemosphere* 82, 786-786 (2011)

Michalke, B. & Berthele, A.*: Contribution to selenium speciation in cerebrospinal fluid samples. *J. Anal. Atomic Spectrom.* 26, 165-170 (2011)

Michalke, B., Schwerdtle, T.* & Nischwitz, V.: Speciation and toxicological relevance of manganese in humans. In: Schwerdtle; Ebert; Hartwig [Hrsg.]: *Mikronährstoffe: Nahrungsergänzungsmittel, Analytik, Essentialität und Toxizität*. München : Herbert Utz Verlag, 2011 (Schriftenreihe der Gesellschaft für Mineralstoffe und Spurenelemente e.V. ; 4), 33-39

Neogi, S.B.* et al.: Biogeochemical controls on the bacterial populations in the eastern Atlantic Ocean. *Biogeosciences* 8, 3747-3759 (2011)

Ofner, J.* et al.: Physico-chemical characterization of SOA derived from catechol and guaiacol - a model substance for the aromatic fraction of atmospheric HULIS. *Atmos. Chem. Phys.* 11, 1-15 (2011)

Okay, O.S.* , Karacik, B.* , Henkelmann, B. & Schramm, K.-W.: Distribution of organochlorine pesticides in sediments and mussels from the Istanbul Strait. *Environ. Monit. Assess.* 176, 51-65 (2011)

Otieno, P.O.* , Lalah, J.O.* , Virani, M.* , Jondiko, I.O.* & Schramm, K.-W.: Carbofuran use and abuse in Kenya: Residues in soils, plants, water courses and the African white-backed vultures (*Gyps africanus*) found dead. *Environmentalist* 31, 382-393 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Ecological Chemistry

- Pandelova, M. et al.: Assessment of PCDD/F, PCB, OCP and BPA dietary exposure of non-breast-fed European infants. *Food Addit. Contam. Part A-Chem.* 28, 1110-1122 (2011)
- Rani, S.*, Kumar, A.*, Kumar Malik, A.* & Schmitt-Kopplin, P.: Occurrence of N-acyl homoserine lactones in extracts of bacterial strain of *Pseudomonas aeruginosa* and in sputum sample evaluated by gas chromatography-mass spectrometry. *Am. J. Anal. Chem.* 2, 294-302 (2011)
- Samgina, T.Y.* et al.: Novel cysteine tags for the sequencing of non-tryptic disulfide peptides of anurans: ESI-MS study of fragmentation efficiency. *J. Am. Soc. Mass Spectrom.* 22, 2246-2255 (2011)
- Schue, M.* et al.: Modulation of metabolism and switching to biofilm prevail over exopolysaccharide production in the response of *Rhizobium alarii* to cadmium. *PLoS One* 6:e26771 (2011)
- Solomons, N.W.*, Romero-Abal, M.E.*, Weiss, G.*, Michalke, B. & Schumann, K.*: Bioavailability of zinc from NutriSet zinc tablets compared with aqueous zinc sulfate. *Eur. J. Clin. Nutr.* 65, 125-131 (2011)
- Suárez-Suárez, A.* et al.: Response of sulfate-reducing bacteria to an artificial oil-spill in a coastal marine sediment. *Environ. Microbiol.* 13, 1488-1499 (2011)
- Summer, K.H. et al.: The biogenic methanobactin is an effective chelator for copper in a rat model for Wilson disease. *J. Trace Elem. Med. Biol.* 25, 36-41 (2011)
- Terrien, X.*, Fini, J.-B.*, Demeneix, B.A.*, Schramm, K.-W. & Prunet, P.*: Generation of fluorescent zebrafish to study endocrine disruption and potential crosstalk between thyroid hormone and corticosteroids. *Aquat. Toxicol.* 105, 13-20 (2011)
- Tröbs, L., Henkelmann, B., Lenoir, D., Reischl, A.* & Schramm, K.-W.: Degradative fate of 3-chlorocarbazole and 3,6-dichlorocarbazole in soil. *Environ. Sci. Pollut. Res.* 18, 547-555 (2011)
- Tziotis, D., Hertkorn, N. & Schmitt-Kopplin, P.: Kendrick-analogous network visualisation of ion cyclotron resonance Fourier transform mass spectra: Improved options for the assignment of elemental compositions and the classification of organic molecular complexity. *Eur. J. Mass Spectrom.* 17, 415-421 (2011)
- Voigt, K. et al.: Similarities of environmental health data of persistent organic pollutants in three countries analyzed by the pyHasse software. In: Pillmann, W.; Schade, S.; Smits, P. [Eds.]: *Proceedings of the 25th Conference EnviroInfo 2011*. Aachen : Shaker, 2011 (Innovations in Sharing Environmental Observations and Information), 137-144
- von Saint Paul, V. et al.: The *arabidopsis* glucosyltransferase UGT76B1 conjugates isoleucic acid and modulates plant defense and senescence. *Plant Cell* 23, 4124-4145 (2011)
- Wang, T.T.* et al.: Analysis of low molecular weight acids by monolithic immobilized pH gradient-based capillary isoelectric focusing coupled with mass spectrometry. *J. Sep. Sci.* 34, 422-427 (2011)
- Willing, B.P.* et al.: A pyrosequencing study in twins shows that gastrointestinal microbial profiles vary with inflammatory bowel disease phenotypes. *Gastroenterology* 139, 1844-1854 (2010)

Publication List 2011

31.12.2011

* external Authors

Institute of Ecological Chemistry

Xiuhua, Z.* et al.: Quantitative relationship for air sampling rates of polychlorinated biphenyls by semipermeable membrane devices with their structures and properties. *Computers and Applied Chemistry* 28, 6-10 (2011)

Yakan, S.D.*, Henkelmann, B., Schramm, K.-W. & Okay, O.S.*: Bioaccumulation depuration kinetics and effects of benzo(a)anthracene on *Mytilus galloprovincialis*. *Mar. Pollut. Bull.* 63, 471-476 (2011)

Zhu, X.H.* et al.: QSPR study about sampling rates of semipermeable membrane devices for monitoring of organochlorine pesticides in Alps air. *Chinese Sci. Bull.* 56, 1884-1889 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Epidemiology I

Allanore, Y.* et al.: Genome-wide scan identifies TNIP1, PSORS1C1, and RHOB as novel risk loci for systemic sclerosis. *PLoS Genet.* 7:e1002091 (2011)

Artigas, M.S.* et al.: Genome-wide association and large-scale follow up identifies 16 new loci influencing lung function. *Nat. Genet.* 43, 1082-1090 (2011)

Autenrieth, C.S. et al.: Myeloperoxidase, but not oxidized LDL, is associated with leisure-time physical activity: Results from the MONICA/KORA Augsburg Studies 1984-1995. *Atherosclerosis* 219, 774-777 (2011)

Benetou, V.* et al.: Anthropometry, physical activity and hip fractures in the elderly. *Injury* 42, 188-193 (2011)

Benetou, V.* et al.: Diet and hip fractures among elderly Europeans in the EPIC cohort. *Eur. J. Clin. Nutr.* 65, 132-139 (2011)

Birk, M., Ivina, O.*, von Klot S., Babisch, W.* & Heinrich, J.: Road traffic noise: Self-reported noise annoyance versus GIS modelled road traffic noise exposure. *J. Environ. Monit.* 13, 3237-3245 (2011)

Bis, J.C.* et al.: Meta-analysis of genome-wide association studies from the CHARGE consortium identifies common variants associated with carotid intima media thickness and plaque. *Nat. Genet.* 43, 940-947 (2011)

Böger, C.A.* et al.: Association of eGFR-related loci identified by GWAS with incident CKD and ESRD. *PLoS Genet.* 7:e1002292 (2011)

Bousquet, J.* et al.: MeDALL (Mechanisms of the Development of ALLergy): An integrated approach from phenotypes to systems medicine. *Allergy* 66, 596-604 (2011)

Bown, M.J.* et al.: Abdominal aortic aneurysm is associated with a variant in low-density lipoprotein receptor-related protein 1. *Am. J. Hum. Genet.* 89, 619-627 (2011)

Braig, S.* et al.: The impact of social status inconsistency on cardiovascular risk factors, myocardial infarction and stroke in the EPIC-Heidelberg cohort. *BMC Public Health* 11:104 (2011)

Breitfelder, A. et al.: Relative weight-related costs of healthcare use by children - results from the two German birth cohorts, GINI-plus and LISA-plus. *Econ. Hum. Biol.* 9, 302-315 (2011)

Breitner, S. et al.: Sub-micrometer particulate air pollution and cardiovascular mortality in Beijing, China. *Sci. Total Environ.* 409, 5196-5204 (2011)

Brüske, I. et al.: Ambient air pollution and lipoprotein-associated phospholipase A₂ in survivors of myocardial infarction. *Environ. Health Perspect.* 119, 921-926 (2011)

Buck, K.* et al.: Serum enterolactone and prognosis of postmenopausal breast cancer. *J. Clin. Oncol.* 29, 3730-3738 (2011)

Buck, K.* et al.: Estimated enterolignans, lignan-rich foods, and fibre in relation to survival after postmenopausal breast cancer. *Br. J. Cancer* 105, 1151-1157 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Epidemiology I

- Burgdorf, K.S.* et al.: Studies of the association of Arg72Pro of tumor suppressor protein p53 with type 2 diabetes in a combined analysis of 55,521 Europeans. *PLoS One* 6:e15813 (2011)
- Cazzoletti, L.* et al.: Asthma severity according to global initiative for asthma and its determinants: An international study. *Int. Arch. Allergy Immunol.* 151, 70-79 (2010)
- Chambers, J.C.* et al.: Genome-wide association study identifies loci influencing concentrations of liver enzymes in plasma. *Nat. Genet.* 43, 1131-1138 (2011)
- Cramer, C.* et al.: Association between attendance of day care centres and increased prevalence of eczema in the German birth cohort study LISApplus. *Allergy* 66, 86-75 (2011)
- Demirkan, A.* et al.: Genetic architecture of circulating lipid levels. *Eur. J. Hum. Genet.* 19, 813-819 (2011)
- Dieudé, P.* et al.: Evidence of the contribution of the X chromosome to systemic sclerosis susceptibility: Association with the functional *IRAK1* 196Phe/532Ser haplotype. *Arthritis Rheum.* 63, 3979-3987 (2011)
- Dolmans, G.H.* et al.: Wnt signaling and Dupuytren's disease. *N. Engl. J. Med.* 365, 307-317 (2011)
- Edmondson, A.C.* et al.: Dense genotyping of candidate gene loci identifies variants associated with high-density lipoprotein cholesterol. *Circ. Cardiovasc. Genet.* 4, 145-155 (2011)
- Erdmann, J.* et al.: Genome-wide association study identifies a new locus for coronary artery disease on chromosome 10p11.23. *Eur. Heart J.* 32, 158-168 (2011)
- Eyheramendy, S. et al.: Effect of genome-wide simultaneous hypotheses tests on the discovery rate. *Int. J. Mol. Epidemiol. Genet.* 2, 163-177 (2011)
- Filipiak-Pittroff, B. et al.: Predictive value of food sensitization and filaggrin mutations in children with eczema. *J. Allergy Clin. Immunol.* 128, 1235-1241 (2011)
- Flexeder, C., Brüske, I., Magnussen, H.* & Heinrich, J.: Association between obesity and atopy in adults? *Int. Arch. Allergy Immunol.* 156, 117-118 (2011)
- Frank, B.* et al.: Association of hydroxyprostaglandin dehydrogenase 15-(NAD) (HPGD) variants and colorectal cancer risk. *Carcinogenesis* 32, 190-196 (2011)
- Ganguly, K. et al.: Impaired resolution of inflammatory response in the lungs of JF1/Msf mice following carbon nanoparticle instillation. *Respir. Res.* 12, 94 (2011)
- Gieger, C. et al.: New gene functions in megakaryopoiesis and platelet formation. *Nature* 480, 201-208 (2011)
- Glaser, C.*, Lattka, E., Rzehak, P., Steer, C.* & Koletzko, B.*: Genetic variation in polyunsaturated fatty acid metabolism and its potential relevance for human development and health. *Matern. Child Nutr.* 7, 27-40 (2011)
- Glaser, C.* et al.: Influence of *FADS* polymorphisms on tracking of serum glycerophospholipid fatty acid concentrations and percentage composition in children. *PLoS One* 6:e21933 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Epidemiology I

GoDARTS and UKPDS Diabetes Pharmacogenetics Study Group* et al.: Common variants near *ATM* are associated with glycemic response to metformin in type 2 diabetes. *Nat. Genet.* 43, 117-120 (2011)

Goeckenjan, G.* et al.: Prevention, diagnosis, therapy, and follow-up of lung cancer: Interdisciplinary guideline of the German Respiratory Society and the German Cancer Society. *Pneumologie* 65, 39-59 (2011)

Goeckenjan, G.* et al.: Prävention, Diagnostik, Therapie und Nachsorge des Lungenkarzinoms. Interdisziplinäre S3-Leitlinie der Deutschen Gesellschaft für Pneumologie und Beatmungsmedizin und der Deutschen Krebsgesellschaft - Kurzfassung. *Pneumologie* 65, 51-75 (2011)

Graw, J. et al.: The KORA eye study: A population-based study on eye diseases in southern Germany (KORA F4). *Invest. Ophthalmol. Vis. Sci.* 52, 7778-7786 (2011)

Guertler, A.* et al.: The WST survival assay: An easy and reliable method to screen radiation-sensitive individuals. *Radiat. Prot. Dosim.* 143, 487-490 (2011)

Harner, S. et al.: Cord blood $V\alpha 24$ - $v\beta 11$ natural killer T cells display a Th2-chemokine receptor profile and cytokine responses. *PLoS One* 9:e15714 (2011)

Hegar, R., Döring, A. & Mielck, A.: Einfluss des subjektiven Sozialstatus auf gesundheitliche Risiken und Gesundheitszustand - Ergebnisse der KORA-F4-Studie. *Gesundheitswesen*, 10.1055/s-0031-1275714 (2011)

Heinrich, J.: Influence of indoor factors in dwellings on the development of childhood asthma. *Int. J. Hyg. Environ. Health* 214, 1-25 (2011)

Hermann, S.* et al.: The association of education with body mass index and waist circumference in the EPIC-PANACEA study. *BMC Public Health* 11:169 (2011)

Hinney, A.* et al.: Genome-wide association study in German patients with attention deficit/hyperactivity disorder. *Am. J. Med. Genet. B* 156B, 888-897 (2011)

Horsch, M. et al.: Requirement of the RNA-editing enzyme ADAR2 for normal physiology in mice. *J. Biol. Chem.* 286, 18614-18622 (2011)

International Consortium for Blood Pressure Genome-Wide Association Studies: Genetic variants in novel pathways influence blood pressure and cardiovascular disease risk. *Nature* 478, 103-109 (2011)

International Multiple Sclerosis Genetics Consortium & Wellcome Trust Case Control Consortium 2: Genetic risk and a primary role for cell-mediated immune mechanisms in multiple sclerosis. *Nature* 476, 214-219 (2011)

International Multiple Sclerosis Genetics Consortium: The genetic association of variants in *CD6*, *TNFRSF1A* and *IRF8* to multiple sclerosis: A multicenter case-control study. *PLoS One* 6:e18813 (2011)

Jourdan, C. et al.: Gene-PUFA interactions and obesity risk. *Br. J. Nutr.* 106, 1263-1272 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Epidemiology I

Kanoni, S.* et al.: Total zinc intake may modify the glucose-raising effect of a zinc transporter (*SLC30A8*) variant: A 14-cohort meta-analysis. *Diabetes* 60, 2407-2416 (2011)

Kilinc, E.* et al.: The procoagulant effects of fine particulate matter *in vivo*. Part. Fibre Toxicol. 8:12 (2011)

Kilpeläinen, T.O.* et al.: Obesity-susceptibility loci have a limited influence on birth weight: A meta-analysis of up to 28,219 individuals. *Am. J. Clin. Nutr.* 93, 851-860 (2011)

Kleiser, C. et al.: Indicators of overweight and cardiovascular disease risk factors among 11- to 17-year-old boys and girls in Germany. *Obes. Facts* 4, 379-385 (2011)

Koch, B.* et al.: Lung function reference values in different German populations. *Respir. Med.* 105, 352-362 (2011)

Kohlboeck, G. et al.: Effect of fatty acid status in cord blood serum on children's behavioral difficulties at 10 y of age: Results from the LISAPLUS Study. *Am. J. Clin. Nutr.* 94, 1592-1599 (2011)

Koletzko, S.* et al.: Supplementation with cow's milk at birth is not recommended. *J. Allergy Clin. Immunol.* 127, 836-838 (2011)

Kornum, B.R.* et al.: Common variants in P2RY11 are associated with narcolepsy. *Nat. Genet.* 43, 66-71 (2011)

Kraus, U. et al.: Particle-associated organic compounds and symptoms in myocardial infarction survivors. *Inhal. Toxicol.* 23, 431-447 (2011)

Künzli, N.* et al.: Investigating air pollution and atherosclerosis in humans: Concepts and outlook. *Prog. Cardiovasc. Dis.* 53, 334-343 (2011)

Lattka, E. et al.: Genetic variants in the *FADS* gene cluster are associated with arachidonic acid concentrations of human breast milk at 1.5 and 6 mo postpartum and influence the course of milk dodecanoic, tetracosenoic, and *trans*-9-octadecenoic acid concentrations over the duration of lactation. *Am. J. Clin. Nutr.* 93, 382-391 (2011)

Lederbogen, F.* et al.: Flattened circadian cortisol rhythm in type 2 diabetes. *Exp. Clin. Endocrinol. Diabetes* 119, 573-575 (2011)

Li, K.*, Kaaks, R.*, Linseisen, J. & Rohrmann, S.*: Dietary calcium and magnesium intake in relation to cancer incidence and mortality in a German prospective cohort (EPIC-Heidelberg). *Cancer Causes Control* 22, 1375-1382 (2011)

Lindsey, J.Y.* et al.: c-Kit is essential for alveolar maintenance and protection from emphysema-like disease in mice. *Am. J. Respir. Crit. Care Med.* 183, 1644-1652 (2011)

Linseisen, J. et al.: Consumption of meat and fish and risk of lung cancer: Results from the European Prospective Investigation into Cancer and Nutrition. *Cancer Causes Control* 22, 909-918 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Epidemiology I

MacIntyre, E.A. et al.: Residential air pollution and otitis media during the first two years of life. *Epidemiology* 22, 81-89 (2011)

Matheson, M.C.* et al.: Early-life risk factors and incidence of rhinitis: Results from the European Community Respiratory Health Study - an international population-based cohort study. *J. Allergy Clin. Immunol.* 128, 816-823 (2011)

McKay, J.D.* et al.: A genome-wide association study of upper aerodigestive tract cancers conducted within the INHANCE consortium. *PLoS Genet.* 7:e1001333 (2011)

Menn, P. et al.: Direct medical costs of COPD - an excess cost approach based on two population-based studies. *Respir. Med.* 106, 540-548 (2012)

Meyer, J. et al.: Dietary patterns, subclinical inflammation, incident coronary heart disease and mortality in middle-aged men from the MONICA/KORA Augsburg cohort study. *Eur. J. Clin. Nutr.* 65, 800-807 (2011)

Mittelstrass, K. et al.: Discovery of sexual dimorphisms in metabolic and genetic biomarkers. *PLoS Genet.* 7:e1002215 (2011)

Nalls, M.A.* et al.: Multiple loci are associated with white blood cell phenotypes. *PLoS Genet.* 7:e1002113 (2011)

Nielsen, T.* et al.: Type 2 diabetes risk allele near *CENTD2* is associated with decreased glucose-stimulated insulin release. *Diabetologia* 54, 1052-1056 (2011)

Norbäck, D.* et al.: Lung function decline in relation to mould and dampness in the home: The longitudinal European Community Respiratory Health Survey ECRHS II. *Thorax* 66, 396-401 (2011)

Obeidat, M.* et al.: A comprehensive evaluation of potential lung function associated genes in the SpiroMeta general population sample. *PLoS One* 6:e19382 (2011)

Ohlsson, C.* et al.: Genetic determinants of serum testosterone concentrations in men. *PLoS Genet.* 7:e1002313 (2011)

Olsson, A.C.* et al.: Exposure to diesel motor exhaust and lung cancer risk in a pooled analysis from case-control studies in Europe and Canada. *Am. J. Respir. Crit. Care Med.* 183, 941-948 (2011)

Parra, E.J.* et al.: Genome-wide association study of type 2 diabetes in a sample from Mexico City and a meta-analysis of a Mexican-American sample from Starr County, Texas. *Diabetologia* 54, 2038-2046 (2011)

Paternoster, L.* et al.: Meta-analysis of genome-wide association studies identifies three new risk loci for atopic dermatitis. *Nat. Genet.* 44, 187-192 (2011)

Peters, A. et al.: Multimorbidität und erfolgreiches Altern. Ein Blick auf die Bevölkerung im Rahmen der KORA-Age-Studie. *Z. Gerontol. Geriatr.* 44, Suppl. 2, 41-54 (2011)

Purdue, M.P.* et al.: Genome-wide association study of renal cell carcinoma identifies two susceptibility loci on 2p21 and 11q13.3. *Nat. Genet.* 43, 60-65 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Epidemiology I

Pütter, C.* et al.: Missing heritability in the tails of quantitative traits? A simulation study on the impact of slightly altered true genetic models. *Hum. Hered.* 72, 173-181 (2011)

Renström, F.* et al.: Genetic predisposition to long-term nondiabetic deteriorations in glucose homeostasis: Ten-year follow-up of the GLACIER study. *Diabetes* 60, 345-354 (2011)

Rohrmann, S.* et al.: Consumption of meat and dairy and lymphoma risk in the European Prospective Investigation into Cancer and Nutrition. *Int. J. Cancer* 128, 623-634 (2011)

Rohrmann, S.* et al.: Concentrations of IGF-I and IGFBP-3 and brain tumor risk in the European Prospective Investigation into Cancer and Nutrition. *Cancer Epidemiol. Biomarkers Prev.* 20, 2174-2182 (2011)

Rzehak, P. et al.: Growth of infants fed formula rich in canola oil (low erucic acid rapeseed oil). *Clin. Nutr.* 30, 339-345 (2011)

Rzehak, P. et al.: Long-term effects of hydrolyzed protein infant formulas on growth - extended follow-up to 10 y of age: Results from the German Infant Nutritional Intervention (GINI) study. *Am. J. Clin. Nutr.* 94, 1803S-1807S (2011)

Rzehak, P. et al.: Short- and long-term effects of feeding hydrolyzed protein infant formulas on growth at ≤ 6 y of age: Results from the German Infant Nutritional Intervention Study. *Am. J. Clin. Nutr.* 97, 1803-1807 (2011)

Sander, A.*, Linseisen, J. & Rohrmann, S.*: Intake of heterocyclic aromatic amines and the risk of prostate cancer in the EPIC-Heidelberg cohort. *Cancer Causes Control* 22, 109-114 (2011)

Sausenthaler, S., Heinrich, J., Koletzko, S.* & GINIplus and LISApplus Study Group: Early diet and the risk of allergy: What can we learn from the prospective birth cohort studies GINIplus and LISApplus? *Am. J. Clin. Nutr.* 94, 2012-2017 (2011)

Sausenthaler, S. et al.: Regional and socio-economic differences in food, nutrient and supplement intake in school-age children in Germany: Results from the GINIplus and the LISApplus studies. *Public Health Nutr.* 14, 1724-1735 (2011)

Scherag, A.*, Hebebrand, J.*, Wichmann, H.-E. & Jöckel, K.H.*: Evaluating strategies for marker ranking in genome-wide association studies of complex traits. *Methods Inf. Med.* 49, 632-640 (2010)

Schlehofer, B.* et al.: Primary brain tumours and specific serum immunoglobulin E: A case-control study nested in the European Prospective Investigation into Cancer and Nutrition cohort. *Allergy* 66, 1434-1441 (2011)

Schmitt, J.* et al.: Infant eczema, infant sleeping problems, and mental health at 10 years of age: The prospective birth cohort study LISApplus. *Allergy* 66, 404-411 (2011)

Schnabel, E. et al.: High blood pressure, antihypertensive medication and lung function in a general adult population. *Respir. Res.* 12:50 (2011)

Schnabel, E., Nowak, D.*, Brasche, S.*, Wichmann, H.-E. & Heinrich, J.: Association between lung function, hypertension and blood pressure medication. *Respir. Med.* 105, 727-733 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Epidemiology I

Schumann, G.* et al.: Genome-wide association and genetic functional studies identify autism susceptibility candidate 2 gene (AUTS2) in the regulation of alcohol consumption. *Proc. Natl. Acad. Sci. U.S.A.* 108, 7119-7124 (2011)

Schunkert, H.* et al.: Large-scale association analysis identifies 13 new susceptibility loci for coronary artery disease. *Nat. Genet.* 43, 333-340 (2011)

Sibbing, D.* et al.: Mutations in the mitochondrial thioredoxin reductase gene TXNRD2 cause dilated cardiomyopathy. *Eur. Heart J.* 32, 1121-1133 (2011)

Slachtova, H.* et al.: Parental education and lung function of children in the PATY study. *Eur. J. Epidemiol.* 26, 45-54 (2011)

Small, K.S.* et al.: Identification of an imprinted master *trans* regulator at the *KLF14* locus related to multiple metabolic phenotypes. *Nat. Genet.* 43, 561-564 (2011)

Soler Artigas, M.* et al.: Effect of five genetic variants associated with lung function on the risk of chronic obstructive lung disease, and their joint effects on lung function. *Am. J. Respir. Crit. Care Med.* 184, 786-795 (2011)

Speliotes, E.K.* et al.: Genome-wide association analysis identifies variants associated with nonalcoholic fatty liver disease that have distinct effects on metabolic traits. *PLoS Genet.* 7:e1001324 (2011)

Standl, M. et al.: *FADS* gene variants modulate the effect of dietary fatty acid intake on allergic diseases in children. *Clin. Exp. Allergy* 41, 1757-1766 (2011)

Stöckl, D. et al.: Age at menarche and its association with the metabolic syndrome and its components: Results from the KORA F4 study. *PLoS One* 6:e26076 (2011)

Strawbridge, R.J.* et al.: Genome-wide association identifies nine common variants associated with fasting proinsulin levels and provides new insights into the pathophysiology of type 2 diabetes. *Diabetes* 60, 2624-2634 (2011)

Suhre, K. et al.: A genome-wide association study of metabolic traits in human urine. *Nat. Genet.* 43, 565-571 (2011)

Surakka, I.* et al.: A genome-wide screen for interactions reveals a new locus on 4p15 modifying the effect of waist-to-hip ratio on total cholesterol. *PLoS Genet.* 7:e1002333 (2011)

The IBC 50K CAD Consortium: Large-scale gene-centric analysis identifies novel variants for coronary artery disease. *PLoS Genet.* 7:e1002260 (2011)

Thiering, E. et al.: Prenatal and postnatal tobacco smoke exposure and development of insulin resistance in 10 year old children. *Int. J. Hyg. Environ. Health* 214, 361-368 (2011)

Thorand, B. et al.: Effect of serum 25-hydroxyvitamin D on risk for type 2 diabetes may be partially mediated by subclinical inflammation: Results from the MONICA/KORA Augsburg study. *Diabetes Care* 34, 2320-2322 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Epidemiology I

- Tiesler, C.M. et al.: Passive smoking and behavioural problems in children: Results from the LISApplus prospective birth cohort study. *Environ. Res.* 111, 1173-1179 (2011)
- Timmer, A. et al.: Childhood onset inflammatory bowel disease: Predictors of delayed diagnosis from the CEDATA German-language pediatric inflammatory bowel disease registry. *J. Pediatr.* 158, 467-473 (2011)
- Tischer, C., Chen, C.-M. & Heinrich, J.: Association between domestic mould and mould components, and asthma and allergy in children: A systematic review. *Eur. Respir. J.* 38, 812-824 (2011)
- Tischer, C. et al.: Respiratory health in children, and indoor exposure to (1,3)- β -D-glucan, EPS mould components and endotoxin. *Eur. Respir. J.* 37, 1050-1059 (2011)
- Tischer, C.G. et al.: Meta-analysis of mould and dampness exposure on asthma and allergy in eight European birth cohorts: An ENRIECO initiative. *Allergy* 66, 1570-1579 (2011)
- Upadhyay, S., Elder, A.*, Cascio, W.E.* & Schulz, H.: Particles and the autonomic nervous system. In: Cassee, F.R.; Mills, N.L.; Newby, D. [Eds.]: *Cardiovascular Effects of Inhaled Ultrafine and Nanosized Particles*. Hoboken, NJ : Wiley, 2011, 441-466
- Vineis, P.* et al.: DNA methylation changes associated with cancer risk factors and blood levels of vitamin metabolites in a prospective study. *Epigenetics* 6, 195-201 (2011)
- Wain, L.V.* et al.: Genome-wide association study identifies six new loci influencing pulse pressure and mean arterial pressure. *Nat. Genet.* 43, 1005-1011 (2011)
- Wichmann, H.-E.: Need for guidelines for standardized biobanking. *Biopreservation and Biobanking* 8, 1 (2010)
- Wichmann, H.-E. et al.: Comprehensive catalog of European biobanks. *Nat. Biotechnol.* 29, 795-797 (2011)
- Wichmann, H.-E. & Thiering, E.: Feinstaubkohortenstudie Frauen in NRW. Langfristige gesundheitliche Wirkungen von Feinstaub. Folgeuntersuchungen bis 2008. Recklinghausen : Landesamt für Natur, Umwelt und Verbraucherschutz Nordrhein-Westfalen, 2011 (LANUV-Fachberichte ; 31), 82 S.
- Winkelmann, J. et al.: Genome-wide association study identifies novel restless legs syndrome susceptibility loci on 2p14 and 16q12.1. *PLoS Genet.* 7:e1002171 (2011)
- Winter, Y.* et al.: Evaluation of the obesity genes *FTO* and *MC4R* and the type 2 diabetes mellitus gene *TCF7L2* for contribution to stroke risk: The Mannheim-Heidelberg Stroke Study. *Obes. Facts* 4, 290-296 (2011)
- Yu, Z. et al.: Differences between human plasma and serum metabolite profiles. *PLoS One* 6:e21230 (2011)
- Zhu, H.* et al.: The *Lin28/let-7* axis regulates glucose metabolism. *Cell* 147, 81-94 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Epidemiology II

Albus, C.* et al.: A stepwise psychotherapy intervention for reducing risk in coronary artery disease (SPIRR-CAD) - rationale and design of a multicenter, randomized trial in depressed patients with CAD. *J. Psychosomat. Res.* 71, 215-222 (2011)

Autenrieth, C.S. et al.: Association between domains of physical activity and all-cause, cardiovascular and cancer mortality. *Eur. J. Epidemiol.* 26, 91-99 (2011)

Autenrieth, C.S. et al.: Myeloperoxidase, but not oxidized LDL, is associated with leisure-time physical activity: Results from the MONICA/KORA Augsburg Studies 1984-1995. *Atherosclerosis* 219, 774-777 (2011)

Aydin, A.* et al.: Central pulse pressure and augmentation index in asymptomatic bicuspid aortic valve disease. *Int. J. Cardiol.* 147, 466-468 (2011)

Baune, B.T.*, Rothermundt, M., Ladwig, K.-H., Meisinger, C. & Berger, K.*: Systemic inflammation (Interleukin 6) predicts all-cause mortality in men: Results from a 9-year follow-up of the MEMO Study. *Age (Dordr.)* 33, 209-217 (2011)

Birk, M., Ivina, O.*, von Klot S., Babisch, W.* & Heinrich, J.: Road traffic noise: Self-reported noise annoyance versus GIS modelled road traffic noise exposure. *J. Environ. Monit.* 13, 3237-3245 (2011)

Bis, J.C.* et al.: Meta-analysis of genome-wide association studies from the CHARGE consortium identifies common variants associated with carotid intima media thickness and plaque. *Nat. Genet.* 43, 940-947 (2011)

Böger, C.A.* et al.: CUBN is a gene locus for albuminuria. *J. Am. Soc. Nephrol.* 22, 555-570 (2011)

Bown, M.J.* et al.: Abdominal aortic aneurysm is associated with a variant in low-density lipoprotein receptor-related protein 1. *Am. J. Hum. Genet.* 89, 619-627 (2011)

Breitner, S. et al.: Sub-micrometer particulate air pollution and cardiovascular mortality in Beijing, China. *Sci. Total Environ.* 409, 5196-5204 (2011)

Brüske, I. et al.: Ambient air pollution and lipoprotein-associated phospholipase A₂ in survivors of myocardial infarction. *Environ. Health Perspect.* 119, 921-926 (2011)

Burgdorf, K.S.* et al.: Studies of the association of Arg72Pro of tumor suppressor protein p53 with type 2 diabetes in a combined analysis of 55,521 Europeans. *PLoS One* 6:e15813 (2011)

Burkart, K.* et al.: Seasonal variations of all-cause and cause-specific mortality by age, gender, and socioeconomic condition in urban and rural areas of Bangladesh. *Int. J. Equity Health* 10:32 (2011)

Burkart, K.* et al.: The effect of atmospheric thermal conditions and urban thermal pollution on all-cause and cardiovascular mortality in Bangladesh. *Environ. Pollut.* 159, 2035-2043 (2011)

C Reactive Protein Coronary Heart Disease Genetics Collaboration (CCGC): Association between C reactive protein and coronary heart disease: Mendelian randomisation analysis based on individual participant data. *Br. Med. J.* 342:d548 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Epidemiology II

Chambers, J.C.* et al.: Genome-wide association study identifies loci influencing concentrations of liver enzymes in plasma. *Nat. Genet.* 43, 1131-1138 (2011)

Conde, L.* et al.: Novel associations for coronary artery disease derived from genome wide association studies are not associated with increased carotid intima-media thickness, suggesting they do not act via early atherosclerosis or vessel remodeling. *Atherosclerosis* 219, 684-689 (2011)

de Miguel-Yanes, J.M.* et al.: Genetic risk reclassification for type 2 diabetes by age below or above 50 years using 40 type 2 diabetes risk single nucleotide polymorphisms. *Diabetes Care* 34, 121-125 (2011)

Dehghan, A.* et al.: Meta-analysis of genome-wide association studies in >80 000 subjects identifies multiple loci for C-reactive protein levels. *Circulation* 123, 731-738 (2011)

Del Greco, M, F.* et al.: Genome-wide association analysis and fine mapping of NT-proBNP level provide novel insight into the role of the MTHFR-CLCN6-NPPA-NPPB gene cluster. *Hum. Mol. Genet.* 20, 1660-1671 (2011)

Dinkel, A.*, Baumert, J., Erazo, N.* & Ladwig, K.-H.: Jumping, lying, wandering: Analysis of suicidal behaviour patterns in 1,004 suicidal acts on the German railway net. *J. Psychiatr. Res.* 45, 121-125 (2011)

Edmondson, A.C.* et al.: Dense genotyping of candidate gene loci identifies variants associated with high-density lipoprotein cholesterol. *Circ. Cardiovasc. Genet.* 4, 145-155 (2011)

Emerging Risk Factors Collaboration: Diabetes mellitus, fasting blood glucose concentration, and risk of vascular disease: A collaborative meta-analysis of 102 prospective studies. *Lancet* 375, 2215-2222 (2010)

Emerging Risk Factors Collaboration: Separate and combined associations of body-mass index and abdominal adiposity with cardiovascular disease: Collaborative analysis of 58 prospective studies. *Lancet* 377, 1085-1095 (2011)

Erdmann, J.* et al.: Genome-wide association study identifies a new locus for coronary artery disease on chromosome 10p11.23. *Eur. Heart J.* 32, 158-168 (2011)

Fortier, I.* et al.: Is rigorous retrospective harmonization possible? Application of the DataSHaPER approach across 53 large studies. *Int. J. Epidemiol.* 40, 1314-1328 (2011)

Gieger, C. et al.: New gene functions in megakaryopoiesis and platelet formation. *Nature* 480, 201-208 (2011)

GoDARTS and UKPDS Diabetes Pharmacogenetics Study Group* et al.: Common variants near *ATM* are associated with glycemic response to metformin in type 2 diabetes. *Nat. Genet.* 43, 117-120 (2011)

Graw, J. et al.: The KORA eye study: A population-based study on eye diseases in southern Germany (KORA F4). *Invest. Ophthalmol. Vis. Sci.* 52, 7778-7786 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Epidemiology II

Gross, A.* et al.: Population-genetic comparison of the Sorbian isolate population in Germany with the German KORA population using genome-wide SNP arrays. *BMC Genet.* 12:67 (2011)

Gu, J.W. et al.: Source apportionment of ambient particles: Comparison of positive matrix factorization analysis applied to particle size distribution and chemical composition data. *Atmos. Environ.* 45, 1849-1857 (2011)

Häfner, S.* et al.: Social isolation and depressed mood are associated with elevated serum leptin levels in men but not in women. *Psychoneuroendocrinology* 36, 200-209 (2011)

Häfner, S. et al.: Association between social isolation and inflammatory markers in depressed and non-depressed individuals: Results from the MONICA/KORA study. *Brain Behav. Immun.* 25, 1701-1707 (2011)

Hampel, R. et al.: Short-term impact of ambient air pollution and air temperature on blood pressure among pregnant women. *Epidemiology* 22, 671-679 (2011)

Hannemann, A.* et al.: Association of plasma aldosterone with the metabolic syndrome in two German populations. *Eur. J. Endocrinol.* 164, 751-768 (2011)

Haucke, F., Wichmann, H.-E., Brüske, I., Tschiersch, J. & Leidl, R.: Gesundheitsökonomische Betrachtung zu Radonsanierungsmaßnahmen. Abschlussbericht. In: Ressortforschungsberichte zur kerntechnischen Sicherheit und zum Strahlenschutz. Salzgitter : Bundesamt für Strahlenschutz, 2011, 157 S.

Hegar, R., Döring, A. & Mielck, A.: Einfluss des subjektiven Sozialstatus auf gesundheitliche Risiken und Gesundheitszustand - Ergebnisse der KORA-F4-Studie. *Gesundheitswesen*, 10.1055/s-0031-1275714 (2011)

Heidelberg, D.A.* , Holle, R., Lacruz, M.E., Ladwig, K.-H. & von Lengerke, T.: Do diabetes and depressed mood affect associations between obesity and quality of life in postmenopause? Results of the KORA-F3 Augsburg population study. *Health Qual. Life Outcomes* 9:97 (2011)

Herder, C.* et al.: Immunological and cardiometabolic risk factors in the prediction of type 2 diabetes and coronary events: MONICA/KORA Augsburg case-cohort study. *PLoS One* 6:e19852 (2011)

Herder, C.* et al.: RANTES/CCL5 and risk for coronary events: Results from the MONICA/KORA Augsburg case-cohort, Athero-Express and CARDIoGRAM studies. *PLoS One* 6:e25734 (2011)

Hinz, T.* et al.: High-resolution ultrasound combined with power Doppler sonography can reduce the number of sentinel lymph node biopsies in cutaneous melanoma. *Dermatology* 222, 180-188 (2011)

Hivert, M.F.* et al.: Updated genetic score based on 34 confirmed type 2 diabetes loci is associated with diabetes incidence and regression to normoglycemia in the diabetes prevention program. *Diabetes* 60, 1340-1348 (2011)

Hivert, M.F.* et al.: Insulin resistance influences the association of adiponectin levels with diabetes incidence in two population-based cohorts: The Cooperative Health Research in the Region of Augsburg (KORA) S4/F4 study and the Framingham Offspring Study. *Diabetologia* 54, 1019-1024 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Epidemiology II

Holzapfel, C. et al.: Association of a *MTNR1B* gene variant with fasting glucose and HOMA-B in children and adolescents with high BMI-SDS. *Eur. J. Endocrinol.* 164, 205-212 (2011)

Hunger, M., Baumert, J. & Holle, R.: Analysis of SF-6D index data: Is beta regression appropriate? *Value Health* 14, 759-767 (2011)

Hunger, M. et al.: Multimorbidity and health-related quality of life in the older population: Results from the German KORA-Age study. *Health Qual. Life Outcomes* 9:53 (2011)

International Consortium for Blood Pressure Genome-Wide Association Studies: Genetic variants in novel pathways influence blood pressure and cardiovascular disease risk. *Nature* 478, 103-109 (2011)

Jahn, H.J.* et al.: Particulate matter pollution in the megacities of the Pearl River Delta, China - a systematic literature review and health risk assessment. *Int. J. Hyg. Environ. Health* 214, 281-295 (2011)

Kanoni, S.* et al.: Total zinc intake may modify the glucose-raising effect of a zinc transporter (*SLC30A8*) variant: A 14-cohort meta-analysis. *Diabetes* 60, 2407-2416 (2011)

Karakas, M.* et al.: Soluble thrombomodulin in coronary heart disease: Lack of an association in the MONICA/KORA case-cohort study. *J. Thromb. Haemost.* 9, 1078-1080 (2011)

Karakas, M.* et al.: Myeloperoxidase is associated with incident coronary heart disease independently of traditional risk factors: Results from the MONICA/KORA Augsburg study. *J. Intern. Med.* 271, 43-50 (2012)

Kilinc, E.* et al.: The procoagulant effects of fine particulate matter *in vivo*. *Part. Fibre Toxicol.* 8:12 (2011)

Kilpeläinen, T.O.* et al.: Physical activity attenuates the influence of *FTO* variants on obesity risk: A meta-analysis of 218,166 adults and 19,268 children. *PLoS Med.* 8:e1001116 (2011)

Kirchberger, I., Heier, M., Kuch, B.*, Wende, R.* & Meisinger, C.: Sex differences in patient-reported symptoms associated with myocardial infarction (from the population-based MONICA/KORA myocardial infarction registry). *Am. J. Cardiol.* 107, 1585-1589 (2011)

Kirchberger, I. et al.: Patient-reported symptoms in acute myocardial infarction: Differences related to ST-segment elevation: The MONICA/KORA Myocardial Infarction Registry. *J. Intern. Med.* 270, 58-64 (2011)

Koenig, W.* et al.: Oxidized LDL and the risk of coronary heart disease: Results from the MONICA/KORA Augsburg study. *Clin. Chem.* 57, 1196-1200 (2011)

Kowall, B.* et al.: Impact of weight and weight change on normalization of prediabetes and on persistence of normal glucose tolerance in an older population: The KORA S4/F4 study. *Int. J. Obes.* , 10.1038/ijo.2011.161 (2011)

Kowall, B.* et al.: Categories of glucose tolerance and continuous glycemic measures and mortality. *Eur. J. Epidemiol.* 26, 637-645 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Epidemiology II

Kraus, U. et al.: Particle-associated organic compounds and symptoms in myocardial infarction survivors. *Inhal. Toxicol.* 23, 431-447 (2011)

Kuch, B.* et al.: Prognosis and outcomes of elderly (75-84 years) patients with acute myocardial infarction 1-2 years after the event - AMI-elderly study of the MONICA/KORA Myocardial Infarction Registry. *Int. J. Cardiol.* 149, 205-210 (2011)

Kunrath, S., Baumert, J. & Ladwig, K.-H.: Increasing railway suicide acts after media coverage of a fatal railway accident? An ecological study of 747 suicidal acts. *J. Epidemiol. Community Health* 65, 825-828 (2011)

Kunte, C.* et al.: Analysis of predictive factors for the outcome of complete lymph node dissection in melanoma patients with metastatic sentinel lymph nodes. *J. Am. Acad. Dermatol.* 64, 655-662 (2011)

Künzli, N.* et al.: Investigating air pollution and atherosclerosis in humans: Concepts and outlook. *Prog. Cardiovasc. Dis.* 53, 334-343 (2011)

Lacruz, M.E., Emeny, R.T., Baumert, J. & Ladwig, K.-H.: Prospective association between self-reported life satisfaction and mortality: Results from the MONICA/KORA Augsburg S3 survey cohort study. *BMC Public Health* 11:579 (2011)

Lacruz, M.E. et al.: Relation between depressed mood, somatic comorbidities and health service utilisation in older adults: Results from the KORA-Age study. *Age Ageing* 41, 183-190 (2012)

Ladwig, K.-H., Emeny, R.T., Häfner, S. & Lacruz, M.E.: Depression: Ein nach wie vor unterschätztes Risiko für die Entwicklung und Progression der koronaren Herzerkrankung. *Bundesgesundheitsblatt* 54, 59-65 (2011)

Ladwig, K.-H., Henningsen, C.*, Ronel, J.* & Kolb, C.*: Ein schrittweises psychoedukatives Behandlungsprogramm für Patienten mit implantiertem Cardioverter/Defibrillator (ICD). *Psychother. Dial.* 12, 44-47 (2011)

Ladwig, K.-H., Ischinger, N.F.*, Ronel, J.* & Kolb, C.*: Umgang mit ICD-Patienten an ihrem Lebensende: Einstellungen, Wissen und Verhalten von Ärzten und Patienten. Eine kritische Literaturanalyse. *Herzschrittmacherther. Elektrophysiol.* 22, 151-156 (2011)

Ladwig, K.-H. et al.: Sex and age specific time patterns and long term time trends of pre-hospital delay of patients presenting with acute ST-segment elevation myocardial infarction. *Int. J. Cardiol.* 152, 350-355 (2011)

Ladwig, K.-H., Ruf, E.*, Baumert, J. & Erazo, N.*: Prevention of metropolitan and railway suicide. In: Wassermann, D.; Wasserman, C. [Eds.]: *Oxford Textbook of Suicidology and Suicide Prevention*. Oxford : Oxford University Press, 2009, 589-594

Lanktree, M.B.* et al.: Meta-analysis of dense genecentric association studies reveals common and uncommon variants associated with height. *Am. J. Hum. Genet.* 88, 6-18 (2011)

Lederbogen, F.* et al.: Flattened circadian cortisol rhythm in type 2 diabetes. *Exp. Clin. Endocrinol. Diabetes* 119, 573-575 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Epidemiology II

Leitte, A.M.* et al.: Size-segregated particle number concentrations and respiratory emergency room visits in Beijing, China. *Environ. Health Perspect.* 119, 508-513 (2011)

Liu, L. et al.: Associations between air temperature and cardio-respiratory mortality in the urban area of Beijing, China: A time-series analysis. *Environ. Health* 10:51 (2011)

Lukaschek, K., Baumert, J. & Ladwig, K.-H.: Behaviour patterns preceding a railway suicide: Explorative study of German Federal Police officers' experiences. *BMC Public Health* 11:620 (2011)

Meisinger, C. et al.: Gender-specific short and long-term mortality in diabetic versus nondiabetic patients with incident acute myocardial infarction in the reperfusion era (the MONICA/KORA Myocardial Infarction Registry). *Am. J. Cardiol.* 106, 1680-1684 (2010)

Meisinger, C. et al.: Retinol-binding protein 4 is associated with prediabetes in adults from the general population: The Cooperative Health Research in the Region of Augsburg (KORA) F4 Study. *Diabetes Care* 34, 1648-1650 (2011)

Menn, P. et al.: Direct medical costs of COPD - an excess cost approach based on two population-based studies. *Respir. Med.* 106, 540-548 (2012)

Meyer, J. et al.: Dietary patterns, subclinical inflammation, incident coronary heart disease and mortality in middle-aged men from the MONICA/KORA Augsburg cohort study. *Eur. J. Clin. Nutr.* 65, 800-807 (2011)

Mittelstrass, K. et al.: Discovery of sexual dimorphisms in metabolic and genetic biomarkers. *PLoS Genet.* 7:e1002215 (2011)

Nielsen, T.* et al.: Type 2 diabetes risk allele near *CENTD2* is associated with decreased glucose-stimulated insulin release. *Diabetologia* 54, 1052-1056 (2011)

Ohlsson, C.* et al.: Genetic determinants of serum testosterone concentrations in men. *PLoS Genet.* 7:e1002313 (2011)

Parra, E.J.* et al.: Genome-wide association study of type 2 diabetes in a sample from Mexico City and a meta-analysis of a Mexican-American sample from Starr County, Texas. *Diabetologia* 54, 2038-2046 (2011)

Paulista Markus, M.R.* et al.: Implications of prevalent and incident diabetes mellitus on left ventricular geometry and function in the ageing heart: The MONICA/KORA Augsburg cohort study. *Nutr. Metab. Cardiovasc. Dis.* 21, 189-196 (2011)

Perna, L. et al.: Socioeconomic position, resilience, and health behaviour among elderly people. *Int. J. Public Health*, 10.1007/s00038-011-0294-0 (2011)

Peters, A.: Ambient particulate matter and the risk for cardiovascular disease. *Prog. Cardiovasc. Dis.* 53, 327-333 (2011)

Peters, A. et al.: Multimorbidität und erfolgreiches Altern. Ein Blick auf die Bevölkerung im Rahmen der KORA-Age-Studie. *Z. Gerontol. Geriatr.* 44, Suppl. 2, 41-54 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Epidemiology II

Peters, A., Ruckerl, R. & Cyrys, J.: Lessons from air pollution epidemiology for studies of engineered nanomaterials. *J. Occup. Environ. Med.* 53, 8-13 (2011)

Pitz, M., Gu, J., Soentgen, J.*, Peters, A. & Cyrys, J.: Particle size distribution factor as an indicator for the impact of the Eyjafjallajökull ash plume at ground level in Augsburg, Germany. *Atmos. Chem. Phys.* 11, 9367-9374 (2011)

Reilly, M.P.* et al.: Identification of ADAMTS7 as a novel locus for coronary atherosclerosis and association of ABO with myocardial infarction in the presence of coronary atherosclerosis: Two genome-wide association studies. *Lancet* 377, 383-392 (2011)

Renström, F.* et al.: Genetic predisposition to long-term nondiabetic deteriorations in glucose homeostasis: Ten-year follow-up of the GLACIER study. *Diabetes* 60, 345-354 (2011)

Ronel, J.* et al.: Effects of verbal suggestion on coronary arteries: Results of a randomized controlled experimental investigation during coronary angiography. *Am. Heart J.* 162, 507-511 (2011)

Ruckerl, R., Schneider, A., Breitner, S., Cyrys, J. & Peters, A.: Health effects of particulate air pollution: A review of epidemiological evidence. *Inhal. Toxicol.* 23, 555-592 (2011)

Rückert, I.M. et al.: Association between markers of fatty liver disease and impaired glucose regulation in men and women from the general population: The KORA-F4-study. *PLoS One* 6:e22932 (2011)

Schäfer, K.* et al.: A measurement based analysis of the spatial distribution, temporal variation and chemical composition of particulate matter in Munich and Augsburg. *Meteorol. Zeitschr.* 20, 47-57 (2011)

Schäfer, K.* et al.: Influences of the 2010 Eyjafjallajökull volcanic plume on air quality in the northern Alpine region. *Atmos. Chem. Phys.* 11, 9083-9132 (2011)

Schnabel, E. et al.: High blood pressure, antihypertensive medication and lung function in a general adult population. *Respir. Res.* 12:50 (2011)

Schneider, A. et al.: Ambient PM_{2.5} exposure up-regulates the expression of costimulatory receptors on circulating monocytes in diabetic individuals. *Environ. Health Perspect.* 119, 778-783 (2011)

Schneider, B.* et al.: The effect of risky alcohol use and smoking on suicide risk: Findings from the German MONICA/KORA-Augsburg Cohort Study. *Soc. Psychiatry Psychiatr. Epidemiol.* 46, 1127-1132 (2011)

Schunk, M. et al.: Verbesserungen in der Versorgung von Patienten mit Typ-2-Diabetes? Gepoolte Analyse dreier bevölkerungsbasierter Studien (KORA) in der Region Augsburg zwischen 1999 und 2008. *Bundesgesundheitsblatt* 54, 1187-1196 (2011)

Schunkert, H.* et al.: Large-scale association analysis identifies 13 new susceptibility loci for coronary artery disease. *Nat. Genet.* 43, 333-340 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Epidemiology II

Small, K.S.* et al.: Identification of an imprinted master *trans* regulator at the *KLF14* locus related to multiple metabolic phenotypes. *Nat. Genet.* 43, 561-564 (2011)

Smith, J.G.* et al.: Genome-wide association studies of the PR interval in African Americans. *PLoS Genet.* 7:e1001304 (2011)

Smith, N.L.* et al.: Genetic predictors of fibrin D-dimer levels in healthy adults. *Circulation* 123, 1864-1872 (2011)

Speliotes, E.K.* et al.: Genome-wide association analysis identifies variants associated with nonalcoholic fatty liver disease that have distinct effects on metabolic traits. *PLoS Genet.* 7:e1001324 (2011)

Stang, A.* et al.: Regional differences in body fat distributions among people with comparable body mass index: A comparison across six German population-based surveys. *Eur. J. Cardiovasc. Prev. Rehabil.* 18, 106-114 (2011)

Stark, R.G. et al.: Medical care of type 2 diabetes in German disease management programmes: A population-based evaluation. *Diabetes Metab. Res. Rev.* 27, 383-391 (2011)

Stöckl, D. et al.: Age at menarche and its association with the metabolic syndrome and its components: Results from the KORA F4 study. *PLoS One* 6:e26076 (2011)

Strawbridge, R.J.* et al.: Genome-wide association identifies nine common variants associated with fasting proinsulin levels and provides new insights into the pathophysiology of type 2 diabetes. *Diabetes* 60, 2624-2634 (2011)

Stritzke, J.* et al.: Kardiovaskuläre Alterungsprozesse: Auswirkungen von Änderungen des Körpergewichts auf Blutdruck und linksventrikuläre Geometrie. Ergebnisse aus dem MONICA-Augsburg/KORA-Projekt. *Med-Report* 19, 2 (2008)

Suhre, K. et al.: A genome-wide association study of metabolic traits in human urine. *Nat. Genet.* 43, 565-571 (2011)

Surakka, I.* et al.: A genome-wide screen for interactions reveals a new locus on 4p15 modifying the effect of waist-to-hip ratio on total cholesterol. *PLoS Genet.* 7:e1002333 (2011)

Teumer, A.* et al.: Genome-wide association study identifies four genetic loci associated with thyroid volume and goiter risk. *Am. J. Hum. Genet.* 88, 664-673 (2011)

The Emerging Risk Factors Collaboration: Diabetes mellitus, fasting glucose, and risk of cause-specific death. *N. Engl. J. Med.* 364, 829-841 (2011)

The IBC 50K CAD Consortium: Large-scale gene-centric analysis identifies novel variants for coronary artery disease. *PLoS Genet.* 7:e1002260 (2011)

Thiering, E. et al.: Prenatal and postnatal tobacco smoke exposure and development of insulin resistance in 10 year old children. *Int. J. Hyg. Environ. Health* 214, 361-368 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Epidemiology II

Thorand, B. et al.: Effect of serum 25-hydroxyvitamin D on risk for type 2 diabetes may be partially mediated by subclinical inflammation: Results from the MONICA/KORA Augsburg study. *Diabetes Care* 34, 2320-2322 (2011)

Tzeis, S.* et al.: Effect of depression on mortality in implantable cardioverter defibrillator recipients - findings from the prospective LICAD study. *Pacing Clin. Electrophysiol.* 34, 991-997 (2011)

von Känel, R.*, Baumert, J., Kolb, C.*, Cho, E.Y.* & Ladwig, K.-H.: Chronic posttraumatic stress and its predictors in patients living with an implantable cardioverter defibrillator. *J. Affect. Disord.* 131, 344-352 (2011)

von Klot, S.: Equivalence of using nested buffers and concentric adjacent rings as predictors in land use regression models. *Atmos. Environ.* 45, 4108-4110 (2011)

von Klot, S. et al.: Estimated personal soot exposure is associated with acute myocardial infarction onset in a case-crossover study. *Prog. Cardiovasc. Dis.* 53, 361-368 (2011)

Wain, L.V.* et al.: Genome-wide association study identifies six new loci influencing pulse pressure and mean arterial pressure. *Nat. Genet.* 43, 1005-1011 (2011)

Wild, P.S.* et al.: A genome-wide association study identifies *LIPA* as a susceptibility gene for coronary artery disease. *Circ. Cardiovasc. Genet.* 4, 403-412 (2011)

Winter, A.C.* et al.: Association between lifestyle factors and headache. *J. Headache Pain* 12, 147-155 (2011)

Yu, Z. et al.: Differences between human plasma and serum metabolite profiles. *PLoS One* 6:e21230 (2011)

Zhang, Q.L. et al.: Association of daily tar and nicotine intake with incident myocardial infarction: Results from the population-based MONICA/KORA Augsburg Cohort Study 1984 - 2002. *BMC Public Health* 11:273 (2011)

Zhu, H.* et al.: The *Lin28/let-7* axis regulates glucose metabolism. *Cell* 147, 81-94 (2011)

Zimprich, A.* et al.: A mutation in *VPS35*, encoding a subunit of the retromer complex, causes late-onset Parkinson disease. *Am. J. Hum. Genet.* 89, 168-175 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Experimental Genetics

Abe, K. et al.: A novel *N*-ethyl-*N*-nitrosourea-induced mutation in *phospholipase C γ 2* causes inflammatory arthritis, metabolic defects, and male infertility in vitro in a murine model. *Arthritis Rheum.* 63, 1301-1311 (2011)

Aigner, B.* et al.: Generation of *N*-ethyl-*N*-nitrosourea-induced mouse mutants with deviations in hematological parameters. *Mamm. Genome* 22, 495-505 (2011)

Bolze, F.* et al.: Characterization of the melanocortin-4-receptor nonsense mutation W16X *in vitro* and *in vivo*. *Pharmacogenomics J.* , 10.1038/tpj.2011.43 (2011)

Ceglarek, U.*, Shackleton, C.*, Stanczyk, F.Z.* & Adamski, J.: Steroid profiling and analytics: Going towards sterome. *J. Steroid Biochem. Mol. Biol.* 121, 479-480 (2010)

Del Río, P. et al.: GDNF-induced osteopontin from Müller glial cells promotes photoreceptor survival in the *Pde6brd1* mouse model of retinal degeneration. *Glia* 59, 821-832 (2011)

Elkan-Miller, T.* et al.: Integration of transcriptomics, proteomics, and microRNA analyses reveals novel microRNA regulation of targets in the mammalian inner ear. *PLoS One* 6:e18195 (2011)

Floegel, A.* et al.: Reliability of serum metabolite concentrations over a 4-month period using a targeted metabolomic approach. *PLoS One* 6:e21103 (2011)

Ganguly, K. et al.: Impaired resolution of inflammatory response in the lungs of JF1/*Msf* mice following carbon nanoparticle instillation. *Respir. Res.* 12, 94 (2011)

Götz, A.A. et al.: Comparison of particle-exposure triggered pulmonary and systemic inflammation in mice fed with three different diets. *Part. Fibre Toxicol.* 8:30 (2011)

Götz, A.A., Vidal-Puig, A.*, Rödel, H.G.*, Hrabé de Angelis, M. & Stoeger, T.: Carbon-nanoparticle-triggered acute lung inflammation and its resolution are not altered in PPAR γ -defective (P465L) mice. *Part. Fibre Toxicol.* 8:28 (2011)

Halama, A., Möller, G. & Adamski, J.: Metabolic signatures in apoptotic human cancer cell lines. *OMICS* 15, 325-335 (2011)

Horsch, M. et al.: Requirement of the RNA-editing enzyme ADAR2 for normal physiology in mice. *J. Biol. Chem.* 286, 18614-18622 (2011)

Jeub, M.* et al.: The transcription factor Smad-interacting protein 1 controls pain sensitivity via modulation of DRG neuron excitability. *Pain* 152, 2384-2398 (2011)

Kiefer, F.W.* et al.: Osteopontin deficiency protects against obesity-induced hepatic steatosis and attenuates glucose production in mice. *Diabetologia* 54, 2132-2142 (2011)

Kobolak, J.* et al.: Comparative analysis of nuclear transfer embryo-derived mouse embryonic stem cells. Part II: Gene regulation. *Cell. Reprogramm.* 14, 68-78 (2012)

Kosir, R.* et al.: Circadian expression of steroidogenic cytochromes P450 in the mouse adrenal gland - involvement of cAMP-responsive element modulator in epigenetic regulation of *Cyp17a1*. *FEBS J.* , 10.1111/j.1742-4658.2011.08317.x (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Experimental Genetics

Krumsiek, J., Suhre, K., Illig, T., Adamski, J. & Theis, F.J.: Gaussian graphical modeling reconstructs pathway reactions from high-throughput metabolomics data. *BMC Syst. Biol.* 5:21 (2011)

Laaser, I., Theis, F.J., Hrabé de Angelis, M., Kolb, H.-J. & Adamski, J.: Huge splicing frequency in human Y chromosomal UTY gene. *OMICS* 15, 141-154 (2011)

Lisse, T.S.* et al.: Gene targeting by the vitamin D response element binding protein reveals a role for vitamin D in osteoblast mTOR signaling. *FASEB J.* 25, 937-947 (2011)

Lückerath, K.* et al.: Immune modulation by Fas ligand reverse signaling: Lymphocyte proliferation is attenuated by the intracellular Fas ligand domain. *Blood* 117, 519-529 (2011)

Magnol, L.* et al.: A sensitised mutagenesis screen in the mouse to explore the bovine genome: Study of muscle characteristics. *Animal* 5, 663-671 (2011)

Marchais-Oberwinkler, S.* et al.: 17 β -Hydroxysteroid dehydrogenases (17 β -HSDs) as therapeutic targets: Protein structures, functions, and recent progress in inhibitor development. *J. Steroid Biochem. Mol. Biol.* 125, 66-82 (2011)

Mittelstrass, K. et al.: Discovery of sexual dimorphisms in metabolic and genetic biomarkers. *PLoS Genet.* 7:e1002215 (2011)

Nicholson, G.* et al.: A genome-wide metabolic QTL analysis in Europeans implicates two loci shaped by recent positive selection. *PLoS Genet.* 7:e1002270 (2011)

Penning, T.M.* & Adamski, J.: Integration of steroid research: Perspectives on environment factors, homeostasis in health, and disease treatment. *J. Steroid Biochem. Mol. Biol.* 126, e1-e4 (2011)

Puk, O., Ahmad, N., Wagner, S., Hrabé de Angelis, M. & Graw, J.: First mutation in the β A2-crystallin encoding gene is associated with small lenses and age-related cataracts. *Invest. Ophthalmol. Vis. Sci.* 52, 2571-2576 (2011)

Puk, O., Ahmad, N., Wagner, S., Hrabé de Angelis, M. & Graw, J.: Microphakia and congenital cataract formation in a novel *Lim2^{C51R}* mutant mouse. *Mol. Vis.* 17, 1164-1171 (2011)

Puk, O. et al.: The pathologic effect of a novel neomorphic *Fgf9^{Y162C}* allele is restricted to decreased vision and retarded lens growth. *PLoS One* 6:e23678 (2011)

Raab, M.* et al.: Toxicity modelling of *Plk1*-targeted therapies in genetically engineered mice and cultured primary mammalian cells. *Nat. Commun.* 2:395 (2011)

Römisch-Margl, W. et al.: Procedure for tissue sample preparation and metabolite extraction for high-throughput targeted metabolomics. *Metabolomics* 8, 133-142 (2012)

Saarikangas, J.* et al.: Missing-in-metastasis *MIM/MTSS1* promotes actin assembly at intercellular junctions and is required for integrity of kidney epithelia. *J. Cell Science* 124, 1245-1255 (2011)

Schegerer, A.A. et al.: Development and quality characterization of a novel CT system. In: Samei, E.; Pelc, N.J. [Eds.]: *Medical Imaging 2010: Physics of Medical Imaging*. Bellingham, WA : SPIE, 2010 (Proceedings of SPIE ; 7622), 762230

Publication List 2011

31.12.2011

* external Authors

Institute of Experimental Genetics

Schuster, D.* et al.: Identification of chemically diverse, novel inhibitors of 17 β -hydroxysteroid dehydrogenase type 3 and 5 by pharmacophore-based virtual screening. *J. Steroid Biochem. Mol. Biol.* 125, 148-161 (2011)

Spyroglou, A.* et al.: Utilization of a mutagenesis screen to generate mouse models of hyperaldosteronism. *Endocrinology* 152, 326-331 (2011)

Suhre, K. et al.: Identification of a potential biomarker for FABP4 inhibition: The power of lipidomics in preclinical drug testing. *J. Biomol. Screen.* 16, 467-475 (2011)

Suhre, K. et al.: Human metabolic individuality in biomedical and pharmaceutical research. *Nature* 477, 54-60 (2011)

Vouk, K.* et al.: Novel estrogen-related genes and potential biomarkers of ovarian endometriosis identified by differential expression analysis. *J. Steroid Biochem. Mol. Biol.* 125, 231-242 (2011)

Wetzel, M.* et al.: Introduction of an electron withdrawing group on the hydroxyphenyl-naphthol scaffold improves the potency of 17 β -hydroxysteroid dehydrogenase type 2 (17 β -HSD2) inhibitors. *J. Med. Chem.* 54, 7547-7557 (2011)

Wirth, E.K.* et al.: Monocarboxylate transporter 8 deficiency: Altered thyroid morphology and persistent high triiodothyronine/thyroxine ratio after thyroidectomy. *Eur. J. Endocrinol.* 165, 555-561 (2011)

Yin, R. et al.: Systematic selection of housekeeping genes for gene expression normalization in chicken embryo fibroblasts infected with Newcastle disease virus. *Biochem. Biophys. Res. Commun.* 413, 537-540 (2011)

Yu, Z. et al.: Differences between human plasma and serum metabolite profiles. *PLoS One* 6:e21230 (2011)

Zarzycki, P.K.*, Zarzycka, M.B.*, Clifton, V.L.*, Adamski, J. & Glód, B.K.*: Low-parachor solvents extraction and thermostated micro-thin-layer chromatography separation for fast screening and classification of spirulina from pharmaceutical formulations and food samples. *J. Chromatogr. A.* 1218, 5694-5704 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Genetic Epidemiology

- Allanore, Y.* et al.: Genome-wide scan identifies TNIP1, PSORS1C1, and RHOB as novel risk loci for systemic sclerosis. *PLoS Genet.* 7:e1002091 (2011)
- Artigas, M.S.* et al.: Genome-wide association and large-scale follow up identifies 16 new loci influencing lung function. *Nat. Genet.* 43, 1082-1090 (2011)
- Behrens, G.*, Winkler, T.W.*, Gorski, M., Leitzmann, M.F.* & Heid, I.M.: To stratify or not to stratify: Power considerations for population-based genome-wide association studies of quantitative traits. *Genet. Epidemiol.* 35, 867-879 (2011)
- Bis, J.C.* et al.: Meta-analysis of genome-wide association studies from the CHARGE consortium identifies common variants associated with carotid intima media thickness and plaque. *Nat. Genet.* 43, 940-947 (2011)
- Böger, C.A.* et al.: CUBN is a gene locus for albuminuria. *J. Am. Soc. Nephrol.* 22, 555-570 (2011)
- Böger, C.A.* et al.: Association of eGFR-related loci identified by GWAS with incident CKD and ESRD. *PLoS Genet.* 7:e1002292 (2011)
- Böger, C.A.* & Heid, I.M.: Chronic kidney disease: Novel insights from genome-wide association studies. *Kidney Blood Press. Res.* 34, 225-234 (2011)
- Bown, M.J.* et al.: Abdominal aortic aneurysm is associated with a variant in low-density lipoprotein receptor-related protein 1. *Am. J. Hum. Genet.* 89, 619-627 (2011)
- Burgdorf, K.S.* et al.: Studies of the association of Arg72Pro of tumor suppressor protein p53 with type 2 diabetes in a combined analysis of 55,521 Europeans. *PLoS One* 6:e15813 (2011)
- Chambers, J.C.* et al.: Genome-wide association study identifies loci influencing concentrations of liver enzymes in plasma. *Nat. Genet.* 43, 1131-1138 (2011)
- Cichon, S.* et al.: Genome-wide association study identifies genetic variation in neurocan as a susceptibility factor for bipolar disorder. *Am. J. Hum. Genet.* 88, 372-381 (2011)
- Demirkan, A.* et al.: Genetic architecture of circulating lipid levels. *Eur. J. Hum. Genet.* 19, 813-819 (2011)
- Dieudé, P.* et al.: Evidence of the contribution of the X chromosome to systemic sclerosis susceptibility: Association with the functional *IRAK1* 196Phe/532Ser haplotype. *Arthritis Rheum.* 63, 3979-3987 (2011)
- Erdmann, J.* et al.: Genome-wide association study identifies a new locus for coronary artery disease on chromosome 10p11.23. *Eur. Heart J.* 32, 158-168 (2011)
- Eyheramendy, S. et al.: Effect of genome-wide simultaneous hypotheses tests on the discovery rate. *Int. J. Mol. Epidemiol. Genet.* 2, 163-177 (2011)
- Fox, E.R.* et al.: Association of genetic variation with systolic and diastolic blood pressure among African Americans: The Candidate Gene Association Resource study. *Hum. Mol. Genet.* 20, 2273-2284 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Genetic Epidemiology

- Gieger, C. et al.: New gene functions in megakaryopoiesis and platelet formation. *Nature* 480, 201-208 (2011)
- GoDARTS and UKPDS Diabetes Pharmacogenetics Study Group* et al.: Common variants near *ATM* are associated with glycemic response to metformin in type 2 diabetes. *Nat. Genet.* 43, 117-120 (2011)
- Gross, A.* et al.: Population-genetic comparison of the Sorbian isolate population in Germany with the German KORA population using genome-wide SNP arrays. *BMC Genet.* 12:67 (2011)
- Heid, I.M., Winkler, T.W.*, Grassmann, F.* & Weber, B.H.F.*: Wie groß sind die kleinen genetischen Risiken? *Med. Genet.* 23, 377-384 (2011)
- Herder, C.* et al.: RANTES/CCL5 and risk for coronary events: Results from the MONICA/KORA Augsburg case-cohort, Athero-Express and CARDIoGRAM studies. *PLoS One* 6:e25734 (2011)
- Hopfner, F. et al.: Novel *SCARB2* mutation in action myoclonus-renal failure syndrome and evaluation of *SCARB2* mutations in isolated AMRF features. *BMC Neurol.* 11:134 (2011)
- Ikram, M.K.* et al.: Four novel Loci (19q13, 6q24, 12q24, and 5q14) influence the microcirculation in vivo. *PLoS Genet.* 6:e1001184 (2010)
- International Consortium for Blood Pressure Genome-Wide Association Studies: Genetic variants in novel pathways influence blood pressure and cardiovascular disease risk. *Nature* 478, 103-109 (2011)
- Jacquemont, S.* et al.: Mirror extreme BMI phenotypes associated with gene dosage at the chromosome 16p11.2 locus. *Nature* 478, 97-102 (2011)
- Jafar-Mohammadi, B.* et al.: A role for coding functional variants in *HNF4A* in type 2 diabetes susceptibility. *Diabetologia* 54, 111-119 (2011)
- Jourdan, C. et al.: Gene-PUFA interactions and obesity risk. *Br. J. Nutr.* 106, 1263-1272 (2011)
- Kanoni, S.* et al.: Total zinc intake may modify the glucose-raising effect of a zinc transporter (*SLC30A8*) variant: A 14-cohort meta-analysis. *Diabetes* 60, 2407-2416 (2011)
- Kaplan, R.C.* et al.: A genome-wide association study identifies novel loci associated with circulating IGF-I and IGFBP-3. *Hum. Mol. Genet.* 20, 1241-1251 (2011)
- Karakas, M.* et al.: Copeptin does not add diagnostic information to high-sensitivity troponin T in low- to intermediate-risk patients with acute chest pain: Results from the Rule Out Myocardial Infarction by Computed Tomography (ROMICAT) study. *Clin. Chem.* 57, 1137-1145 (2011)
- Kilpeläinen, T.O.* et al.: Physical activity attenuates the influence of *FTO* variants on obesity risk: A meta-analysis of 218,166 adults and 19,268 children. *PLoS Med.* 8:e1001116 (2011)
- Kilpeläinen, T.O.* et al.: Genetic variation near *IRS1* associates with reduced adiposity and an impaired metabolic profile. *Nat. Genet.* 43, 753-760 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Genetic Epidemiology

Kornum, B.R.* et al.: Common variants in P2RY11 are associated with narcolepsy. *Nat. Genet.* 43, 66-71 (2011)

Melum, E.* et al.: Genome-wide association analysis in primary sclerosing cholangitis identifies two non-HLA susceptibility loci. *Nat. Genet.* 43, 17-19 (2011)

Min, J.L.* et al.: The use of genome-wide eQTL associations in lymphoblastoid cell lines to identify novel genetic pathways involved in complex traits. *PLoS One* 6:e22070 (2011)

Mittelstrass, K. et al.: Discovery of sexual dimorphisms in metabolic and genetic biomarkers. *PLoS Genet.* 7:e1002215 (2011)

Nalls, M.A.* et al.: Multiple loci are associated with white blood cell phenotypes. *PLoS Genet.* 7:e1002113 (2011)

Nebel, A.* et al.: A genome-wide association study confirms *APOE* as the major gene influencing survival in long-lived individuals. *Mech. Ageing Dev.* 132, 324-330 (2011)

Nielsen, T.* et al.: Type 2 diabetes risk allele near *CENTD2* is associated with decreased glucose-stimulated insulin release. *Diabetologia* 54, 1052-1056 (2011)

Obeidat, M.* et al.: A comprehensive evaluation of potential lung function associated genes in the SpiroMeta general population sample. *PLoS One* 6:e19382 (2011)

Oexle, K.* et al.: Novel association to the proprotein convertase PCSK7 gene locus revealed by analysing soluble transferrin receptor (sTfR) levels. *Hum. Mol. Genet.* 20, 1042-1047 (2011)

Ohlsson, C.* et al.: Genetic determinants of serum testosterone concentrations in men. *PLoS Genet.* 7:e1002313 (2011)

Parra, E.J.* et al.: Genome-wide association study of type 2 diabetes in a sample from Mexico City and a meta-analysis of a Mexican-American sample from Starr County, Texas. *Diabetologia* 54, 2038-2046 (2011)

Paternoster, L.* et al.: Meta-analysis of genome-wide association studies identifies three new risk loci for atopic dermatitis. *Nat. Genet.* 44, 187-192 (2011)

Renström, F.* et al.: Genetic predisposition to long-term nondiabetic deteriorations in glucose homeostasis: Ten-year follow-up of the GLACIER study. *Diabetes* 60, 345-354 (2011)

Sanson, M.* et al.: Chromosome 7p11.2 (EGFR) variation influences glioma risk. *Hum. Mol. Genet.* 20, 2897-2904 (2011)

Schnabel, R.B.* et al.: Large-scale candidate gene analysis in whites and African Americans identifies *IL6R* polymorphism in relation to atrial fibrillation: The National Heart, Lung, and Blood Institute's Candidate Gene Association Resource (CARE) project. *Circ. Cardiovasc. Genet.* 4, 557-564 (2011)

Schormair, B. et al.: MEIS1 and BTBD9: Genetic association with restless leg syndrome in end stage renal disease. *J. Med. Genet.* 48, 462-466 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Genetic Epidemiology

- Schulte, E.C.* et al.: Variant screening of the coding regions of *MEIS1* in patients with restless legs syndrome. *Neurology* 76, 1106-1108 (2011)
- Schumann, G.* et al.: Genome-wide association and genetic functional studies identify autism susceptibility candidate 2 gene (*AUTS2*) in the regulation of alcohol consumption. *Proc. Natl. Acad. Sci. U.S.A.* 108, 7119-7124 (2011)
- Schunkert, H.* et al.: Large-scale association analysis identifies 13 new susceptibility loci for coronary artery disease. *Nat. Genet.* 43, 333-340 (2011)
- Sibbing, D.* et al.: Mutations in the mitochondrial thioredoxin reductase gene *TXNRD2* cause dilated cardiomyopathy. *Eur. Heart J.* 32, 1121-1133 (2011)
- Small, K.S.* et al.: Identification of an imprinted master *trans* regulator at the *KLF14* locus related to multiple metabolic phenotypes. *Nat. Genet.* 43, 561-564 (2011)
- Smith, J.G.* et al.: Genome-wide association studies of the PR interval in African Americans. *PLoS Genet.* 7:e1001304 (2011)
- Smith, N.L.* et al.: Genetic predictors of fibrin D-dimer levels in healthy adults. *Circulation* 123, 1864-1872 (2011)
- Soler Artigas, M.* et al.: Effect of five genetic variants associated with lung function on the risk of chronic obstructive lung disease, and their joint effects on lung function. *Am. J. Respir. Crit. Care Med.* 184, 786-795 (2011)
- Speliotes, E.K.* et al.: Genome-wide association analysis identifies variants associated with nonalcoholic fatty liver disease that have distinct effects on metabolic traits. *PLoS Genet.* 7:e1001324 (2011)
- Strawbridge, R.J.* et al.: Genome-wide association identifies nine common variants associated with fasting proinsulin levels and provides new insights into the pathophysiology of type 2 diabetes. *Diabetes* 60, 2624-2634 (2011)
- Suhre, K. et al.: Human metabolic individuality in biomedical and pharmaceutical research. *Nature* 477, 54-60 (2011)
- Suhre, K. et al.: A genome-wide association study of metabolic traits in human urine. *Nat. Genet.* 43, 565-571 (2011)
- Surakka, I.* et al.: A genome-wide screen for interactions reveals a new locus on 4p15 modifying the effect of waist-to-hip ratio on total cholesterol. *PLoS Genet.* 7:e1002333 (2011)
- Teumer, A.* et al.: Genome-wide association study identifies four genetic loci associated with thyroid volume and goiter risk. *Am. J. Hum. Genet.* 88, 664-673 (2011)
- The IBC 50K CAD Consortium: Large-scale gene-centric analysis identifies novel variants for coronary artery disease. *PLoS Genet.* 7:e1002260 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Genetic Epidemiology

Wain, L.V.* et al.: Genome-wide association study identifies six new loci influencing pulse pressure and mean arterial pressure. *Nat. Genet.* 43, 1005-1011 (2011)

Winkelmann, J. et al.: Genome-wide association study identifies novel restless legs syndrome susceptibility loci on 2p14 and 16q12.1. *PLoS Genet.* 7:e1002171 (2011)

Zhu, H.* et al.: The *Lin28/let-7* axis regulates glucose metabolism. *Cell* 147, 81-94 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Groundwater Ecology

Adomako, D., Osae, S.* , Akiti, T.T.* , Faye, S.* & Maloszewski, P.: Geochemical and isotopic studies of groundwater conditions in the Densu River Basin of Ghana. *Environ. Earth Sci.* 62, 1071-1084 (2011)

Beckmann, S.* et al.: Acetogens and acetoclastic *methanosarcinales* govern methane formation in abandoned coal mines. *Appl. Environ. Microbiol.* 77, 3749-3756 (2011)

Bergmann, F. et al.: Genomic insights into the metabolic potential of the polycyclic aromatic hydrocarbon degrading sulfate-reducing *Deltaproteobacterium* N47. *Environ. Microbiol.* 13, 1125-1137 (2011)

Bergmann, F.D., Abu Laban, N.M., Meyer, A.H., Elsner, M. & Meckenstock, R.U.: Dual (C, H) isotope fractionation in anaerobic low molecular weight (poly)aromatic hydrocarbon (PAH) degradation: Potential for field studies and mechanistic implications. *Environ. Sci. Technol.* 45, 6947-6953 (2011)

Bergmann, F.D., Selesi, D. & Meckenstock, R.U.: Identification of new enzymes potentially involved in anaerobic naphthalene degradation by the sulfate-reducing enrichment culture N47. *Arch. Microbiol.* 193, 241-250 (2011)

Bernstein, A. et al.: Compound-specific chlorine isotope analysis: A comparison of gas chromatography/isotope ratio mass spectrometry and gas chromatography/quadrupole mass spectrometry methods in an interlaboratory study. *Anal. Chem.* 83, 7624-7634 (2011)

Brielmann, H. et al.: Oberflächennahe Geothermie und ihre potenziellen Auswirkungen auf Grundwasserökosysteme. *Grundwasser* 16, 77-91 (2011)

Elsner, M. & Hofstetter, T.B.*: Current perspectives on the mechanisms of chlorohydrocarbon degradation in subsurface environments: Insight from kinetics, product formation, probe molecules, and isotope fractionation. In: Tratnyek, P.G.; Grundl, T.J.; Haderlein, S.B. [Eds.]: *Aquatic Redox Chemistry*. Washington, DC : American Chemical Society, 2011 (ACS Symposium Series ; 1071), 407-439

Fornara, D.A.* et al.: Plant effects on soil N mineralization are mediated by the composition of multiple soil organic fractions. *Ecol. Res.* 26, 201-208 (2011)

Fornara, D.A.* et al.: Increases in soil organic carbon sequestration can reduce the global warming potential of long-term liming to permanent grassland *Glob. Change Biol.* 17, 1925-1934 (2011)

Fritzsche, A.* et al.: Fast microbial reduction of ferrihydrite colloids from a soil effluent. *Geochim. Cosmochim. Acta* 77, 444-456 (2012)

Ginot, P.* et al.: Influence of the Tungurahua eruption on the ice core records of Chimborazo, Ecuador. *Cryosphere* 4, 561-568 (2010)

Gubsch, M.* et al.: Foliar and soil $\delta^{15}\text{N}$ values reveal increased nitrogen partitioning among species in diverse grassland communities. *Plant Cell Environ.* 34, 895-908 (2011)

Hemme, C.L.* et al.: Correlation of genomic and physiological traits of *thermoanaerobacter* species with biofuel yields. *Appl. Environ. Microbiol.* 77, 7998-8008 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Groundwater Ecology

Hünniger, M., Schmidt, S.I., Peukmann, N. & Maloszewski, P.: Experimental and mathematical methods to quantify the water flux and the transport processes in heterogeneous aquifer model systems. In: GQ10: Groundwater Management in a Rapidly Changing World. Proceedings of 7. International Groundwater Quality Conference. Zürich, Switzerland, 13.-18. June 2010. Wallingford, Oxfordshire, UK : IAHS Press, 2011 (IAHS Publication ; 342), 180-183

Janott, M. et al.: A one-dimensional model of water flow in soil-plant systems based on plant architecture. *Plant Soil* 341, 233-256 (2011)

Kleemann, R. & Meckenstock, R.U.: Anaerobic naphthalene degradation by Gram-positive, iron-reducing bacteria. *FEMS Microbiol. Ecol.* 78, 488-496 (2011)

Knappett, P.S. et al.: Impact of population and latrines on fecal contamination of ponds in rural Bangladesh. *Sci. Total Environ.* 409, 3174-3182 (2011)

Krauss, S. & Griebler, C.: Pathogenic microorganisms and viruses in groundwater. München : acatech, 2011 (acatech Materialien ; 6), 67 S.

Larentis, M. & Alfreider, A.*: Comparative evaluation of prokaryotic 16S rDNA clone libraries and SSCP in groundwater samples. *J. Basic Microbiol.* 51, 330-335 (2011)

Lee, K.Y., Bosch, J. & Meckenstock, R.U.: Use of metal-reducing bacteria for bioremediation of soil contaminated with mixed organic and inorganic pollutants. *Environ. Geochem. Health* 34, 135-142 (2011)

Mayr, C.C.* et al.: Stable isotope variability in a Chilean fjord food web: Implications for N- and C-cycles. *Mar. Ecol-Prog. Ser.* 428, 89-104 (2011)

Meckenstock, R.U. & Mouttaki, H.: Anaerobic degradation of non-substituted aromatic hydrocarbons. *Curr. Opin. Biotechnol.* 22, 406-414 (2011)

Oelmann, Y.* et al.: Plant diversity effects on aboveground and belowground N pools in temperate grassland ecosystems: Development in the first 5 years after establishment. *Glob. Biogeochem. Cycles* 25:GB2014 (2011)

Pilloni, G., von Netzer, F., Engel, M. & Lueders, T.: Electron acceptor-dependent identification of key anaerobic toluene degraders at a tar-oil-contaminated aquifer by Pyro-SIP. *FEMS Microbiol. Ecol.* 78, 165-175 (2011)

Rolle, M.* et al.: Two-dimensional flow-through experiments: Versatile test systems for a combined investigation of transport and reactive processes in porous media. In: GQ10: Groundwater Quality Management in a Rapidly Changing World. Proceedings of 7. International Groundwater Quality Conference. Zürich, Switzerland, 13.-18. June 2010. Wallingford, Oxfordshire, UK : IAHS Press, 2011 (IAHS Publication ; 342), 259-262

Strobel, K.L.* et al.: Chemotaxis increases vertical migration and apparent transverse dispersion of bacteria in a bench-scale microcosm. *Biotechnol. Bioeng.* 108, 2070-2077 (2011)

Stroes-Gascoyne, S.* et al.: Biogeochemical processes in a clay formation in situ experiment: Part D - Microbial analyses - Synthesis of results. *Appl. Geochem.* 26, 980-989 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Groundwater Ecology

Stumpp, C., Lawrence, J.R.* , Hendry, M.J.* & Maloszewski, P.: Transport and bacterial interactions of three bacterial strains in saturated column experiments. *Environ. Sci. Technol.* 45, 2116-2123 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Health Economics and Health Care Management

Bähr, I.N.* et al.: High-dose treatment with telmisartan induces monocytic peroxisome proliferator-activated receptor- γ target genes in patients with the metabolic syndrome. *Hypertension* 58, 725-732 (2011)

Bäumer, A.* et al.: Patient-related risk factors for tooth loss in aggressive periodontitis after active periodontal therapy. *J. Clin. Periodontol.* 38, 347-354 (2011)

Bäumer, A.* et al.: Tooth loss in aggressive periodontitis after active periodontal therapy: Patient-related and tooth-related prognostic factors. *J. Clin. Periodontol.* 38, 644-651 (2011)

Becker, C., Langer, A. & Leidl, R.: The quality of three decision-analytic diabetes models: A systematic health economic assessment. *Expert Rev. Pharmacoecon. Outcomes Res.* 11, 751-761 (2011)

Becker, F.* et al.: Genetic testing and common disorders in a public health framework: How to assess relevance and possibilities. Background Document to the ESHG recommendations on genetic testing and common disorders. *Eur. J. Hum. Genet.* 19, S6-S44 (2011)

Bierwirth, R.A.*, Kohlmann, T.*, Moock, J.*, Holle, R. & Landgraf, W.*: Costs of diabetes care and treatment satisfaction in type 2 diabetes patients treated with a basal-bolus (ICT) insulin regimen in outpatient care: Results of the LIVE-COM study. *Med. Klin.* 105, 792-801 (2010)

Blankart, C.R., Stargardt, T. & Schreyögg, J.: Availability of and access to orphan drugs: An international comparison of pharmaceutical treatments for pulmonary arterial hypertension, Fabry disease, hereditary angioedema and chronic myeloid leukaemia. *Pharmacoeconomics* 29, 63-82 (2011)

Breitfelder, A. et al.: Relative weight-related costs of healthcare use by children - results from the two German birth cohorts, GINI-plus and LISA-plus. *Econ. Hum. Biol.* 9, 302-315 (2011)

Fischer, K.E., Grosse, S.D.* & Rogowski, W.H.: The role of health technology assessment in coverage decisions on newborn screening. *Int. J. Technol. Assess. Health Care* 27, 313-321 (2011)

Fischer, K.E., Leidl, R. & Rogowski, W.H.: A structured tool to analyse coverage decisions: Development and feasibility test in the field of cancer screening and prevention. *Health Policy* 101, 290-299 (2011)

Gräßel, E.*, Donath, C.*, Kunz, S., Menn, P. & Holle, R.: Versorgungsforschung bei Demenz im Projekt IDA: Vermittlung von angehörigbezogenen Angeboten durch Hausärzte. In: Stoppe, G. [Hrsg.]: Die Versorgung psychisch kranker alter Menschen: Bestandsaufnahme und Herausforderung für die Versorgungsforschung. Köln : Dt. Ärzte-Verl., 2011 (Report Versorgungsforschung ; 3), 151-159

Graw, J. et al.: The KORA eye study: A population-based study on eye diseases in southern Germany (KORA F4). *Invest. Ophthalmol. Vis. Sci.* 52, 7778-7786 (2011)

Haas, L.* et al.: Inpatient costs and predictors of costs in the psychosomatic treatment of anorexia nervosa. *Int. J. Eating Disord.* 45, 214-221 (2012)

Publication List 2011

31.12.2011

* external Authors

Institute of Health Economics and Health Care Management

- Haas, L., Stargardt, T. & Schreyögg, J.: Cost-effectiveness of open versus laparoscopic appendectomy: A multilevel approach with propensity score matching. *Eur. J. Health Econ.* , 10.1007/s10198-011-0355-6 (2011)
- Haucke, F., Wichmann, H.-E., Brüske, I., Tschiersch, J. & Leidl, R.: Gesundheitsökonomische Betrachtung zu Radonsanierungsmaßnahmen. Abschlussbericht. In: Ressortforschungsberichte zur kerntechnischen Sicherheit und zum Strahlenschutz. Salzgitter : Bundesamt für Strahlenschutz, 2011, 157 S.
- Hegar, R., Döring, A. & Mielck, A.: Einfluss des subjektiven Sozialstatus auf gesundheitliche Risiken und Gesundheitszustand - Ergebnisse der KORA-F4-Studie. *Gesundheitswesen* , 10.1055/s-0031-1275714 (2011)
- Hegar, R. & Mielck, A.: 'Subjektiver sozialer Status'. Stellenwert für die Untersuchung und Verringerung von gesundheitlicher Ungleichheit. *Präv. Gesundheitsf.* 5, 389-400 (2010)
- Heidelberg, D.A.* , Holle, R., Lacruz, M.E., Ladwig, K.-H. & von Lengerke, T.: Do diabetes and depressed mood affect associations between obesity and quality of life in postmenopause? Results of the KORA-F3 Augsburg population study. *Health Qual. Life Outcomes* 9:97 (2011)
- Hollmeyer, H.* , Schreyögg, J., Wahn, U.* & Staab, D.*: Staff costs of hospital-based outpatient care of patients with cystic fibrosis. *Health Economics Review* 1:10 (2011)
- Hunger, M., Baumert, J. & Holle, R.: Analysis of SF-6D index data: Is beta regression appropriate? *Value Health* 14, 759-767 (2011)
- Hunger, M., Sabariego, C.* , Stollenwerk, B., Cieza, A.* & Leidl, R.: Validity, reliability and responsiveness of the EQ-5D in German stroke patients undergoing rehabilitation. *Qual. Life Res.* , 10.1007/s11136-011-0024-3 (2011)
- Hunger, M. et al.: Multimorbidity and health-related quality of life in the older population: Results from the German KORA-Age study. *Health Qual. Life Outcomes* 9:53 (2011)
- Kilinc, E.* et al.: The procoagulant effects of fine particulate matter *in vivo*. *Part. Fibre Toxicol.* 8:12 (2011)
- Kowall, B.* et al.: Impact of weight and weight change on normalization of prediabetes and on persistence of normal glucose tolerance in an older population: The KORA S4/F4 study. *Int. J. Obes.* , 10.1038/ijo.2011.161 (2011)
- Krauth, C.* , John, J. & Suhrcke, M.*: Gesundheitsökonomische Methoden in der Prävention. *Präv. Gesundheitsf.* 6, 85-93 (2011)
- Kuhn, A.* et al.: Efficacy of tacrolimus 0.1% ointment in cutaneous lupus erythematosus: A multicenter, randomized, double-blind, vehicle-controlled trial. *J. Am. Acad. Dermatol.* 65, 54-64 (2011)
- Kuznetsov, L., Maier, W., Hunger, M., Meyer, M.* & Mielck, A.: Associations between regional socioeconomic deprivation and cancer risk: Analysis of population-based cancer registry data from Bavaria, Germany. *Prev. Med.* 53, 328-330 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Health Economics and Health Care Management

Kuznetsov, L. & Mielck, A.: Regionale Konzentration von sozialer Benachteiligung und von Risiken für Lungen- und Darmkrebs: Systematischer Review und Ableitung von Empfehlungen. *Gesundheitswesen*, 10.1055/s-0031-1280760 (2011)

Lacruz, M.E. et al.: Relation between depressed mood, somatic comorbidities and health service utilisation in older adults: Results from the KORA-Age study. *Age Ageing* 41, 183-190 (2012)

Leidl, R.: Economic modelling in public health: A tool of growing relevance. *Eur. J. Public Health* 20, 365-366 (2010)

Leidl, R. & Reitmeir, P.: A value set for the EQ-5D based on experienced health states: Development and testing for the German population. *Pharmacoeconomics* 29, 521-534 (2011)

Leidl, R., Reitmeir, P., König, H.-H.* & Stark, R.: The performance of a value set for the EQ-5D based on experienced health states in patients with inflammatory bowel disease. *Value Health* 15, 151-157 (2012)

Maier, W., Fairburn, J.* & Mielck, A.: Regionale Deprivation und Mortalität in Bayern. Entwicklung eines 'Index Multipler Deprivation' auf Gemeindeebene. *Gesundheitswesen*, 10.1055/s-0031-1280846 (2011)

Malnati, M.S.* et al.: A new antigen scanning strategy for monitoring HIV-1 specific T-cell immune responses. *J. Immunol. Methods* 375, 46-56 (2012)

Menn, P. et al.: Direct medical costs of COPD - an excess cost approach based on two population-based studies. *Respir. Med.* 106, 540-548 (2012)

Meyer, T.* et al.: Effects of formoterol and tiotropium bromide on mucus clearance in patients with COPD. *Respir. Med.* 105, 900-906 (2011)

Mielck, A.: Soziale Ungleichheit und Gesundheit/Krankheit. In: Blümel, S. et al. [Hrsg]: Leitbegriffe der Gesundheitsförderung und Prävention. Köln : Bundeszentrale für gesundheitliche Aufklärung (BZgA), 2011, 510-515

Perna, L. et al.: Socioeconomic position, resilience, and health behaviour among elderly people. *Int. J. Public Health*, 10.1007/s00038-011-0294-0 (2011)

Peters, A. et al.: Multimorbidität und erfolgreiches Altern. Ein Blick auf die Bevölkerung im Rahmen der KORA-Age-Studie. *Z. Gerontol. Geriatr.* 44, Suppl. 2, 41-54 (2011)

Postma, M.J.*, de Vries, R.*, Welte, R. & Edmunds, W.J.*: Health economic methodology illustrated with recent work on *Chlamydia* screening: The concept of extended dominance. *Sex. Transm. Infect.* 84, 152-154 (2008)

Rogowski, W.H.: What should public health research focus on? Comments from a decision analytic perspective. *Eur. J. Public Health* 20, 484-485 (2010)

Rottenkolber, D. et al.: Adverse drug reactions in Germany: Direct costs of internal medicine hospitalizations. *Pharmacoepidemiol. Drug Saf.* 20, 626-634 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Health Economics and Health Care Management

- Schad, M. & John, J.: Towards a social discount rate for the economic evaluation of health technologies in Germany: An exploratory analysis. *Eur. J. Health Econ.* 13, 127-144 (2012)
- Schunk, M. et al.: Verbesserungen in der Versorgung von Patienten mit Typ-2-Diabetes? Gepoolte Analyse dreier bevölkerungsbasierter Studien (KORA) in der Region Augsburg zwischen 1999 und 2008. *Bundesgesundheitsblatt* 54, 1187-1196 (2011)
- Schwarzkopf, L. et al.: Costs of care for dementia patients in community setting: An analysis for mild and moderate disease stage. *Value Health* 14, 827-835 (2011)
- Stampfl, A. et al.: Langendorff heart: A model system to study cardiovascular effects of engineered nanoparticles. *ACS Nano* 5, 5345-5353 (2011)
- Stargardt, T.: Modelling pharmaceutical price changes in Germany: A function of competition and regulation. *Appl. Economics* 43, 4515-4526 (2011)
- Stargardt, T.: The impact of reference pricing on switching behaviour and healthcare utilisation: The case of statins in Germany. *Eur. J. Health Econ.* 11, 267-277 (2010)
- Stark, R., Schunk, M. & Holle, R.: Ergebnisse der KORA-Studien. In: Günster, C.; Klose, J.; Schmacke, N. [Eds.]: *Versorgungsreport 2011. Schwerpunkt: Chronische Erkrankungen*. Stuttgart : Schattauer GmbH, 2011, 78-82
- Stark, R.G., John, J. & Leidl, R.: Health care use and costs of adverse drug events emerging from outpatient treatment in Germany: A modelling approach. *BMC Health Serv. Res.* 11:9 (2011)
- Stark, R.G. et al.: Medical care of type 2 diabetes in German disease management programmes: A population-based evaluation. *Diabetes Metab. Res. Rev.* 27, 383-391 (2011)
- Steinacker, J.M.* et al.: Long term effects of comprehensive cardiac rehabilitation in an inpatient and outpatient setting. *Swiss Med. Wkly.* 141:w13141 (2011)
- Stirbu, I.*, Kunst, A.E.*, Mielck, A. & Mackenbach, J.P.*: Inequalities in utilisation of general practitioner and specialist services in 9 European countries. *BMC Health Serv. Res.* 11:288 (2011)
- Stollenwerk, B., Becker, C. & Leidl, R.: Gesundheitsökonomische Modellierung bei Diabetes mellitus. *Diabetologie* 7, 99-104 (2011)
- von Klot, S. et al.: Estimated personal soot exposure is associated with acute myocardial infarction onset in a case-crossover study. *Prog. Cardiovasc. Dis.* 53, 361-368 (2011)
- Wenig, C.M., Knopf, H.* & Menn, P.: Juvenile obesity and its association with utilisation and costs of pharmaceuticals - results from the KiGGS study. *BMC Health Serv. Res.* 11:340 (2011)
- Wenig, C.M., Wolfenstetter, S.B. & John, J.: Recent economic findings on childhood obesity. *The Scientific Newsletter* 51, 4 (2010)
- Wolfenstetter, S.B.: Future direct and indirect costs of obesity and the influence of gaining weight: Results from the MONICA/KORA cohort studies, 1995-2005. *Econ. Hum. Biol.* 10, 127-138 (2012)

Publication List 2011

31.12.2011

* external Authors

Institute of Health Economics and Health Care Management

Wolfenstetter, S.B.: Conceptual framework for standard economic evaluation of physical activity programs in primary prevention. *Prev. Sci.* 12, 435-451 (2011)

Wolfenstetter, S.B. & Wenig, C.M.: Costing of physical activity programmes in primary prevention: A review of the literature. *Health Economics Review* 1:17 (2011)

Zechmeister, I.*, Ara, R.*, Ward, S.* & Stollenwerk, B.: Have statins met our expectations? A comparison of expected health gains from statins with epidemiological trends in Austria. *J. Public Health* 20, 31-39 (2012)

Publication List 2011

31.12.2011

* external Authors

Institute of Human Genetics

- Abou Jamra, R.* et al.: Adaptor protein complex 4 deficiency causes severe autosomal-recessive intellectual disability, progressive spastic paraplegia, shy character, and short stature. *Am. J. Hum. Genet.* 88, 788-795 (2011)
- Adler, I.-D. & Favor, J.: Memorial for Udo H. Ehling (1928-2010). *Environ. Mol. Mutagen.* 52, 171-173 (2011)
- Azam, M.* et al.: Identification of novel mutations in Pakistani families with autosomal recessive retinitis pigmentosa. *Arch. Ophthalmol.* 129, 1377-1378 (2011)
- Bown, M.J.* et al.: Abdominal aortic aneurysm is associated with a variant in low-density lipoprotein receptor-related protein 1. *Am. J. Hum. Genet.* 89, 619-627 (2011)
- Burgdorf, K.S.* et al.: Studies of the association of Arg72Pro of tumor suppressor protein p53 with type 2 diabetes in a combined analysis of 55,521 Europeans. *PLoS One* 6:e15813 (2011)
- Chambers, J.C.* et al.: Genome-wide association study identifies loci influencing concentrations of liver enzymes in plasma. *Nat. Genet.* 43, 1131-1138 (2011)
- Collin, R.W.* et al.: High-resolution homozygosity mapping is a powerful tool to detect novel mutations causative of autosomal recessive RP in the Dutch population. *Invest. Ophthalmol. Vis. Sci.* 52, 2227-2239 (2011)
- Danhauser, K. et al.: Cellular rescue-assay aids verification of causative DNA-variants in mitochondrial complex I deficiency. *Mol. Genet. Metab.* 103, 161-166 (2011)
- Del Río, P. et al.: GDNF-induced osteopontin from Müller glial cells promotes photoreceptor survival in the Pde6brd1 mouse model of retinal degeneration. *Glia* 59, 821-832 (2011)
- Elstner, M.* et al.: Neuromelanin, neurotransmitter status and brainstem location determine the differential vulnerability of catecholaminergic neurons to mitochondrial DNA deletions. *Mol. Brain* 4:43 (2011)
- Elstner, M. et al.: Expression analysis of dopaminergic neurons in Parkinson's disease and aging links transcriptional dysregulation of energy metabolism to cell death. *Acta Neuropathol.* 122, 75-86 (2011)
- Erdmann, J.* et al.: Genome-wide association study identifies a new locus for coronary artery disease on chromosome 10p11.23. *Eur. Heart J.* 32, 158-168 (2011)
- Eyheramendy, S. et al.: Effect of genome-wide simultaneous hypotheses tests on the discovery rate. *Int. J. Mol. Epidemiol. Genet.* 2, 163-177 (2011)
- Fox, E.R.* et al.: Association of genetic variation with systolic and diastolic blood pressure among African Americans: The Candidate Gene Association Resource study. *Hum. Mol. Genet.* 20, 2273-2284 (2011)
- Gerards, M.* et al.: Riboflavin-responsive oxidative phosphorylation complex I deficiency caused by defective ACAD9: New function for an old gene. *Brain* 134, 210-219 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Human Genetics

Greif, P.A. et al.: Identification of recurring tumor-specific somatic mutations in acute myeloid leukemia by transcriptome sequencing. *Leukemia* 25, 821-827 (2011)

Guelly, C.* et al.: Targeted high-throughput sequencing identifies mutations in atlastin-1 as a cause of hereditary sensory neuropathy type I. *Am. J. Hum. Genet.* 88, 99-105 (2011)

Hartig, M.B. et al.: Absence of an orphan mitochondrial protein, c19orf12, causes a distinct clinical subtype of neurodegeneration with brain iron accumulation. *Am. J. Hum. Genet.* 89, 543-550 (2011)

Heeringa, S.F.* et al.: COQ6 mutations in human patients produce nephrotic syndrome with sensorineural deafness. *J. Clin. Invest.* 121, 2013-2024 (2011)

Herder, C.* et al.: RANTES/CCL5 and risk for coronary events: Results from the MONICA/KORA Augsburg case-cohort, Athero-Express and CARDIoGRAM studies. *PLoS One* 6:e25734 (2011)

Hivert, M.F.* et al.: Updated genetic score based on 34 confirmed type 2 diabetes loci is associated with diabetes incidence and regression to normoglycemia in the diabetes prevention program. *Diabetes* 60, 1340-1348 (2011)

Hopfner, F. et al.: Novel *SCARB2* mutation in action myoclonus-renal failure syndrome and evaluation of *SCARB2* mutations in isolated AMRF features. *BMC Neurol.* 11:134 (2011)

Ikram, M.K.* et al.: Four novel Loci (19q13, 6q24, 12q24, and 5q14) influence the microcirculation in vivo. *PLoS Genet.* 6:e1001184 (2010)

International Consortium for Blood Pressure Genome-Wide Association Studies: Genetic variants in novel pathways influence blood pressure and cardiovascular disease risk. *Nature* 478, 103-109 (2011)

International Multiple Sclerosis Genetics Consortium: The genetic association of variants in *CD6*, *TNFRSF1A* and *IRF8* to multiple sclerosis: A multicenter case-control study. *PLoS One* 6:e18813 (2011)

International Multiple Sclerosis Genetics Consortium & Wellcome Trust Case Control Consortium 2: Genetic risk and a primary role for cell-mediated immune mechanisms in multiple sclerosis. *Nature* 476, 214-219 (2011)

International Parkinson Disease Genomics Consortium: Imputation of sequence variants for identification of genetic risks for Parkinson's disease: A meta-analysis of genome-wide association studies. *Lancet* 377, 641-649 (2011)

International Parkinson's Disease Genomics Consortium (IPDGC) & Wellcome Trust Case Control Consortium 2 (WTCCC2): A two-stage meta-analysis identifies several new loci for Parkinson's disease. *PLoS Genet.* 7:e1002142 (2011)

Jacquemont, S.* et al.: Mirror extreme BMI phenotypes associated with gene dosage at the chromosome 16p11.2 locus. *Nature* 478, 97-102 (2011)

Koch, W.* et al.: The chromosome 9p21 region and myocardial infarction in a European population. *Atherosclerosis* 217, 220-226 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Human Genetics

Kornfeld, J.W.* et al.: Variants in STAT5B associate with serum TC and LDL-C levels. *J. Clin. Endocrinol. Metab.* 96, E1496-E1501 (2011)

Kornum, B.R.* et al.: Common variants in P2RY11 are associated with narcolepsy. *Nat. Genet.* 43, 66-71 (2011)

Mayr, J.A.* et al.: Heterozygous mutation in the X chromosomal *NDUFA1* gene in a girl with complex I deficiency. *Mol. Genet. Metab.* 103, 358-361 (2011)

Mayr, J.A.* et al.: Thiamine pyrophosphokinase deficiency in encephalopathic children with defects in the pyruvate oxidation pathway. *Am. J. Hum. Genet.* 89, 806-812 (2011)

Meder, B.* et al.: Targeted next-generation sequencing for the molecular genetic diagnostics of cardiomyopathies. *Circ. Cardiovasc. Genet.* 4, 110-122 (2011)

Mittelstrass, K. et al.: Discovery of sexual dimorphisms in metabolic and genetic biomarkers. *PLoS Genet.* 7:e1002215 (2011)

Muehlschlegel, J.D.* et al.: Polymorphism in the protease-activated receptor-4 gene region associates with platelet activation and perioperative myocardial injury. *Am. J. Hematol.* , 10.1002/ajh.22244 (2011)

Nalls, M.A.* et al.: Multiple loci are associated with white blood cell phenotypes. *PLoS Genet.* 7:e1002113 (2011)

Nielsen, T.* et al.: Type 2 diabetes risk allele near *CENTD2* is associated with decreased glucose-stimulated insulin release. *Diabetologia* 54, 1052-1056 (2011)

Oexle, K.* et al.: 3.7 Mb tandem microduplication in chromosome 5p13.1-p13.2 associated with developmental delay, macrocephaly, obesity, and lymphedema. Further characterization of the dup(5p13) syndrome. *Eur. J. Med. Genet.* 54, 225-230 (2011)

Oexle, K.* et al.: Novel association to the proprotein convertase PCSK7 gene locus revealed by analysing soluble transferrin receptor (sTfR) levels. *Hum. Mol. Genet.* 20, 1042-1047 (2011)

Ohlsson, C.* et al.: Genetic determinants of serum testosterone concentrations in men. *PLoS Genet.* 7:e1002313 (2011)

Parra, E.J.* et al.: Genome-wide association study of type 2 diabetes in a sample from Mexico City and a meta-analysis of a Mexican-American sample from Starr County, Texas. *Diabetologia* 54, 2038-2046 (2011)

Paternoster, L.* et al.: Meta-analysis of genome-wide association studies identifies three new risk loci for atopic dermatitis. *Nat. Genet.* 44, 187-192 (2011)

Schormair, B. et al.: MEIS1 and BTBD9: Genetic association with restless leg syndrome in end stage renal disease. *J. Med. Genet.* 48, 462-466 (2011)

Schulte, E.C.* et al.: Variant screening of the coding regions of *MEIS1* in patients with restless legs syndrome. *Neurology* 76, 1106-1108 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Human Genetics

Schulte, E.C.* & Winkelmann, J.: When Parkinson's disease patients go to sleep: Specific sleep disturbances related to Parkinson's disease. *J. Neurol.* 258, S328-S335 (2011)

Schunkert, H.* et al.: Large-scale association analysis identifies 13 new susceptibility loci for coronary artery disease. *Nat. Genet.* 43, 333-340 (2011)

Senderek, J.* et al.: Hexosamine biosynthetic pathway mutations cause neuromuscular transmission defect. *Am. J. Hum. Genet.* 88, 162-172 (2011)

Sharma, M.* et al.: Role of sepiapterin reductase gene at the PARK3 locus in Parkinson's disease. *Neurobiol. Aging* 32, 2108.e1-2108.e5 (2011)

Sibbing, D.* et al.: Mutations in the mitochondrial thioredoxin reductase gene TXNRD2 cause dilated cardiomyopathy. *Eur. Heart J.* 32, 1121-1133 (2011)

Siemiatkowska, A.M.* et al.: Molecular genetic analysis of retinitis pigmentosa in Indonesia using genome-wide homozygosity mapping. *Mol. Vis.* 17, 3013-3024 (2011)

Sinner, M.F.*, Ellinor, P.T.*, Meitinger, T., Benjamin, E.J.* & Kääh, S.*: Genome-wide association studies of atrial fibrillation: Past, present, and future. *Cardiovasc. Res.* 89, 701-709 (2011)

Small, K.S.* et al.: Identification of an imprinted master *trans* regulator at the *KLF14* locus related to multiple metabolic phenotypes. *Nat. Genet.* 43, 561-564 (2011)

Smith, J.G.* et al.: Genome-wide association studies of the PR interval in African Americans. *PLoS Genet.* 7:e1001304 (2011)

Speliotes, E.K.* et al.: Genome-wide association analysis identifies variants associated with nonalcoholic fatty liver disease that have distinct effects on metabolic traits. *PLoS Genet.* 7:e1001324 (2011)

Strawbridge, R.J.* et al.: Genome-wide association identifies nine common variants associated with fasting proinsulin levels and provides new insights into the pathophysiology of type 2 diabetes. *Diabetes* 60, 2624-2634 (2011)

Suhre, K. et al.: Human metabolic individuality in biomedical and pharmaceutical research. *Nature* 477, 54-60 (2011)

The IBC 50K CAD Consortium: Large-scale gene-centric analysis identifies novel variants for coronary artery disease. *PLoS Genet.* 7:e1002260 (2011)

Wain, L.V.* et al.: Genome-wide association study identifies six new loci influencing pulse pressure and mean arterial pressure. *Nat. Genet.* 43, 1005-1011 (2011)

Weegerink, N.J.* et al.: Genotype-phenotype correlation in DFNB8/10 families with TMPRSS3 mutations. *J. Assoc. Res. Otolaryngol.* 12, 756-766 (2011)

Wichmann, H.-E. et al.: Comprehensive catalog of European biobanks. *Nat. Biotechnol.* 29, 795-797 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Human Genetics

Winkelmann, J. et al.: Genome-wide association study identifies novel restless legs syndrome susceptibility loci on 2p14 and 16q12.1. PLoS Genet. 7:e1002171 (2011)

Winkler, J.* et al.: Parkinson's disease risk score: Moving to a premotor diagnosis. J. Neurol. 258, S311-S315 (2011)

Wöhlke, A. et al.: A one base pair deletion in the canine ATP13A2 gene causes exon skipping and late-onset neuronal ceroid lipofuscinosis in the Tibetan terrier. PLoS Genet. 7:e1002304 (2011)

Yu, Z. et al.: Differences between human plasma and serum metabolite profiles. PLoS One 6:e21230 (2011)

Zhu, H.* et al.: The *Lin28/let-7* axis regulates glucose metabolism. Cell 147, 81-94 (2011)

Zimprich, A.* et al.: A mutation in VPS35, encoding a subunit of the retromer complex, causes late-onset Parkinson disease. Am. J. Hum. Genet. 89, 168-175 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Lung Biology and Disease

- Ali, Z.* et al.: Multifunctional nanoparticles for dual imaging. *Anal. Chem.* 83, 2877-2882 (2011)
- Artigas, M.S.* et al.: Genome-wide association and large-scale follow up identifies 16 new loci influencing lung function. *Nat. Genet.* 43, 1082-1090 (2011)
- Bao, C.*, Tian, F. & Estrada, G.: Improved visualisation of internalised carbon nanotubes by maximising cell spreading on nanostructured substrates. *Nano. Biomed. Eng.* 2, 201-210 (2010)
- Beyerle, A.* et al.: Comparative in vivo study of poly(ethylene imine)/siRNA complexes for pulmonary delivery in mice. *J. Control. Release* 151, 51-56 (2011)
- Beyerle, A. et al.: Inflammatory responses to pulmonary application of PEI-based siRNA nanocarriers in mice. *Biomaterials* 32, 8694-8701 (2011)
- Beyerle, A., Kissel, T.* & Stoeger, T.: Toxicity of polymeric-based non-viral vector systems for pulmonary siRNA application. In: Yuan, X. [Ed.]: *Non-Viral Gene Therapy*. Rijeka : InTech, 2011, 481-498
- Beyerle, A., Long, A.S.*, White, P.A.*, Kissel, T.* & Stoeger, T.: Poly(ethylene imine) nanocarriers do not induce mutations nor oxidative DNA damage in vitro in mutaMouse FE1 cells. *Mol. Pharm.* 8, 976-981 (2011)
- Blank, S.* et al.: Api m 10, a genuine *A. mellifera* venom allergen, is clinically relevant but underrepresented in therapeutic extracts. *Allergy* 66, 1322-1329 (2011)
- Brand, S.* et al.: Epigenetic regulation in murine offspring as a novel mechanism for transmaternal asthma protection induced by microbes. *J. Allergy Clin. Immunol.* 128, 618-625 (2011)
- Breitfelder, A. et al.: Relative weight-related costs of healthcare use by children - results from the two German birth cohorts, GINI-plus and LISA-plus. *Econ. Hum. Biol.* 9, 302-315 (2011)
- Brockow, K. & Ring, J.: Anaphylaxis to radiographic contrast media. *Curr. Opin. Allergy Clin. Immunol.* 11, 326-331 (2011)
- Cazzoletti, L.* et al.: Asthma severity according to global initiative for asthma and its determinants: An international study. *Int. Arch. Allergy Immunol.* 151, 70-79 (2010)
- Clauss, M.* et al.: Lung endothelial monocyte-activating protein 2 is a mediator of cigarette smoke-induced emphysema in mice. *J. Clin. Invest.* 121, 2470-2479 (2011)
- Darsow, U. et al.: Juckreiz bei atopischem Ekzem. *Allergologie* 34, 452-460 (2011)
- Darsow, U. et al.: Pruritus and atopic dermatitis. *Clin. Rev. Allergy Immunol.* 41, 237-244 (2011)
- Dumitru, A.F.* et al.: Petasol butenoate complex (Ze 339) relieves allergic rhinitis-induced nasal obstruction more effectively than desloratadine. *J. Allergy Clin. Immunol.* 127, 1515-1521 (2011)
- Eyerich, S. et al.: Mutual antagonism of T cells causing psoriasis and atopic eczema. *N. Engl. J. Med.* 365, 231-238 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Lung Biology and Disease

Eyerich, S. et al.: Neue Schlüsselzytokine in der Allergologie: IL-17, IL-22. *Allergologie* 34, 344-349 (2011)

Eyerich, S. et al.: IL-22 and TNF- α represent a key cytokine combination for epidermal integrity during infection with *Candida albicans*. *Eur. J. Immunol.* 41, 1894-1901 (2011)

Fertsch-Gapp, S., Semmler-Behnke, M., Wenk, A. & Kreyling, W.G.: Binding of polystyrene and carbon black nanoparticles to blood serum proteins. *Inhal. Toxicol.* 23, 468-475 (2011)

Frankenberger, M. et al.: Chemokine expression by small sputum macrophages in COPD. *Mol. Med.* 17, 762-770 (2011)

Ganguly, K. et al.: Impaired resolution of inflammatory response in the lungs of JF1/Msf mice following carbon nanoparticle instillation. *Respir. Res.* 12, 94 (2011)

Gibbs-Flournoy, E.A.* , Bromberg, P.A.* , Hofer, T.P., Samet, J.M.* & Zucker, R.M.*: Darkfield-confocal microscopy detection of nanoscale particle internalization by human lung cells. *Part. Fibre Toxicol.* 8:2 (2011)

Gibson, N.* et al.: Radiolabelling of engineered nanoparticles for in vitro and in vivo tracing applications using cyclotron accelerators. *Arch. Toxicol.* 85, 751-773 (2011)

Gilles, S. et al.: Pollen metabolome analysis reveals adenosine as a major regulator of dendritic cell-primed T_H cell responses. *J. Allergy Clin. Immunol.* 127, 454-461 (2011)

Götz, A.A. et al.: Comparison of particle-exposure triggered pulmonary and systemic inflammation in mice fed with three different diets. *Part. Fibre Toxicol.* 8:30 (2011)

Götz, A.A., Vidal-Puig, A.* , Rödel, H.G.* , Hrabé de Angelis, M. & Stoeger, T.: Carbon-nanoparticle-triggered acute lung inflammation and its resolution are not altered in PPAR γ -defective (P465L) mice. *Part. Fibre Toxicol.* 8:28 (2011)

Graw, J. et al.: The KORA eye study: A population-based study on eye diseases in southern Germany (KORA F4). *Invest. Ophthalmol. Vis. Sci.* 52, 7778-7786 (2011)

Gutermuth, J. et al.: Papular-purpuric gloves and socks syndrome. *Lancet* 378, 198 (2011)

Hausteiner-Wiehle, C.* et al.: Patient-doctor interaction, psychobehavioural characteristics and mental disorders in patients with suspected allergies: Do they predict 'medically unexplained symptoms'? *Acta Derm.-Venereol.* 91, 666-673 (2011)

Hector, A.* et al.: The chitinase-like protein YKL-40 modulates cystic fibrosis lung disease. *PLoS One* 6:e24399 (2011)

Henke, M.O.* et al.: Serine proteases degrade airway mucins in cystic fibrosis. *Infect. Immun.* 79, 3438-3444 (2011)

Hirn, S. et al.: Particle size-dependent and surface charge-dependent biodistribution of gold nanoparticles after intravenous administration. *Eur. J. Pharm. Biopharm.* 77, 407-416 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Lung Biology and Disease

Horsch, M. et al.: Requirement of the RNA-editing enzyme ADAR2 for normal physiology in mice. *J. Biol. Chem.* 286, 18614-18622 (2011)

Huss-Marp, J. et al.: Can Immunoglobulin E-measurement replace challenge tests in allergic rhinoconjunctivitis to grass pollen? *Clin. Exp. Allergy* 41, 1116-1124 (2011)

John, G., Chillappagari, S.*, Rubin, B.K.*, Gruenert, D.C.* & Henke, M.O.*: Reduced surface toll-like receptor-4 expression and absent interferon- γ -inducible protein-10 induction in cystic fibrosis airway cells. *Exp. Lung Res.* 37, 319-326 (2011)

John, G. et al.: NKX2-3 variant rs11190140 is associated with IBD and alters binding of NFAT. *Mol. Genet. Metab.* 104, 174-179 (2011)

Kerzel, S.* et al.: A single D_H gene segment is sufficient for the establishment of an asthma phenotype in a murine model of allergic airway inflammation. *Int. Arch. Allergy Immunol.* 156, 247-258 (2011)

Kılıç, A.* et al.: Nerve growth factor induces type III collagen production in chronic allergic airway inflammation. *J. Allergy Clin. Immunol.* 128, 1058-1066 (2011)

Kilinc, E.* et al.: The procoagulant effects of fine particulate matter *in vivo*. *Part. Fibre Toxicol.* 8:12 (2011)

Kowalski, M.L.* et al.: Hypersensitivity to nonsteroidal anti-inflammatory drugs (NSAIDs) - classification, diagnosis and management: Review of the EAACI/ENDA and GA2LEN/HANNA. *Allergy* 66, 818-829 (2011)

Liu, L.* et al.: Gain-of-function human *STAT1* mutations impair IL-17 immunity and underlie chronic mucocutaneous candidiasis. *J. Exp. Med.* 208, 1635-1648 (2011)

Maintz, L.* et al.: Association of single nucleotide polymorphisms in the diamine oxidase gene with diamine oxidase serum activities. *Allergy* 66, 893-902 (2011)

Mantel, P.Y.* & Schmidt-Weber, C.B.: Transforming growth factor-beta: Recent advances on its role in immune tolerance. In: Cuturi, M.C.; Anegón, I. [Eds.]: *Suppression and Regulation of Immune Responses. Part 2.* Totowa, NJ : Humana Press, 2011 (Methods Mol. Biol. ; 677), 303-338

Matheson, M.C.* et al.: Early-life risk factors and incidence of rhinitis: Results from the European Community Respiratory Health Study - an international population-based cohort study. *J. Allergy Clin. Immunol.* 128, 816-823 (2011)

Merkel, O.M.* et al.: Polymer-related off-target effects in non-viral siRNA delivery. *Biomaterials* 32, 2388-2398 (2011)

Möhrenschlager, M.*, May, U.*, Stirner, K.-H.*, Ring, J. & Lauener, R.*: Thermische Schädigung nach unsachgemäßer Sprühdeoverwendung. *Monatsschr. Kinderheilkd.* 159, 258-259 (2011)

Möhrenschlager, M.* & Ring, J.: Food allergy: An increasing problem for the elderly. *Gerontology* 57, 33-36 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Lung Biology and Disease

- Möhrenschlager, M.* , Ring, J. & Lauener, R.*: A boy with a one-sided red rash. *Eur. J. Pediatr.* 170, 539-540 (2011)
- Möller, W., Lübbers, C.* , Münzing, W.* & Canis, M.*: Pulsating airflow and drug delivery to paranasal sinuses. *Curr. Opin. Otolaryngol. Head Neck Surg.* 19, 48-53 (2011)
- Möller, W. et al.: Nasally inhaled pulsating aerosols: Lung, sinus and nose deposition. *Rhinology* 49, 286-291 (2011)
- Müller, L.* et al.: Realistic exposure methods for investigating the interaction of nanoparticles with the lung at the air-liquid interface in vitro. *Insciences J.* 1, 30-64 (2011)
- Naumann, A.* et al.: A comprehensive analysis of the COL29A1 gene does not support a role in eczema. *J. Allergy Clin. Immunol.* 127, 1187-1194 (2011)
- Oeder, S. et al.: Toxicity and elemental composition of particulate matter from outdoor and indoor air of elementary schools in Munich, Germany. *Indoor Air* , 10.1111/j.1600-0668.2011.00743.x (2011)
- Paternoster, L.* et al.: Meta-analysis of genome-wide association studies identifies three new risk loci for atopic dermatitis. *Nat. Genet.* 44, 187-192 (2011)
- Paur, H.R.* et al.: In-vitro cell exposure studies for the assessment of nanoparticle toxicity in the lung - a dialog between aerosol science and biology. *J. Aerosol Sci.* 42, 668-692 (2011)
- Pfab, F. et al.: Effect of acupuncture on allergen-induced basophil activation in patients with atopic eczema: A pilot trial. *J. Altern. Complement. Med.* 17, 309-314 (2011)
- Pukelsheim, K., Stoeger, T., Kutschke, D., Ganguly, K. & Wjst, M.: Cytokine profiles in asthma families depend on age and phenotype. *PLoS One* 5:e14299 (2010)
- Ramasamy, A.* et al.: A genome-wide meta-analysis of genetic variants associated with allergic rhinitis and grass sensitization and their interaction with birth order. *J. Allergy Clin. Immunol.* 128, 996-1005 (2011)
- Rebordosa, C.* et al.: ADRB2 Gly16Arg polymorphism, asthma control and lung function decline. *Eur. Respir. J.* 38, 1029-1035 (2011)
- Ring, J. & Gutermuth, J.*: 100 years of hyposensitization: History of allergen-specific immunotherapy (ASIT). *Allergy* 66, 713-724 (2011)
- Rodriguez, E., Eyerich, K. & Weidinger, S.: Genetik häufiger chronisch-entzündlicher Hauterkrankungen: Ein Update zu atopischem Ekzem und Psoriasis. *Hautarzt* 62, 107-118 (2011)
- Roebben, G.* et al.: Interlaboratory comparison of size and surface charge measurements on nanoparticles prior to biological impact assessment. *J. Nanopart. Res.* 13, 2675-2687 (2011)
- Rössing, K.* et al.: Brain-derived neurotrophic factor is increased in serum and skin levels of patients with chronic spontaneous urticaria. *Clin. Exp. Allergy* 41, 1392-1399 (2011)
- Schleh, C., Rothen-Rutishauser, B.* & Kreyling, W.G.: The influence of pulmonary surfactant on nanoparticulate drug delivery systems. *Eur. J. Pharm. Biopharm.* 77, 350-352 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Lung Biology and Disease

- Schleh, C. et al.: Size and surface charge of gold nanoparticles determine absorption across intestinal barriers and accumulation in secondary target organs after oral administration. *Nanotoxicology* 6, 36-46 (2012)
- Schnabel, E. et al.: High blood pressure, antihypertensive medication and lung function in a general adult population. *Respir. Res.* 12:50 (2011)
- Seifart, C.* et al.: ATRA results in irregular repair of septa and fails to inhibit proinflammatory macrophages. *Eur. Respir. J.* 38, 425-439 (2011)
- Soligo, M.* et al.: CD28 costimulation regulates FOXP3 in a RelA/NF- κ B-dependent mechanism. *Eur. J. Immunol.* 41, 503-513 (2011)
- Stalder, J.F.* et al.: Patient-oriented SCORAD (PO-SCORAD): A new self-assessment scale in atopic dermatitis validated in Europe. *Allergy* 66, 1114-1121 (2011)
- Streitberger, K.* et al.: Acupuncture assisted anesthesia for nasal surgery as an example for integrative medicine in China. *Eur. J. Integr. Med.* 2, 37-39 (2010)
- Vale-Pereira, S.* et al.: FoxP3, GATA-3 and T-bet expression in elderly asthma. *Clin. Exp. Allergy* 41, 490-496 (2011)
- Weisshaar, E.* , Ständer, S.* , Gieler, U.* , Mattered, U.* & Darsow, U.: Entwicklung eines deutschsprachigen Fragebogens zur Erfassung von chronischem Pruritus (AGP-Fragebogen). Hintergrund und erste Ergebnisse. *Hautarzt* 62, 914-927 (2011)
- Willi, R.* et al.: Danger from the workplace: Allergic contact dermatitis from the first exposure to isothiazolinones. *Contact Dermatitis* 64, 361-362 (2011)
- Wjst, M.: Caught you: Threats to confidentiality due to the public release of large-scale genetic data sets. *BMC Med. Ethics* 11:21 (2010)
- Yin, R. et al.: Systematic selection of housekeeping genes for gene expression normalization in chicken embryo fibroblasts infected with Newcastle disease virus. *Biochem. Biophys. Res. Commun.* 413, 537-540 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Molecular Immunology

- Anz, D.* et al.: CD103 is a hallmark of tumor-infiltrating regulatory T cells. *Int. J. Cancer* 129, 2417-2426 (2011)
- Battke, C. et al.: Generation and characterization of the first inhibitory antibody targeting tumour-associated carbonic anhydrase XII. *Cancer Immunol. Immunother.* 60, 649-658 (2011)
- Bauer, A.T.* et al.: Cytotoxicity of silica nanoparticles through exocytosis of von Willebrand factor and necrotic cell death in primary human endothelial cells. *Biomaterials* 32, 8385-8393 (2011)
- Bauer, T., Sprinzl, M. & Protzer, U.: Immune control of hepatitis B virus. *Digest. Dis.* 29, 423-433 (2011)
- Beck, B.* et al.: Effects of TLR agonists on maturation and function of 3-day dendritic cells from AML patients in complete remission. *J. Transl. Med.* 9:151 (2011)
- Berchtold, D.* et al.: Nuclei of chicken neurons in tissues and three-dimensional cell cultures are organized into distinct radial zones. *Chromosome Res.* 19, 165-182 (2011)
- Bigalke, B.* et al.: Sandwich immunoassay for soluble glycoprotein VI in patients with symptomatic coronary artery disease. *Clin. Chem.* 57, 898-904 (2011)
- Boeke, J.* et al.: The RNA helicase Rm62 cooperates with SU(VAR)3-9 to re-silence active transcription in *Drosophila melanogaster*. *PLoS One* 6:e20761 (2011)
- Braun, M.* et al.: The CD6 scavenger receptor is differentially expressed on a CD56 natural killer cell subpopulation and contributes to natural killer-derived cytokine and chemokine secretion. *J. Innate Immun.* 3, 420-434 (2011)
- Buchholz, V.R.*, Neuenhahn, M. & Busch, D.H.: CD8⁺ T cell differentiation in the aging immune system: Until the last clone standing. *Curr. Opin. Immunol.* 23, 549-554 (2011)
- Bukur, J.*, Nößner, E. & Seliger, B.*: 'Tumor immunology meets oncology (TIMO) VII' from 15th to 16th of April 2011 in Halle/Saale, Germany. *Cancer Immunol. Immunother.* 60, 1647-1653 (2011)
- Butterfield, L.H.* et al.: Recommendations from the iSBTc-SITC/FDA/NCI Workshop on Immunotherapy Biomarkers. *Clin. Cancer Res.* 17, 3064-3076 (2011)
- Chapouton, P. et al.: Expression of *hairly/enhancer of split* genes in neural progenitors and neurogenesis domains of the adult zebrafish brain. *J. Comp. Neurol.* 519, 1748-1769 (2011)
- Dreyssig, J.* et al.: Various 'dendritic cell antigens' are already expressed on uncultured blasts in acute myeloid leukemia and myelodysplastic syndromes. *Immunotherapy* 3, 1113-1124 (2011)
- Duering, M.* et al.: Co-aggregate formation of CADASIL-mutant NOTCH3: A single-particle analysis. *Hum. Mol. Genet.* 20, 3256-3265 (2011)
- Felle, M.* et al.: The USP7/Dnmt1 complex stimulates the DNA methylation activity of Dnmt1 and regulates the stability of UHRF1. *Nucleic Acids Res.* 39, 8355-8365 (2011)
- Figel, A.M. et al.: Human renal cell carcinoma induces a dendritic cell subset that uses T-cell crosstalk for tumor-permissive milieu alterations. *Am. J. Pathol.* 179, 436-451 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Molecular Immunology

- Fox, B.A.* et al.: Defining the critical hurdles in cancer immunotherapy. *J. Transl. Med.* 9:214 (2011)
- Frankenberger, B. & Schendel, D.J.: Third generation dendritic cell vaccines for tumor immunotherapy. *Eur. J. Cell Biol.* 91, 53-58 (2012)
- Gallmeier, E.* et al.: Inhibition of ataxia telangiectasia- and Rad3-related function abrogates the in vitro and in vivo tumorigenicity of human colon cancer cells through depletion of the CD133⁺ tumor-initiating cell fraction. *Stem Cells* 29, 418-429 (2011)
- Hammerschmidt, S.I.* et al.: Retinoic acid induces homing of protective T and B cells to the gut after subcutaneous immunization in mice. *J. Clin. Invest.* 121, 3051-3061 (2011)
- Harner, S. et al.: Cord blood V α 24-v β 11 natural killer T cells display a Th2-chemokine receptor profile and cytokine responses. *PLoS One* 9:e15714 (2011)
- Haupt, S. et al.: Human endogenous retrovirus transcription profiles of the kidney and kidney-derived cell lines. *J. Gen. Virol.* 92, 2356-2366 (2011)
- Horst, D.* et al.: EBV protein BNLF2a exploits host tail-anchored protein integration machinery to inhibit TAP. *J. Immunol.* 186, 3594-3605 (2011)
- Hossann, M. et al.: Size of thermosensitive liposomes influences content release. *J. Control. Release* 147, 436-443 (2010)
- Issels, R.D. & Lindner, L.H.*: Hyperthermie. In: Schlag, P.M.; Hartmann, J.T.; Budach, V. [Eds.]: Weichgewebetumoren. Interdisziplinäres Management. Berlin : Springer, 2011, 265-272
- Istvanffy, R.* et al.: Stromal pleiotrophin regulates repopulation behavior of hematopoietic stem cells. *Blood* 118, 2712-2722 (2011)
- Jolesch, A., Elmer, K., Bendz, H., Issels, R.D. & Nößner, E.: Hsp70, a messenger from hyperthermia for the immune system. *Eur. J. Cell Biol.* 91, 48-52 (2012)
- Kantlehner, M.* et al.: A high-throughput DNA methylation analysis of a single cell. *Nucleic Acids Res.* 39:e44 (2011)
- Kastenmüller, W.* et al.: Regulatory T cells selectively control CD8⁺ T cell effector pool size via IL-2 restriction. *J. Immunol.* 187, 3186-3197 (2011)
- Krämer, P.M., Keß, M., Kremmer, E. & Schulte-Hostede, S.: Multi-parameter determination of TNF α , PCT and CRP for point-of-care testing. *Analyst* 136, 692-695 (2011)
- Kremmer, E. et al.: A new strategy for the development of monoclonal antibodies for the determination of human procalcitonin in serum samples. *Anal. Bioanal. Chem.* 402, 989-995 (2012)
- Kröger, C.*, Srikumar, S.*, Ellwart, J. & Fuchs, T.M.*: Bistability in myo-inositol utilization by *Salmonella enterica* serovar Typhimurium. *J. Bacteriol.* 193, 1427-1435 (2011)
- Kutscher, S., Bauer, T., Dembek, C., Sprinzl, M. & Protzer, U.: Design of therapeutic vaccines: Hepatitis B as an example. *Microb. Biotechnol.* 5, 270-282 (2012)

Publication List 2011

31.12.2011

* external Authors

Institute of Molecular Immunology

Lange, A. et al.: Fltp^{T2AiCre}: A new knock-in mouse line for conditional gene targeting in distinct mono- and multiciliated tissues. *Differentiation* 83, S105-S113 (2012)

Lindner, L.H. & Issels, R.D.: Hyperthermia in soft tissue sarcoma. *Curr. Treat. Options Oncol.* 12, 12-20 (2011)

Liu, X.* et al.: Tolerance induction towards cardiac allografts under costimulation blockade is impaired in CCR7-deficient animals but can be restored by adoptive transfer of syngeneic plasmacytoid dendritic cells. *Eur. J. Immunol.* 41, 611-623 (2011)

Malnati, M.S.* et al.: A new antigen scanning strategy for monitoring HIV-1 specific T-cell immune responses. *J. Immunol. Methods* 375, 46-56 (2012)

Mendler, A.N. et al.: Tumor lactic acidosis suppresses CTL function by inhibition of p38 and JNK/c-Jun activation. *Int. J. Cancer* , 10.1002/ijc.26410 (2011)

Moschovakis, G.L.* et al.: Deficient CCR7 signaling promotes T_H2 polarization and B-cell activation in vivo. *Eur. J. Immunol.* 42, 48-57 (2012)

Münzel, E.J.* et al.: Claudin k is specifically expressed in cells that form myelin during development of the nervous system and regeneration of the optic nerve in adult zebrafish. *Glia* 60, 253-270 (2012)

Ortner, D.* et al.: The adaptor protein Bam32 in human dendritic cells participates in the regulation of MHC class I-induced CD8⁺ T cell activation. *J. Immunol.* 187, 3972-3978 (2011)

Pascutti, M.F.* et al.: Interplay between modified vaccinia virus Ankara and dendritic cells: Phenotypic and functional maturation of bystander dendritic cells. *J. Virol.* 85, 5532-5545 (2011)

Petri, S.* et al.: Increased siRNA duplex stability correlates with reduced off-target and elevated on-target effects. *RNA* 17, 737-749 (2011)

Pordzik, S.* et al.: Expression and prognostic value of FAS receptor/FAS ligand and TrailR1/TrailR2 in acute myeloid leukemia. *Hematology* 16, 341-350 (2011)

Prenzel, T.* et al.: Estrogen-dependent gene transcription in human breast cancer cells relies upon proteasome-dependent monoubiquitination of histone H2B. *Cancer Res.* 71, 5739-5753 (2011)

Prexl, A.* et al.: The putative Notch ligand HyJagged is a transmembrane protein present in all cell types of adult *Hydra* and upregulated at the boundary between bud and parent. *BMC Cell Biol.* 12:38 (2011)

Rank, A.* et al.: Surveillance of megakaryocytic function by measurement of CD61-exposing microparticles in allogeneic hematopoietic stem cell recipients. *Clin. Transplant.* 25, E233-E242 (2011)

Ruiss, R., Jochum, S., Mocikat, R., Hammerschmidt, W. & Zeidler, R.*: EBV-gp350 confers B-cell tropism to tailored exosomes and is a neo-antigen in normal and malignant B cells - a new option for the treatment of B-CLL. *PLoS One* 6:e25294 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Molecular Immunology

Schleypen, J.S. et al.: Renal cell carcinoma-infiltrating natural killer cells express differential repertoires of activating and inhibitory receptors and are inhibited by specific HLA class I allotypes. *Int. J. Cancer* 106, 905-912 (2003)

Schmitt, A.* et al.: Adoptive transfer and selective reconstitution of streptamer-selected cytomegalovirus-specific CD8+ T cells leads to virus clearance in patients after allogeneic peripheral blood stem cell transplantation. *Transfusion* 51, 591-599 (2011)

Schulz, C.* et al.: EMMPRIN (CD147/basigin) mediates platelet-monocyte interactions in vivo and augments monocyte recruitment to the vascular wall. *J. Thromb. Haemost.* 9, 1007-1019 (2011)

Seeger, A.* et al.: Influence of protein histidine phosphatase overexpression and downregulation on human umbilical vein endothelial cell viability. *Cell Biol. Int.* 36, 245-249 (2012)

Sibbing, D.* et al.: Mutations in the mitochondrial thioredoxin reductase gene TXNRD2 cause dilated cardiomyopathy. *Eur. Heart J.* 32, 1121-1133 (2011)

Szczyrba, J.* et al.: Downregulation of Sec23A protein by miRNA-375 in prostate carcinoma. *Mol. Cancer Res.* 9, 791-800 (2011)

Tian, F.* et al.: Effects of the Hedgehog pathway inhibitor GDC-0449 on lung cancer cell lines are mediated by side populations. *Clin. Exp. Med.* 12, 25-30 (2012)

Verschoor, A. et al.: A platelet-mediated system for shuttling blood-borne bacteria to CD8 α + dendritic cells depends on glycoprotein GPIb and complement C3. *Nat. Immunol.* 12, 1194-1201 (2011)

Villar-Garea, A.* et al.: Developmental regulation of N-terminal H2B methylation in *Drosophila melanogaster*. *Nucleic Acids Res.* 40, 1536-1549 (2012)

Vincent, I.E.* et al.: Hepatitis B virus impairs TLR9 expression and function in plasmacytoid dendritic cells. *PLoS One* 6:e26315 (2011)

Wege, A.K.* et al.: Humanized tumor mice - a new model to study and manipulate the immune response in advanced cancer therapy. *Int. J. Cancer* 129, 2194-2206 (2011)

Westermann, J.* et al.: Allogeneic gene-modified tumor cells (RCC-26/IL-7/CD80) as a vaccine in patients with metastatic renal cell cancer: A clinical phase-I study. *Gene Ther.* 18, 354-363 (2011)

Zorn, J., Schwamberger, S., Panzer, W., Adler, H. & Kolb, H.-J.: Transplantation of CD6-depleted peripheral blood stem cells after DLA-haploidentical bone marrow transplantation contributes to engraftment and tolerance in a preclinical model of stem cell transplantation. *Vet. Immunol. Immunopathol.* 144, 27-35 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Pathology

Abe, K. et al.: A novel *N*-ethyl-*N*-nitrosourea-induced mutation in *phospholipase C γ 2* causes inflammatory arthritis, metabolic defects, and male infertility in vitro in a murine model. *Arthritis Rheum.* 63, 1301-1311 (2011)

Aichler, M. et al.: Origin of pancreatic ductal adenocarcinoma from atypical flat lesions: A comparative study in transgenic mice and human tissues. *J. Pathol.* , 10.1002/path.3017 (2011)

Alexandrov, T.* et al.: Super-resolution segmentation of imaging mass spectrometry data: Solving the issue of low lateral resolution. *J. Proteomics* 75, 237-245 (2011)

Azimzadeh, O. et al.: Rapid proteomic remodeling of cardiac tissue caused by total body ionizing radiation. *Proteomics* 11, 3299-3311 (2011)

Bader, S.R.* et al.: Evaluation of lumbosacral nerve root conduction in chickens by electrophysiological testing including high-resolution spinal magnetic stimulation. *J. Neurosci. Methods* 194, 342-349 (2011)

Balluff, B. et al.: MALDI imaging identifies prognostic seven-protein signature of novel tissue markers in intestinal-type gastric cancer. *Am. J. Pathol.* 179, 2720-2729 (2011)

Balluff, B., Schöne, C., Höfler, H. & Walch, A.: MALDI imaging mass spectrometry for direct tissue analysis: Technological advancements and recent applications. *Histochem. Cell Biol.* 136, 227-244 (2011)

Baumhoer, D., Smida, J., Nathrath, M. & Jundt, G.*: The nature of the characteristic cementum-like matrix deposits in the walls of simple bone cysts. *Histopathology* 59, 390-396 (2011)

Baumhoer, D. et al.: Aberrant expression of the human epidermal growth factor receptor 2 oncogene is not a common feature in osteosarcoma. *Hum. Pathol.* 42, 859-866 (2011)

Becker, K.* et al.: Significance of histopathological tumor regression after neoadjuvant chemotherapy in gastric adenocarcinomas: A summary of 480 cases. *Ann. Surg.* 253, 934-939 (2011)

Berg, D.* et al.: Protein microarray-based comparison of HER2, estrogen receptor, and progesterone receptor status in core biopsies and surgical specimens from FFPE breast cancer tissues. *Appl. Immunohistochem. Mol. Morphol.* 19, 300-305 (2011)

Bertossi, A.* et al.: Loss of Roquin induces early death and immune deregulation but not autoimmunity. *J. Exp. Med.* 208, 1749-1756 (2011)

Braren, R.* et al.: Validation of preclinical multiparametric imaging for prediction of necrosis in hepatocellular carcinoma after embolization. *J. Hepatol.* 55, 1034-1040 (2011)

Costa-Guda, J.*, Marinoni, I., Molatore, S., Pellegata, N.S. & Arnold, A.: Somatic mutation and germline sequence abnormalities in CDKN1B, encoding p27Kip1, in sporadic parathyroid adenomas. *J. Clin. Endocrinol. Metab.* 96, E701-E706 (2011)

Deininger, S.O.* et al.: Normalization in MALDI-TOF imaging datasets of proteins: Practical considerations. *Anal. Bioanal. Chem.* 401, 167-181 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Pathology

Eberhardt, C.* , Amann, B.* , Feuchtinger, A., Hauck, S.M. & Deeg, C.A.*: Differential expression of inwardly rectifying K⁺ channels and aquaporins 4 and 5 in autoimmune uveitis indicates misbalance in Müller glial cell-dependent ion and water homeostasis. *Glia* 59, 697-707 (2011)

Ebert, G. et al.: 5' triphosphorylated small interfering RNAs control replication of hepatitis B virus and induce an interferon response in human liver cells and mice. *Gastroenterology* 141, 696-706 (2011)

Ehrhardt, H. et al.: Optimized anti-tumor effects of anthracyclines plus Vinca alkaloids using a novel, mechanism-based application schedule. *Blood* 118, 6123-6131 (2011)

Gehrmann, M.* et al.: A novel expression and purification system for the production of enzymatic and biologically active human granzyme B. *J. Immunol. Methods* 371, 8-17 (2011)

Horsch, M. et al.: Requirement of the RNA-editing enzyme ADAR2 for normal physiology in mice. *J. Biol. Chem.* 286, 18614-18622 (2011)

Kernt, M.* et al.: Filtering blue light reduces light-induced oxidative stress, senescence, and accumulation of extracellular matrix proteins in human retinal pigment epithelium cells. *Clin. Exp. Ophthalmol.* 40, 87-97 (2012)

Klymenko, S.V.* et al.: Allelic imbalances in radiation-associated acute myeloid leukemia. *Genes* 2, 384-393 (2011)

Langer, R.* et al.: Genetic aberrations in primary esophageal melanomas: Molecular analysis of c-KIT, PDGFR, KRAS, NRAS and BRAF in a series of 10 cases. *Mod. Pathol.* 24, 495-501 (2011)

Langer, R.* et al.: Assessment of ErbB2 (Her2) in oesophageal adenocarcinomas: Summary of a revised immunohistochemical evaluation system, bright field double *in situ* hybridisation and fluorescence *in situ* hybridisation. *Mod. Pathol.* 24, 908-916 (2011)

Lee, M. et al.: Levels of p27 sensitize to dual PI3K/mTOR inhibition. *Mol. Cancer Ther.* 10, 1450-1459 (2011)

Lian, F.* et al.: Farnesoid X receptor protects human and murine gastric epithelial cells against inflammation-induced damage. *Biochem. J.* 438, 315-323 (2011)

Loos, M.* et al.: Clinical significance of the costimulatory molecule B7-H1 in Barrett carcinoma. *Ann. Thorac. Surg.* 91, 1025-1031 (2011)

Ludyga, N. et al.: Impact of protein tyrosine kinase 6 (PTK6) on human epidermal growth factor receptor (HER) signalling in breast cancer. *Mol. Biosyst.* 7, 1603-1612 (2011)

Miederer, M.* et al.: Functional imaging of pheochromocytoma with ⁶⁸Ga-DOTATOC and ⁶⁸C-HED in a genetically defined rat model of multiple endocrine neoplasia. *Int. J. Mol. Imaging* 2011:175352 (2011)

Multhoff, G. & Pockley, A.G.*: Hypoxia-induced translocation of phosphatidylserine (PS) and heat shock protein 70 (Hsp70) to the outer membrane leaflet - impact on the innate immune system. In: Osinsky, S.; Friess, H.; Vaupel, P. [Eds.]: *Tumor Hypoxia in the Clinical Setting*. Kyiv : Akademperiodika, 2011, 178-181

Publication List 2011

31.12.2011

* external Authors

Institute of Pathology

Mutze, K.* et al.: DNA methyltransferase 1 as a predictive biomarker and potential therapeutic target for chemotherapy in gastric cancer. *Eur. J. Cancer* 47, 1817-1825 (2011)

Nipp, M. et al.: S100-A10, thioredoxin, and S100-A6 as biomarkers of papillary thyroid carcinoma with lymph node metastasis identified by MALDI Imaging. *J. Mol. Med.* 90, 163-174 (2012)

Pallua, J.D.* et al.: Matrix-assisted laser desorption-ionization imaging mass spectrometry for direct tissue analysis. *LC GC N. Am. S.* 21-28 (2011)

Paron, I. et al.: Tenascin-C enhances pancreatic cancer cell growth and motility and affects cell adhesion through activation of the integrin pathway. *PLoS One* 6:e21684 (2011)

Raab, M.* et al.: Toxicity modelling of PIK1-targeted therapies in genetically engineered mice and cultured primary mammalian cells. *Nat. Commun.* 2:395 (2011)

Saarikangas, J.* et al.: Missing-in-metastasis MIM/MTSS1 promotes actin assembly at intercellular junctions and is required for integrity of kidney epithelia. *J. Cell Science* 124, 1245-1255 (2011)

Schildkopf, P.* et al.: Radiation combined with hyperthermia induces HSP70-dependent maturation of dendritic cells and release of pro-inflammatory cytokines by dendritic cells and macrophages. *Radiother. Oncol.* 101, 109-115 (2011)

Schlegel, J., Schäfer, A.* & Zimmer, C.*: Hirntumorstammzellen und Therapieresistenz in malignen Gliomen. *Onkologie* 17, 9-17 (2011)

Schlitter, A.M.* , Esposito, I. & Kloppel, G.*: Klassifikation und Diagnose zystischer Pancreastumoren. *Viszeralmedizin* 27, 182-188 (2011)

Schumann, R.G.* et al.: Immunocytochemical and ultrastructural evidence of glial cells and hyalocytes in internal limiting membrane specimens of idiopathic macular holes. *Invest. Ophthalmol. Vis. Sci.* 52, 7822-7834 (2011)

Sibbing, D.* et al.: Mutations in the mitochondrial thioredoxin reductase gene TXNRD2 cause dilated cardiomyopathy. *Eur. Heart J.* 32, 1121-1133 (2011)

Stangl, S. et al.: Detection of irradiation-induced, membrane heat shock protein 70 (Hsp70) in mouse tumors using Hsp70 Fab fragment. *Radiother. Oncol.* 99, 313-316 (2011)

Straub, B.K.* et al.: IgG4-associated cholangitis with cholangiocarcinoma. *Virchows Arch.* 458, 761-765 (2011)

Timme, S.* et al.: Nuclear position and shape deformation of chromosome 8 territories in pancreatic ductal adenocarcinoma. *Anal. Cell Pathol.* 34, 21-33 (2011)

Uetz, B.* , Wawer, A.* , Nathrath, M. & Burdach, S.: Intracranial hemorrhage in immune thrombocytopenia (ITP): Fatal course in spite of maximum therapy. *Klin. Padiatr.* 222, 383-385 (2010)

Vela-Chávez, T.* et al.: Cyclin D1 positive diffuse large B-cell lymphoma is a post-germinal center-type lymphoma without alterations in the CCND1 gene locus. *Leuk. Lymphoma* 52, 458-466 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Pathology

Waser, B.* , Beetschen, K.* , Pellegata, N.S. & Reubi, J.C.*: Incretin receptors in non-neoplastic and neoplastic thyroid C cells in rodents and humans: Relevance for incretin-based diabetes therapy. *Neuroendocrinology* 94, 291-301 (2011)

Weier, H.-U. G.* et al.: Delineating chromosomal breakpoints in radiation-induced papillary thyroid cancer. *Genes* 2, 397-419 (2011)

Wirth, E.K.* et al.: Monocarboxylate transporter 8 deficiency: Altered thyroid morphology and persistent high triiodothyronine/thyroxine ratio after thyroidectomy. *Eur. J. Endocrinol.* 165, 555-561 (2011)

Wu, Z.* et al.: Quantitative chemical proteomics reveals new potential drug targets in head and neck cancer. *Mol. Cell. Proteomics* 10:M111.011635 (2011)

Zischka, H. et al.: Liver mitochondrial membrane crosslinking and destruction in a rat model of Wilson disease. *J. Clin. Invest.* 121, 1508-1518 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Radiation Biology

Abou-El-Ardat, K.* et al.: Low dose irradiation of thyroid cells reveals a unique transcriptomic and epigenetic signature in RET/PTC-positive cells. *Mutat. Res.* 731, 27-40 (2012)

Azimzadeh, O. et al.: Rapid proteomic remodeling of cardiac tissue caused by total body ionizing radiation. *Proteomics* 11, 3299-3311 (2011)

Barjaktarovic, Z. et al.: Radiation-induced signaling results in mitochondrial impairment in mouse heart at 4 weeks after exposure to X-rays. *PLoS One* 6:e27811 (2011)

Baumhoer, D. et al.: Aberrant expression of the human epidermal growth factor receptor 2 oncogene is not a common feature in osteosarcoma. *Hum. Pathol.* 42, 859-866 (2011)

Birschwilks, M.* et al.: The European radiobiological archives: Online access to data from radiobiological experiments. *Radiat. Res.* 175, 526-531 (2011)

Guertler, A.* et al.: The WST survival assay: An easy and reliable method to screen radiation-sensitive individuals. *Radiat. Prot. Dosim.* 143, 487-490 (2011)

Klymenko, S.V.* et al.: Allelic imbalances in radiation-associated acute myeloid leukemia. *Genes* 2, 384-393 (2011)

Krämer, A. et al.: MicroRNA-mediated processes are essential for the cellular radiation response. *Radiat. Res.* 176, 575-586 (2011)

Ludyga, N. et al.: Impact of protein tyrosine kinase 6 (PTK6) on human epidermal growth factor receptor (HER) signalling in breast cancer. *Mol. Biosyst.* 7, 1603-1612 (2011)

Mayer, C.* et al.: A radiation-induced gene expression signature as a tool to predict acute radiotherapy-induced adverse side effects. *Cancer Lett.* 302, 20-28 (2011)

Niyazi, M.* et al.: MiRNA expression patterns predict survival in glioblastoma. *Radiat. Oncol.* 6:153 (2011)

Tanori, M.* et al.: Opposite modifying effects of HR and NHEJ deficiency on cancer risk in *Ptc1* heterozygous mouse cerebellum. *Oncogene* 30, 4740-4749 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Radiation Protection

Ainsbury, E.A.* et al.: Review of retrospective dosimetry techniques for external ionising radiation exposures. *Radiat. Prot. Dosim.* 147, 573-592 (2011)

Al-Jundi, J. et al.: Inhalation dose assessment of indoor radon progeny using biokinetic and dosimetric modeling and its application to Jordanian population. *J. Environ. Radioact.* 102, 574-580 (2011)

Alloni, D.* et al.: Monte Carlo evaluation of DNA fragmentation spectra induced by different radiation qualities. *Radiat. Prot. Dosim.* 143, 226-231 (2011)

Bi, L. et al.: Development of a new thoron progeny detector based on SSNTD and the collection by an electric field. *Radiat. Prot. Dosim.* 145, 288-294 (2011)

Du, G.* et al.: Spatial dynamics of DNA damage response protein foci along the ion trajectory of high-LET particles. *Radiat. Res.* 176, 706-715 (2011)

Eidemüller, M., Holmberg, E.*, Jacob, P., Lundell, M.* & Karlsson, P.*: Breast cancer risk after radiation treatment at infancy: Potential consequences of radiation-induced genomic instability. *Radiat. Prot. Dosim.* 143, 375-379 (2011)

Fattibene, P.* et al.: The 4th international comparison on EPR dosimetry with tooth enamel. Part 1: Report on the results. *Radiat. Meas.* 46, 765-771 (2011)

Fiedler, I. & Woda, C.: Thermoluminescence of chip inductors from mobile phones for retrospective and accident dosimetry. *Radiat. Meas.* 46, 1862-1865 (2011)

Friedland, W., Dingfelder, M.*, Kunderát, P. & Jacob, P.: Track structures, DNA targets and radiation effects in the biophysical Monte Carlo simulation code PARTRAC. *Mutat. Res.* 711, 28-40 (2011)

Friedland, W., Jacob, P. & Kunderát, P.: Mechanistic simulation of radiation damage to DNA and its repair: On the track towards systems radiation biology modelling. *Radiat. Prot. Dosim.* 143, 542-548 (2011)

Friedland, W., Kunderát, P. & Jacob, P.: Track structure calculations on hypothetical subcellular targets for the release of cell-killing signals in bystander experiments with medium transfer. *Radiat. Prot. Dosim.* 143, 325-329 (2011)

Gruber, E.*, Salama, E.* & Rühm, W.: Real-time measurement of individual occupational radon exposures in tombs of the Valley of the Kings, Egypt. *Radiat. Prot. Dosim.* 144, 620-626 (2011)

Günther, F.* et al.: Response of δD values of sedimentary *n*-alkanes to variations in source water isotope signals and climate proxies at lake Nam Co, Tibetan Plateau. *Quat. Int.* 236, 82-90 (2011)

Haucke, F., Wichmann, H.-E., Brüske, I., Tschiersch, J. & Leidl, R.: Gesundheitsökonomische Betrachtung zu Radonsanierungsmaßnahmen. Abschlussbericht. In: Ressortforschungsberichte zur kerntechnischen Sicherheit und zum Strahlenschutz. Salzgitter : Bundesamt für Strahlenschutz, 2011, 157 S.

Hofstetter, M. et al.: Strahleneffekte - Dosimeter oder Biosensor? *labor&more* 4.11, 52-54 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Radiation Protection

- Hofstetter, M., Howgate, J.* , Sharp, I.D.* , Stutzmann, M.* & Thalhammer, S.: Development and evaluation of gallium nitride-based thin films for X-ray dosimetry. *Phys. Med. Biol.* 56, 3215-3231 (2011)
- Iwamoto, Y.* et al.: Quasi-monoenergetic neutron energy spectra for 246 and 389 MeV Li-7(p,n) reactions at angles from 0 degrees to 300 degrees. *Nucl. Instr. Meth. Phys. Res. A* 629, 43-49 (2011)
- Jacob, P. & Ron, E.*: Late health effects of ionizing radiation: Bridging the experimental and epidemiological divide. *Radiat. Environ. Biophys.* 49, 109-110 (2010)
- Kramer, G.H.* et al.: Comparison of two leg phantoms containing ²⁴¹Am in bone. *Health Phys.* 101, 248-258 (2011)
- Kundrát, P., Friedland, W. & Jacob, P.: Modelling of intercellular induction of apoptosis in oncogenic transformed cells and radiation effects on the phenomenon. *Radiat. Prot. Dosim.* 143, 549-553 (2011)
- Linares, E.M., Kubota, L.T.* , Michaelis, J.* & Thalhammer, S.: Enhancement of the detection limit for lateral flow immunoassays: Evaluation and comparison of bioconjugates. *J. Immunol. Methods* 375, 264-270 (2012)
- Lopez, M.A.* et al.: EURADOS intercomparison on measurements and Monte Carlo modelling for the assessment of Americium in a USTUR leg phantom. *Radiat. Prot. Dosim.* 144, 295-299 (2011)
- Mares, V. & Yasuda, H.*: Aviation route doses calculated with EPCARD.Net and JISCARD EX. *Radiat. Meas.* 45, 1553-1556 (2010)
- Masson, O.* et al.: Tracking of airborne radionuclides from the damaged Fukushima Dai-ichi nuclear reactors by European networks. *Environ. Sci. Technol.* 45, 7670-7677 (2011)
- Meisenberg, O. & Tschiersch, J.: A model describing indoor concentrations of thoron and its decay products. In: 3. European IRPA Congress, 14.-18. June 2010, Helsinki, Finland. 2010, 3-7
- Meisenberg, O. & Tschiersch, J.: Thoron in indoor air: Modeling for a better exposure estimate. *Indoor Air* 21, 240-252 (2011)
- Neumaier, T. et al.: Evidence for formation of DNA repair centers and dose-response nonlinearity in human cells. *Proc. Natl. Acad. Sci. U.S.A.* 109, 443-448 (2012)
- Nogueira, P., Zankl, M., Schlattl, H. & Vaz, P.*: Dose conversion coefficients for monoenergetic electrons incident on a realistic human eye model with different lens cell populations. *Phys. Med. Biol.* 56, 6919-6934 (2011)
- Pioch, C. et al.: Calibration of a Bonner sphere spectrometer in quasi-monoenergetic neutron fields of 244 and 387 MeV. *J. Instrum.* 6:P10015 (2011)
- Ron, E.* & Jacob, P.: Late health effects of ionizing radiation: Bridging the experimental and epidemiologic divide. *Radiat. Res.* 174, 789-792 (2010)

Publication List 2011

31.12.2011

* external Authors

Institute of Radiation Protection

Rühm, W.: Die Dosis macht's. Dosisleistungen und Einschätzung von Strahlenrisiken. *labor&more* 3, 48-52 (2011)

Scarpa, G.*, Idzko, A.L.*, Goetz, S.* & Thalhammer, S.: No more biocompatibility problems - advantages and applications of low-operating voltage organic thin-film transistors. *IEEE Nanotechnol. Mag.* 4, 15-19 (2010)

Scarpa, G.*, Idzko, A.-L., Münzer, A. & Thalhammer, S.: Low-cost solution-processable organic thin-film transistors for (bio)sensing applications. In: 2011 IEEE SENSORS Proceedings. Piscataway, NJ : IEEE, 2011, 1581-1583

Semioshkina, N. et al.: Comparison of three non-destructive methods to measure ⁹⁰Sr in human tooth samples. *Radiat. Meas.* 46, 1897-1899 (2011)

Shishkina, E.A.* et al.: Extra-high doses detected in the enamel of human teeth in the Techa riverside region. *Radiat. Meas.* 46, 760-764 (2011)

Takamiya, K.*, Imanaka, T.*, Egbert, S.D.* & Rühm, W.: Amendments to ⁶³Ni production calculation for Hiroshima by Takamiya et al. and DS02 fluence data by Egbert et al. *Radiat. Environ. Biophys.* 50, 329-333 (2011)

Ulanovsky, A. et al.: ReSCA: Decision support tool for remediation planning after the Chernobyl accident. *Radiat. Environ. Biophys.* 50, 67-83 (2011)

Volchkova, A.* et al.: Harmonization of dosimetric information obtained by different EPR methods: Experience of the Techa river study. *Radiat. Meas.* 46, 801-807 (2011)

Wang, J., Meisenberg, O., Chen, Y.*, Karg, E. & Tschiersch, J.: Mitigation of radon and thoron decay products by filtration. *Sci. Total Environ.* 409, 3613-3619 (2011)

Wieser, A. et al.: Evaluation of dose to tooth enamel from medical diagnostic X-ray examinations at Mayak PA. *Radiat. Meas.* 46, 808-812 (2011)

Wittmaack, K.: Neutralization phenomena observed with secondary ions originating from inner-shell excitation. *Surf. Interface Anal.* 43, 141-145 (2011)

Wittmaack, K.: Accurate in situ calibration of the energy bandwidth and the zero-energy offset in SIMS analysis using magnetic sector field instruments. *Int. J. Mass. Spectrom.* 300, 65-69 (2011)

Wittmaack, K.: Excessive delivery of nanostructured matter to submerged cells caused by rapid gravitational settling. *ACS Nano* 5, 3766-3778 (2011)

Wittmaack, K.: Novel dose metric for apparent cytotoxicity effects generated by in vitro cell exposure to silica nanoparticles. *Chem. Res. Toxicol.* 24, 150-158 (2011)

Wittmaack, K. & Oppolzer, H.*: Quantitative characterization of xenon bubbles in silicon: Correlation of bubble size with the damage generated during implantation. *Nucl. Instrum. Meth. B* 269, 380-385 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Radiation Protection

Woda, C. et al.: Luminescence dosimetry in a contaminated settlement of the Techa River valley, Southern Urals, Russia. *Radiat. Meas.* 46, 277-285 (2011)

Woda, C. et al.: Potential and limitations of the 210° C TL peak in quartz for retrospective dosimetry. *Radiat. Meas.* 46, 485-493 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Soil Ecology

Baldrian, P.* et al.: Ecology and metagenomics of soil microorganisms. *FEMS Microbiol. Ecol.* 78, 1-2 (2011)

Bannert, A.* et al.: Comparison of lipid biomarker and gene abundance characterizing the archaeal ammonia-oxidizing community in flooded soils. *Biol. Fert. Soils* 47, 839-843 (2011)

Bannert, A. et al.: Changes in diversity and functional gene abundances of microbial communities involved in nitrogen fixation, nitrification, and denitrification in a tidal wetland versus paddy soils cultivated for different time periods. *Appl. Environ. Microbiol.* 77, 6109-6116 (2011)

Bartling, J.*, Esperschütz, J., Wilke, B.M.* & Schloter, M.: ETBE (ethyl tert butyl ether) and TAME (tert amyl methyl ether) affect microbial community structure and function in soils. *J. Hazard. Mater.* 187, 488-494 (2011)

Biernath, C. et al.: Evaluating the ability of four crop models to predict different environmental impacts on spring wheat grown in open-top chambers. *Eur. J. Agron.* 35, 71-82 (2011)

Brankatsch, R.*, Töwe, S.*, Kleineidam, K., Schloter, M. & Zeyer, J.*: Abundances and potential activities of nitrogen cycling microbial communities along a chronosequence of a glacier forefield. *ISME J.* 5, 1025-1037 (2010)

Brielmann, H. et al.: Oberflächennahe Geothermie und ihre potenziellen Auswirkungen auf Grundwasserökosysteme. *Grundwasser* 16, 77-91 (2011)

Brüggemann, N.* et al.: Carbon allocation and carbon isotope fluxes in the plant-soil-atmosphere continuum: A review. *Biogeosciences* 8, 3457-3489 (2011)

Clarke, N.* et al.: Haloorganics in temperate forest ecosystems: Sources, transport and degradation. In: Schröder, P.; Collins, C.D. [Eds.]: *Organic Xenobiotics and Plants: From Mode of Action to Ecophysiology*. Dordrecht : Springer Science+Business Media B.V., 2011 (*Plant Ecophysiology* ; 8), 17-45

Dong, X.* et al.: Expression analysis of zeaxanthin epoxidase of genetically engineered zeaxanthin-rich potatoes in comparison to conventional cultivars under field conditions. *Transgenic Plant J.* 5, 35-42 (2011)

Esperschütz, J. et al.: Microbial food web dynamics along a soil chronosequence of a glacier forefield. *Biogeosciences* 8, 3283-3294 (2011)

Esperschütz, J. et al.: Incorporation of carbon from decomposing litter of two pioneer plant species into microbial communities of the detritusphere. *FEMS Microbiol. Lett.* 320, 48-55 (2011)

Fischer, D. et al.: Molecular characterisation of the diazotrophic bacterial community in uninoculated and inoculated field-grown sugarcane (*Saccharum* sp.). *Plant Soil* , 10.1007/s11104-011-0812-0 (2011)

Fuß, R., Ruth, B., Schilling, R., Scherb, H. & Munch, J.C.: Pulse emissions of N₂O and CO₂ from an arable field depending on fertilization and tillage practice. *Agric. Ecosyst. Environ.* 144, 61-68 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Soil Ecology

Grundmann, S., Doerfler, U., Munch, J.C., Ruth, B. & Schroll, R.: Impact of soil water regime on degradation and plant uptake behaviour of the herbicide isoproturon in different soil types. *Chemosphere* 82, 1461-1467 (2011)

Gschwendtner, S. et al.: Effects of genetically modified starch metabolism in potato plants on photosynthate fluxes into the rhizosphere and on microbial degraders of root exudates. *FEMS Microbiol. Ecol.* 76, 564-575 (2011)

Heuer, H.* et al.: Accumulation of sulfonamide resistance genes in arable soils due to repeated application of manure containing sulfadiazine. *Appl. Environ. Microbiol.* 77, 2527-2530 (2011)

Hoffmann, P. et al.: Tritiumbilanzierung und Speicherermittlung im Wesergebiet unter Verwendung des hydrologischen Modellsystems WaSiM-ETH im Vergleich mit früheren Arbeiten. *Hydrol. Wasserbewirtsch.* 55, 16-29 (2011)

Janott, M. et al.: A one-dimensional model of water flow in soil-plant systems based on plant architecture. *Plant Soil* 341, 233-256 (2011)

Jentsch, A.* et al.: Climate extremes initiate ecosystem-regulating functions while maintaining productivity. *J. Ecol.* 99, 689-702 (2011)

Jones, M.D.* et al.: Enzyme activities of root tips and in situ profiles of soils and rhizospheres. In: Dick, R.P. [Ed.]: *Methods of Soil Enzymology*. Madison, WI : Soil Science Society of America, 2011 (SSSA Book Series ; 9), 275-310

Keil, D.* et al.: Influence of land-use intensity on the spatial distribution of N-cycling microorganisms in grassland soils. *FEMS Microbiol. Ecol.* 77, 95-106 (2011)

Kleineidam, K. et al.: Influence of the nitrification inhibitor 3,4-dimethylpyrazole phosphate (DMPP) on ammonia-oxidizing bacteria and archaea in rhizosphere and bulk soil. *Chemosphere* 84, 182-186 (2011)

Klier, C. et al.: Modeling nitrous oxide emissions from potato-cropped soil. *Vadose Zone J.* 10, 184-194 (2011)

Kotzerke, A.* et al.: Alterations in total microbial activity and nitrification rates in soil due to amoxicillin-spiked pig manure. *J. Plant Nutr. Soil Sci.* 174, 56-64 (2011)

Kotzerke, A.* et al.: Influence of difloxacin-contaminated manure on microbial community. *Biol. Fert. Soils* 47, 177-186 (2011)

Larionova, A.A.* et al.: Identification of labile and stable pools of organic matter in an agrogray soil. *Eurasian Soil Sci.* 44, 628-640 (2011)

Li, D., Rothballer, M., Schmid, M., Esperschütz, J. & Hartmann, A.: *Acidovorax radialis* sp. nov., a wheat-root-colonizing bacterium. *Int. J. Syst. Evol. Microbiol.* 61, 2589-2594 (2011)

Ludwig, B.*, Bergstermann, A.*, Priesack, E. & Flessa, H.*: Modelling of crop yields and N₂O emissions from silty arable soils with differing tillage in two long-term experiments. *Soil Till. Res.* 112, 114-121 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Soil Ecology

Ludwig, B.* , Jäger, N.* , Priesack, E. & Flessa, H.*: Application of the DNDC model to predict N₂O emissions from sandy arable soils with differing fertilization in a long-term experiment. *J. Plant Nutr. Soil Sci.* 174, 350-358 (2011)

Melero, S.* et al.: Denitrification in a vertisol under long-term tillage and no-tillage management in dryland agricultural systems: Key genes and potential rates. *Appl. Soil Ecol.* 47, 221-225 (2011)

Mueller-Niggemann, C.* , Bannert, A.* , Schloter, M., Lehndorff, E.* & Schwark, L.*: Intra-versus inter-site macroscale variation in biogeochemical properties along a paddy soil chronosequence. *Biogeosciences Discuss.* 8, 10119-10154 (2011)

Ngigi, A. et al.: Effect of fluctuating soil humidity on *in situ* bioavailability and degradation of atrazine. *Chemosphere* 84, 369-375 (2011)

Ollivier, J.* et al.: Nitrogen turnover in soil and global change. *FEMS Microbiol. Ecol.* 78, 3-16 (2011)

Pérez-de-Mora, A., Engel, M. & Schloter, M.: Abundance and diversity of *n*-alkane-degrading bacteria in a forest soil co-contaminated with hydrocarbons and metals: A molecular study on *alkB* homologous genes. *Microb. Ecol.* 62, 959-972 (2011)

Petric, I.* et al.: Inter-laboratory evaluation of the ISO standard 11063 "Soil quality - Method to directly extract DNA from soil samples". *J. Microbiol. Methods* 84, 454-460 (2011)

Pilloni, G., von Netzer, F., Engel, M. & Lueders, T.: Electron acceptor-dependent identification of key anaerobic toluene degraders at a tar-oil-contaminated aquifer by Pyro-SIP. *FEMS Microbiol. Ecol.* 78, 165-175 (2011)

Pritsch, K. et al.: Optimized assay and storage conditions for enzyme activity profiling of ectomycorrhizae. *Mycorrhiza* 21, 589-600 (2011)

Pritsch, K. & Garbaye, J.*: Enzyme secretion by ECM fungi and exploitation of mineral nutrients from soil organic matter. *Ann. For. Sci.* 68, 25-32 (2011)

Roth, P.J.* et al.: Accumulation of nitrogen and microbial residues during 2000 years of rice paddy and non-paddy soil development in the Yangtze River Delta, China. *Glob. Change Biol.* 17, 3405-3417 (2011)

Ruth, B., Khalvati, M.* & Schmidhalter, U.*: Quantification of mycorrhizal water uptake via high-resolution on-line water content sensors. *Plant Soil* 342, 459-468 (2011)

Schaaf, W.* et al.: Patterns and processes of initial terrestrial-ecosystem development. *J. Plant Nutr. Soil Sci.* 174, 229-239 (2011)

Schmidt, B.H.M.* et al.: Microbial immobilization and mineralization of dissolved organic nitrogen from forest floors. *Soil Biol. Biochem.* 43, 1742-1745 (2011)

Tourna, M.* et al.: *Nitrososphaera viennensis*, an ammonia oxidizing archaeon from soil. *Proc. Natl. Acad. Sci. U.S.A.* 108, 8420-8425 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Soil Ecology

Töwe, S. et al.: Improved protocol for the simultaneous extraction and column-based separation of DNA and RNA from different soils. *J. Microbiol. Methods* 84, 406-412 (2011)

Vargas Gil, S.* et al.: Response of soil microbial communities to different management practices in surface soils of a soybean agroecosystem in Argentina. *Eur. J. Soil Biol.* 47, 55-60 (2011)

Weinert, N.* et al.: PhyloChip hybridization uncovered an enormous bacterial diversity in the rhizosphere of different potato cultivars: Many common and few cultivar-dependent taxa. *FEMS Microbiol. Ecol.* 75, 497-506 (2011)

Zacharias, S.* et al.: A network of terrestrial environmental observatories in Germany. *Vadose Zone J.* 10, 955-973 (2011)

Zyakun, A.* et al.: Microbial activity and $^{13}\text{C}/^{12}\text{C}$ ratio as evidence of N-hexadecane and N-hexadecanoic acid biodegradation in agricultural and forest soils. *Geomicrobiol. J.* 28, 632-647 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Stem Cell Research

- Asami, M. et al.: The role of Pax6 in regulating the orientation and mode of cell division of progenitors in the mouse cerebral cortex. *Development* 138, 5067-5078 (2011)
- Baumgart, E.V., Barbosa, J.S., Bally-Cuif, L.*, Götz, M. & Ninkovic, J.: Stab wound injury of the zebrafish telencephalon: A model for comparative analysis of reactive gliosis. *Glia* 60, 343-357 (2012)
- Burtscher, I., Barkey, W., Schwarzfischer, M., Theis, F.J. & Lickert, H.: The Sox17-mCherry fusion mouse line allows visualization of endoderm and vascular endothelial development. *Genesis*, 10.1002/dvg.20829 (2011)
- Costa, M.R.* et al.: Continuous live imaging of adult neural stem cell division and lineage progression in vitro. *Development* 138, 1057-1068 (2011)
- David, R.* et al.: Induction of MesP1 by Brachyury(T) generates the common multipotent cardiovascular stem cell. *Cardiovasc. Res.* 92, 115-122 (2011)
- Fischer, J. et al.: Prospective isolation of adult neural stem cells from the mouse subependymal zone. *Nat. Protoc.* 6, 1981-1989 (2011)
- Gampe, K.*, Brill, M.S., Momma, S.*, Götz, M. & Zimmermann, H.*: EGF induces CREB and ERK activation at the wall of the mouse lateral ventricles. *Brain Res.* 1376, 31-41 (2011)
- Heinrich, C.* et al.: Generation of subtype-specific neurons from postnatal astroglia of the mouse cerebral cortex. *Nat. Protoc.* 6, 214-228 (2011)
- Lange, A. et al.: Fltp^{T2AiCre}: A new knock-in mouse line for conditional gene targeting in distinct mono- and multiciliated tissues. *Differentiation* 83, S105-S113 (2012)
- Ortega, F.* et al.: Using an adherent cell culture of the mouse subependymal zone to study the behavior of adult neural stem cells on a single-cell level. *Nat. Protoc.* 6, 1847-1859 (2011)
- Robel, S.*, Berninger, B.* & Götz, M.: The stem cell potential of glia: Lessons from reactive gliosis. *Nat. Rev. Neurosci.* 12, 88-104 (2011)
- Robel, S., Bardehle, S., Lepier, A.*, Brakebusch, C.* & Götz, M.: Genetic deletion of *Cdc42* reveals a crucial role for astrocyte recruitment to the injury site *in vitro* and *in vivo*. *J. Neurosci.* 31, 12471-12482 (2011)
- Rothenaigner, I. et al.: Clonal analysis by distinct viral vectors identifies bona fide neural stem cells in the adult zebrafish telencephalon and characterizes their division properties and fate. *Development* 138, 1459-1469 (2011)
- Simon, C., Götz, M. & Dimou, L.: Progenitors in the adult cerebral cortex: Cell cycle properties and regulation by physiological stimuli and injury. *Glia* 59, 869-881 (2011)
- Simon, C., Lickert, H., Götz, M. & Dimou, L.: Sox10-iCreERT²: A mouse line to inducibly trace the neural crest and oligodendrocyte lineage. *Genesis*, 10.1002/dvg.22003 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Stem Cell Research

Simrick, S.* , Lickert, H. & Basson, M.A.*: Sprouty genes are essential for the normal development of epibranchial ganglia in the mouse embryo. *Dev. Biol.* 358, 147-155 (2011)

Van Campenhout, C.A. et al.: Dlg3 trafficking and apical tight junction formation is regulated by Nedd4 and Nedd4-2 E3 ubiquitin ligases. *Dev. Cell* 21, 479-491 (2011)

Weinandy, F., Ninkovic, J. & Götz, M.: Restrictions in time and space - new insights into generation of specific neuronal subtypes in the adult mammalian brain. *Eur. J. Neurosci.* 33, 1045-1054 (2011)

Winpenny, E.* et al.: Sequential generation of olfactory bulb glutamatergic neurons by Neurog2-expressing precursor cells. *Neural Dev.* 6:12 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Structural Biology

Collinet, B.* et al.: Strategies for the structural analysis of multi-protein complexes: Lessons from the 3D-Repertoire project. *J. Struct. Biol.* 175, 147-158 (2011)

Dasari, M.* et al.: Bacterial inclusion bodies of Alzheimer's disease: β -amyloid peptides can be employed to study native-like aggregation intermediate states. *Chembiochem.* 12, 407-423 (2011)

Duszczuk, M.M. & Sattler, M.: ^1H , ^{13}C , ^{15}N and ^{31}P chemical shift assignments of a human Xist RNA A-repeat tetraloop hairpin essential for X-chromosome inactivation. *Biomol. NMR Assign.* , 10.1007/s12104-011-9328-z (2011)

Duszczuk, M.M., Wutz, A.* , Rybin, V.* & Sattler, M.: The Xist RNA A-repeat comprises a novel AUCG tetraloop fold and a platform for multimerization. *RNA* 17, 1973-1982 (2011)

Graebisch, A., Roche, S. & Niessing, D.: Ein Baustein des Fragilen X-assoziierten Tremor/Ataxie-Syndroms. *Biospektrum* 16, 635-637 (2010)

Heym, R.G. & Niessing, D.: Principles of mRNA transport in yeast. *Cell. Mol. Life Sci.* , 10.1007/s00018-011-0902-4 (2011)

Kadam, R.U.* et al.: A glycopeptide dendrimer inhibitor of the galactose-specific lectin LecA and of *Pseudomonas aeruginosa* biofilms. *Angew. Chem.-Int. Ed.* 50, 10631-10635 (2011)

Knöll, R.* et al.: Telethonin deficiency is associated with maladaptation to biomechanical stress in the mammalian heart. *Circ. Res.* 109, 758-769 (2011)

Linser, R.* , Bardiaux, B.* , Higman, V.* , Fink, U.* & Reif, B.: Structure calculation from unambiguous long-range amide and methyl ^1H - ^1H distance restraints for a microcrystalline protein with MAS solid-state NMR spectroscopy. *J. Am. Chem. Soc.* 133, 5905-5912 (2011)

Linser, R.* et al.: Proton-detected solid-state NMR spectroscopy of fibrillar and membrane proteins. *Angew. Chem.-Int. Ed.* 50, 4508-4512 (2011)

Liokatis, S.* et al.: Solution structure and molecular interactions of lamin B receptor Tudor domain. *J. Biol. Chem.* 287, 1032-1042 (2012)

Mackereth, C.D. et al.: Multi-domain conformational selection underlies pre-mRNA splicing regulation by U2AF. *Nature* 475, 408-411 (2011)

Madl, T., Güttler, T.* , Görlich, D.* & Sattler, M.: Structural analysis of large protein complexes using solvent paramagnetic relaxation enhancements. *Angew. Chem.-Int. Ed.* 50, 3993-3997 (2011)

Meyer, N.H., Schramm, G.* & Sattler, M.: ^1H , ^{13}C and ^{15}N chemical shift assignments of IPSEA NLS. *Biomol. NMR Assign.* 5, 225-227 (2011)

Müller, M. et al.: A cytoplasmic complex mediates specific mRNA recognition and localization in yeast. *PLoS Biol.* 9:e1000611 (2011)

Puk, O. et al.: The pathologic effect of a novel neomorphic Fgf9^{Y162C} allele is restricted to decreased vision and retarded lens growth. *PLoS One* 6:e23678 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Structural Biology

Tripsianes, K. et al.: Structural basis for dimethylarginine recognition by the Tudor domains of human SMN and SPF30 proteins. *Nat. Struct. Mol. Biol.* 18, 1414-1420 (2011)

Vincentelli, R.* et al.: High-throughput protein expression screening and purification in *Escherichia coli*. *Methods* 55, 65-72 (2011)

Vojnic, E.* et al.: Structure and VP16 binding of the Mediator Med25 activator interaction domain. *Nat. Struct. Mol. Biol.* 18, 404-410 (2011)

Wei, D.* et al.: Optimal ^2H rf pulses and ^2H - ^{13}C cross-polarization methods for solid-state ^2H MAS NMR of perdeuterated proteins. *J. Phys. Chem. Lett.* 2, 1289-1294 (2011)

Yu, Z. et al.: Differences between human plasma and serum metabolite profiles. *PLoS One* 6:e21230 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Toxicology

- Barjaktarovic, Z. et al.: Radiation-induced signaling results in mitochondrial impairment in mouse heart at 4 weeks after exposure to X-rays. *PLoS One* 6:e27811 (2011)
- Csanády, G.A. et al.: 1,2:3,4-Diepoxybutane in blood of male B6C3F1 mice and male Sprague-Dawley rats exposed to 1,3-butadiene. *Toxicol. Lett.* 207, 286-290 (2011)
- Dorhoi, A.* et al.: Activation of the NLRP3 inflammasome by *Mycobacterium tuberculosis* is uncoupled from susceptibility to active tuberculosis. *Eur. J. Immunol.* 42, 374-384 (2012)
- Greenwood, A.D.* et al.: Bovine spongiform encephalopathy infection alters endogenous retrovirus expression in distinct brain regions of cynomolgus macaques (*Macaca fascicularis*). *Mol. Neurodegener.* 6:44 (2011)
- Hadian, K. et al.: NF- κ B essential modulator (NEMO) interaction with linear and Lys-63 ubiquitin chains contributes to NF- κ B activation. *J. Biol. Chem.* 286, 26107-26117 (2011)
- Hadian, K. & Krappmann, D.: Signals from the nucleus: Activation of NF- κ B by cytosolic ATM in the DNA damage response. *Sci. Signal.* 4:pe2 (2011)
- Haupt, S. et al.: Human endogenous retrovirus transcription profiles of the kidney and kidney-derived cell lines. *J. Gen. Virol.* 92, 2356-2366 (2011)
- Horstkotte, J.* et al.: Mitochondrial thioredoxin reductase is essential for early postischemic myocardial protection. *Circulation* 124, 2892-2902 (2011)
- Hutzler, C.*, Luch, A.* & Filser, J.G.: Analysis of carcinogenic polycyclic aromatic hydrocarbons in complex environmental mixtures by LC-APPI-MS/MS. *Anal. Chim. Acta* 702, 218-2224 (2011)
- Li, Q. et al.: Kinetics of ethylene and ethylene oxide in subcellular fractions of lungs and livers of male B6C3F1 mice and male Fischer 344 rats and of human livers. *Toxicol. Sci.* 123, 384-398 (2011)
- Palkowitsch, L.* et al.: The Ca²⁺-dependent phosphatase calcineurin controls the formation of the Carma1-Bcl10-Malt1 complex during T cell receptor-induced NF- κ B activation. *J. Biol. Chem.* 286, 7522-7534 (2011)
- Poeck, H.* & Ruland, J.: From virus to inflammation: Mechanisms of RIG-I-induced IL-1 β production. *Eur. J. Cell Biol.* 91, 59-64 (2012)
- Roth, S.* & Ruland, J.: Caspase-8: Clipping off RIG-I signaling. *Immunity* 34, 283-285 (2011)
- Ruland, J.: Return to homeostasis: Downregulation of NF- κ B responses. *Nat. Immunol.* 12, 709-714 (2011)
- Schröder, P., Hesselmann, K.*, Protivova, V.*, Stampfl, A. & Debus, R.*: Effects of ultrafine particles on plants - a pilot study. In: Proceedings of the 12th International Conference on Environmental Science and Technology, 8. - 10. Sept 2011, Rhodes, Greece. Athens : Global NEST, 2011, A-1679
- Schumacher, M.* et al.: Potential role of P-gp for flavone-induced diminished apoptosis and increased adenoma size in the small intestine of APC^{min/+} mice. *Cancer Invest.* 29, 396-404 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Toxicology

Sousa, M.* et al.: Restoration of pattern recognition receptor costimulation to treat chromoblastomycosis, a chronic fungal infection of the skin. *Cell Host Microbe* 9, 436-443 (2011)

Stampfl, A. et al.: Langendorff heart: A model system to study cardiovascular effects of engineered nanoparticles. *ACS Nano* 5, 5345-5353 (2011)

Summer, K.H. et al.: The biogenic methanobactin is an effective chelator for copper in a rat model for Wilson disease. *J. Trace Elem. Med. Biol.* 25, 36-41 (2011)

Van Campenhout, C.A. et al.: Dlg3 trafficking and apical tight junction formation is regulated by Nedd4 and Nedd4-2 E3 ubiquitin ligases. *Dev. Cell* 21, 479-491 (2011)

Zischka, H. et al.: Liver mitochondrial membrane crosslinking and destruction in a rat model of Wilson disease. *J. Clin. Invest.* 121, 1508-1518 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Virology

Attems, J.* et al.: Reduced secretogin expression in the hippocampus of P301L tau transgenic mice. *J. Neural. Transm.* 118, 737-745 (2011)

Bauer, T., Sprinzl, M. & Protzer, U.: Immune control of hepatitis B virus. *Digest. Dis.* 29, 423-433 (2011)

Buchholz, V.R.*, Neuenhahn, M. & Busch, D.H.: CD8⁺ T cell differentiation in the aging immune system: Until the last clone standing. *Curr. Opin. Immunol.* 23, 549-554 (2011)

Chew, V.* et al.: Chemokine-driven lymphocyte infiltration: An early intratumoural event determining long-term survival in resectable hepatocellular carcinoma. *Gut* 61, 427-438 (2012)

Ebert, G. et al.: 5' triphosphorylated small interfering RNAs control replication of hepatitis B virus and induce an interferon response in human liver cells and mice. *Gastroenterology* 141, 696-706 (2011)

Eitz Ferrer, P.* et al.: Induction of noxa-mediated apoptosis by modified vaccinia virus Ankara depends on viral recognition by cytosolic helicases, leading to IRF-3/IFN- β -dependent induction of pro-apoptotic noxa. *PLoS Pathog.* 7:e1002083 (2011)

Greenwood, A.D.* et al.: Bovine spongiform encephalopathy infection alters endogenous retrovirus expression in distinct brain regions of cynomolgus macaques (*Macaca fascicularis*). *Mol. Neurodegener.* 6:44 (2011)

Harner, S. et al.: Cord blood V α 24-v β 11 natural killer T cells display a Th2-chemokine receptor profile and cytokine responses. *PLoS One* 9:e15714 (2011)

Haupt, S. et al.: Human endogenous retrovirus transcription profiles of the kidney and kidney-derived cell lines. *J. Gen. Virol.* 92, 2356-2366 (2011)

Haybaeck, J.*, Zeller, N.* & Heikenwälder, M.: The parallel universe: MicroRNAs and their role in chronic hepatitis, liver tissue damage and hepatocarcinogenesis. *Swiss Med. Wkly.* 141:w13287 (2011)

Hösel, M.* et al.: TLR2-mediated innate immune response in human non-parenchymal liver cells towards adeno-associated viral (AAV) vectors. *Hepatology* 55, 287-297 (2012)

Huelsmann, P.M.* et al.: A suicide gene approach using the human pro-apoptotic protein tBid inhibits HIV-1 replication. *BMC Biotechnol.* 11:4 (2011)

Istvanffy, R.* et al.: Stromal pleiotrophin regulates repopulation behavior of hematopoietic stem cells. *Blood* 118, 2712-2722 (2011)

Kang, T.W.* et al.: Senescence surveillance of pre-malignant hepatocytes limits liver cancer development. *Nature* 479, 547-551 (2011)

Kastenmüller, W.* et al.: Regulatory T cells selectively control CD8⁺ T cell effector pool size via IL-2 restriction. *J. Immunol.* 187, 3186-3197 (2011)

Kutscher, S., Bauer, T., Dembek, C., Sprinzl, M. & Protzer, U.: Design of therapeutic vaccines: Hepatitis B as an example. *Microb. Biotechnol.* 5, 270-282 (2012)

Publication List 2011

31.12.2011

* external Authors

Institute of Virology

Loschko, J.* et al.: Antigen delivery to plasmacytoid dendritic cells via BST2 induces protective T cell-mediated immunity. *J. Immunol.* 186, 6718-6725 (2011)

Lucifora, J. et al.: Hepatitis B virus X protein is essential to initiate and maintain virus replication after infection. *J. Hepatol.* 55, 996-1003 (2011)

Lucifora, J. & Zoulim, F.*: The life cycle of hepatitis B virus and antiviral targets. *Future Virol.* 6, 599-614 (2011)

Masanetz, S. & Lehmann, M.H.: HIV-1 Nef increases astrocyte sensitivity towards exogenous hydrogen peroxide. *Virol. J.* 8:35 (2011)

Meggendorfer, M., Rothenaigner, I., Tigges, B., Vincendeau, M. & Brack-Werner, R.: Neurotoxicity of HIV-1 Proteins. In: Gendelmann, H.E. et al. [Eds.]: *The Neurology of Aids*. New York, NY : Oxford University Press, 2011, 275-288

Pascutti, M.F.* et al.: Interplay between modified vaccinia virus Ankara and dendritic cells: Phenotypic and functional maturation of bystander dendritic cells. *J. Virol.* 85, 5532-5545 (2011)

Schlitzer, A.* et al.: Identification of CCR₉⁻ murine plasmacytoid DC precursors with plasticity to differentiate into conventional DCs. *Blood* 117, 6562-6570 (2011)

Schmitt, A.* et al.: Adoptive transfer and selective reconstitution of streptamer-selected cytomegalovirus-specific CD8⁺ T cells leads to virus clearance in patients after allogeneic peripheral blood stem cell transplantation. *Transfusion* 51, 591-599 (2011)

Settles, M.* et al.: Different capacity of monocyte subsets to phagocytose iron-oxide nanoparticles. *PLoS One* 6:e25197 (2011)

Siebert, S.* et al.: Fibroblastic reticular cells from lymph nodes attenuate T cell expansion by producing nitric oxide. *PLoS One* 6:e27618 (2011)

Silva, A.* et al.: COX-2 is not required for the development of murine chronic pancreatitis. *Am. J. Physiol. Gastrointest. Liver Physiol.* 300, G968-G975 (2011)

Toufaily, C.*, Landry, S.*, Leib-Mösch, C., Rassart, E.* & Barbeau, B.*: Activation of LTRs from different human endogenous retrovirus (HERV) families by the HTLV-1 tax protein and T-cell activators. *Viruses* 3, 2146-2159 (2011)

Verschoor, A. et al.: A platelet-mediated system for shuttling blood-borne bacteria to CD8 α ⁺ dendritic cells depends on glycoprotein GPIb and complement C3. *Nat. Immunol.* 12, 1194-1201 (2011)

Vincent, I.E.* et al.: Hepatitis B virus impairs TLR9 expression and function in plasmacytoid dendritic cells. *PLoS One* 6:e26315 (2011)

Weber, A.*, Boege, Y.*, Reisinger, F. & Heikenwälder, M.: Chronic liver inflammation and hepatocellular carcinoma: Persistence matters. *Swiss Med. Wkly.* 141:w13197 (2011)

Publication List 2011

31.12.2011

* external Authors

Institute of Virology

Wolff, H., Motyl, M.*, Hellerbrand, C.*, Heilmann, J.* & Kraus, B.*: Xanthohumol uptake and intracellular kinetics in hepatocytes, hepatic stellate cells, and intestinal cells. *J. Agric. Food Chem.* 59, 12893-12901 (2011)

Publication List 2011

31.12.2011

* external Authors

Research Unit Environmental Genomics

Baldrian, P.* et al.: Ecology and metagenomics of soil microorganisms. *FEMS Microbiol. Ecol.* 78, 1-2 (2011)

Bannert, A.* et al.: Comparison of lipid biomarker and gene abundance characterizing the archaeal ammonia-oxidizing community in flooded soils. *Biol. Fert. Soils* 47, 839-843 (2011)

Bannert, A. et al.: Changes in diversity and functional gene abundances of microbial communities involved in nitrogen fixation, nitrification, and denitrification in a tidal wetland versus paddy soils cultivated for different time periods. *Appl. Environ. Microbiol.* 77, 6109-6116 (2011)

Bartling, J.*, Esperschütz, J., Wilke, B.M.* & Schloter, M.: ETBE (ethyl tert butyl ether) and TAME (tert amyl methyl ether) affect microbial community structure and function in soils. *J. Hazard. Mater.* 187, 488-494 (2011)

Brankatsch, R.*, Töwe, S.*, Kleineidam, K., Schloter, M. & Zeyer, J.*: Abundances and potential activities of nitrogen cycling microbial communities along a chronosequence of a glacier forefield. *ISME J.* 5, 1025-1037 (2010)

Brielmann, H. et al.: Oberflächennahe Geothermie und ihre potenziellen Auswirkungen auf Grundwasserökosysteme. *Grundwasser* 16, 77-91 (2011)

Brüggemann, N.* et al.: Carbon allocation and carbon isotope fluxes in the plant-soil-atmosphere continuum: A review. *Biogeosciences* 8, 3457-3489 (2011)

Dong, X.* et al.: Expression analysis of zeaxanthin epoxidase of genetically engineered zeaxanthin-rich potatoes in comparison to conventional cultivars under field conditions. *Transgenic Plant J.* 5, 35-42 (2011)

Esperschütz, J. et al.: Microbial food web dynamics along a soil chronosequence of a glacier forefield. *Biogeosciences* 8, 3283-3294 (2011)

Esperschütz, J. et al.: Incorporation of carbon from decomposing litter of two pioneer plant species into microbial communities of the detritosphere. *FEMS Microbiol. Lett.* 320, 48-55 (2011)

Fischer, D. et al.: Molecular characterisation of the diazotrophic bacterial community in uninoculated and inoculated field-grown sugarcane (*Saccharum* sp.). *Plant Soil*, 10.1007/s11104-011-0812-0 (2011)

Gschwendtner, S. et al.: Effects of genetically modified starch metabolism in potato plants on photosynthate fluxes into the rhizosphere and on microbial degraders of root exudates. *FEMS Microbiol. Ecol.* 76, 564-575 (2011)

Gubry-Rangin, C.* et al.: Niche specialization of terrestrial archaeal ammonia oxidizers. *Proc. Natl. Acad. Sci. U.S.A.* 108, 21206-21211 (2011)

Heuer, H.* et al.: Accumulation of sulfonamide resistance genes in arable soils due to repeated application of manure containing sulfadiazine. *Appl. Environ. Microbiol.* 77, 2527-2530 (2011)

Jentsch, A.* et al.: Climate extremes initiate ecosystem-regulating functions while maintaining productivity. *J. Ecol.* 99, 689-702 (2011)

Publication List 2011

31.12.2011

* external Authors

Research Unit Environmental Genomics

Keil, D.* et al.: Influence of land-use intensity on the spatial distribution of N-cycling microorganisms in grassland soils. *FEMS Microbiol. Ecol.* 77, 95-106 (2011)

Kleineidam, K. et al.: Influence of the nitrification inhibitor 3,4-dimethylpyrazole phosphate (DMPP) on ammonia-oxidizing bacteria and archaea in rhizosphere and bulk soil. *Chemosphere* 84, 182-186 (2011)

Kotzerke, A.* et al.: Alterations in total microbial activity and nitrification rates in soil due to amoxicillin-spiked pig manure. *J. Plant Nutr. Soil Sci.* 174, 56-64 (2011)

Kotzerke, A.* et al.: Influence of difloxacin-contaminated manure on microbial community. *Biol. Fert. Soils* 47, 177-186 (2011)

Li, D., Rothballer, M., Schmid, M., Esperschütz, J. & Hartmann, A.: *Acidovorax radialis* sp. nov., a wheat-root-colonizing bacterium. *Int. J. Syst. Evol. Microbiol.* 61, 2589-2594 (2011)

Melero, S.* et al.: Denitrification in a vertisol under long-term tillage and no-tillage management in dryland agricultural systems: Key genes and potential rates. *Appl. Soil Ecol.* 47, 221-225 (2011)

Mueller-Niggemann, C.*, Bannert, A.*, Schloter, M., Lehndorff, E.* & Schwark, L.*: Intra-versus inter-site macroscale variation in biogeochemical properties along a paddy soil chronosequence. *Biogeosciences Discuss.* 8, 10119-10154 (2011)

Ollivier, J.* et al.: Nitrogen turnover in soil and global change. *FEMS Microbiol. Ecol.* 78, 3-16 (2011)

Pérez-de-Mora, A., Engel, M. & Schloter, M.: Abundance and diversity of *n*-alkane-degrading bacteria in a forest soil co-contaminated with hydrocarbons and metals: A molecular study on *alkB* homologous genes. *Microb. Ecol.* 62, 959-972 (2011)

Petric, I.* et al.: Inter-laboratory evaluation of the ISO standard 11063 "Soil quality - Method to directly extract DNA from soil samples". *J. Microbiol. Methods* 84, 454-460 (2011)

Pilloni, G., von Netzer, F., Engel, M. & Lueders, T.: Electron acceptor-dependent identification of key anaerobic toluene degraders at a tar-oil-contaminated aquifer by Pyro-SIP. *FEMS Microbiol. Ecol.* 78, 165-175 (2011)

Pritsch, K. et al.: Optimized assay and storage conditions for enzyme activity profiling of ectomycorrhizae. *Mycorrhiza* 21, 589-600 (2011)

Roth, P.J.* et al.: Accumulation of nitrogen and microbial residues during 2000 years of rice paddy and non-paddy soil development in the Yangtze River Delta, China. *Glob. Change Biol.* 17, 3405-3417 (2011)

Schaaf, W.* et al.: Patterns and processes of initial terrestrial-ecosystem development. *J. Plant Nutr. Soil Sci.* 174, 229-239 (2011)

Schloter, M.: Structure and function of prokaryotes in soil. In: Huang, P.M.; Li, Y.; Sumner, M.E. [Eds.]: *Handbook of soil sciences. Properties and processes.* 2nd Edition. Boca Raton : CRC Press, 2011, 24.11-24.18

Publication List 2011

31.12.2011

* external Authors

Research Unit Environmental Genomics

Tourna, M.* et al.: *Nitrososphaera viennensis*, an ammonia oxidizing archaeon from soil. Proc. Natl. Acad. Sci. U.S.A. 108, 8420-8425 (2011)

Töwe, S. et al.: Improved protocol for the simultaneous extraction and column-based separation of DNA and RNA from different soils. J. Microbiol. Methods 84, 406-412 (2011)

Vargas Gil, S.* et al.: Response of soil microbial communities to different management practices in surface soils of a soybean agroecosystem in Argentina. Eur. J. Soil Biol. 47, 55-60 (2011)

Weinert, N.* et al.: PhyloChip hybridization uncovered an enormous bacterial diversity in the rhizosphere of different potato cultivars: Many common and few cultivar-dependent taxa. FEMS Microbiol. Ecol. 75, 497-506 (2011)

Publication List 2011

31.12.2011

* external Authors

Research Unit for Gene Vectors

- Battke, C. et al.: Generation and characterization of the first inhibitory antibody targeting tumour-associated carbonic anhydrase XII. *Cancer Immunol. Immunother.* 60, 649-658 (2011)
- Battke, C. et al.: Tumour exosomes inhibit binding of tumour-reactive antibodies to tumour cells and reduce ADCC. *Cancer Immunol. Immunother.* 60, 639-648 (2011)
- Ehrhardt, H. et al.: Optimized anti-tumor effects of anthracyclines plus Vinca alkaloids using a novel, mechanism-based application schedule. *Blood* 118, 6123-6131 (2011)
- Ehrhardt, H., Wachter, F., Maurer, M., Stahnke, K.* & Jeremias, I.: Important role of Caspase-8 for chemo-sensitivity of ALL cells. *Clin. Cancer Res.* 17, 7605-7613 (2011)
- Gires, O.: EpCAM in hepatocytes and their progenitors. *J. Hepatol.* 56, 490-492 (2012)
- Gires, O.: Lessons from common markers of tumor-initiating cells in solid cancers. *Cell. Mol. Life Sci.* 68, 4009-4022 (2011)
- Hammerschmidt, W.: What keeps the power on in lymphomas? (Comment on Vereide and Sudgen, page 1977) *Blood* 117, 1777-1778 (2011)
- Hampel, F. et al.: CD19-independent instruction of murine marginal zone B-cell development by constitutive Notch2 signaling. *Blood* 118, 6321-6331 (2011)
- Horstkotte, J.* et al.: Mitochondrial thioredoxin reductase is essential for early postischemic myocardial protection. *Circulation* 124, 2892-2902 (2011)
- Jantscher, F.*, Pirker, C.*, Mayer, C.E., Berger, W.* & Sutterluety, H.*: Overexpression of Aurora-A in primary cells interferes with S-phase entry by diminishing Cyclin D1 dependent activities. *Mol. Cancer* 10:28 (2011)
- Kalla, M. & Hammerschmidt, W.: Human B cells on their route to latent infection - early but transient expression of lytic genes of Epstein-Barr virus. *Eur. J. Cell Biol.* 91, 65-69 (2012)
- Köchert, K.* et al.: High-level expression of Mastermind-like 2 contributes to aberrant activation of the NOTCH signaling pathway in human lymphomas. *Oncogene* 30, 1831-1840 (2011)
- Laukens, B.* et al.: Smac mimetic bypasses apoptosis resistance in FADD- or caspase-8-deficient cells by priming for tumor necrosis factor α -induced necroptosis. *Neoplasia* 13, 971-979 (2011)
- Lipps, H.J.*, Hammerschmidt, W. & Ehrhardt, A.: Lebenslange Heilung mittels Gentransfer - Realität oder Utopie? Stabiler versus transientser Gentransfer. *Pharm. Unserer Zeit* 40, 240-246 (2011)
- Löder, S.* et al.: RIP1 is required for IAP inhibitor-mediated sensitization of childhood acute leukemia cells to chemotherapy-induced apoptosis. *Leukemia* , 10.1038/leu.2011.353. (2011)
- Lückerath, K.* et al.: Immune modulation by Fas ligand reverse signaling: Lymphocyte proliferation is attenuated by the intracellular Fas ligand domain. *Blood* 117, 519-529 (2011)
- Mautner J. & Bornkamm, G.W.: The role of virus-specific CD4+ T cells in the control of Epstein-Barr virus infection. *Eur. J. Cell Biol.* 91, 31-35 (2012)

Publication List 2011

31.12.2011

* external Authors

Research Unit for Gene Vectors

Mendiburo, M.J.*, Padeken, J.*, Fülöp, S., Schepers, A. & Heun, P.*: *Drosophila* CENH3 is sufficient for centromere formation. *Science* 334, 686-690 (2011)

Moosmann, A., Hammerschmidt, W. & Kolb, H.-J.*: Virus-specific T cells for therapy - approaches, problems, solutions. *Eur. J. Cell Biol.* 91, 97-101 (2012)

Ott, E., Norio, P.*, Ritzi, M., Schildkraut, C.* & Schepers, A.: The dyad symmetry element of Epstein-Barr virus is a dominant but dispensable replication origin. *PLoS One* 6:e18609 (2011)

Petsch, S.* et al.: Concentrations of EpCAM ectodomain as found in sera of cancer patients do not significantly impact redirected lysis and T-cell activation by EpCAM/CD3-bispecific BiTE antibody MT110. *mAbs* 3, 31-37 (2011)

Rauch, J.* et al.: c-Myc regulates RNA splicing of the A-raf kinase and its activation of the ERK pathway. *Cancer Res.* 71, 4664-4674 (2011)

Ruiss, R., Jochum, S., Mocikat, R., Hammerschmidt, W. & Zeidler, R.*: EBV-gp350 confers B-cell tropism to tailored exosomes and is a neo-antigen in normal and malignant B cells - a new option for the treatment of B-CLL. *PLoS One* 6:e25294 (2011)

Ruiss, R. et al.: A virus-like particle-based Epstein-Barr virus vaccine. *J. Virol.* 85, 13105-13113 (2011)

Taylor, G.S.*, Mautner, J. & Münz, C.*: Autophagy in herpesvirus immune control and immune escape. *Herpesviridae* 2:2 (2011)

Thomae, A.W. et al.: Different roles of the human Orc6 protein in the replication initiation process. *Cell. Mol. Life Sci.* 68, 3741-3756 (2011)

Turchinovich, G.* et al.: Programming of marginal zone B-cell fate by basic Krüppel-like factor (BKLF/KLF3). *Blood* 117, 3780-3792 (2011)

Yang, S.* et al.: Pancreatic cancers require autophagy for tumor growth. *Genes Dev.* 25, 717-729 (2011)

Publication List 2011

31.12.2011

* external Authors

Research Unit for Medical Radiation Physics and Diagnostics

Al-Jundi, J. et al.: Inhalation dose assessment of indoor radon progeny using biokinetic and dosimetric modeling and its application to Jordanian population. *J. Environ. Radioact.* 102, 574-580 (2011)

Brunner, C.: Riechen Krebszellen anders? *Nachr. Chemie* 59, 52-54 (2011)

Brunner, C.C., Hurowitz, S.A.*, Abboud, S.F.*, Hoeschen, C. & Kyprianou, I.S.*: Noise characterization of computed tomography using the covariance matrix. In: Samei, E.; Pelc, N.J. [Eds.]: *Medical Imaging 2010: Physics of Medical Imaging*. Bellingham, WA : SPIE, 2010 (Proceedings of SPIE ; 7622), 76224Z

Brunner, C.C., Renger, B.*, Hoeschen, C. & Kyprianou, I.S.*: Investigation of a method to estimate the MTF and NPS of CT towards creating an international standard. In: Pelc, N.J.; Samei, E.; Nishikawa, R.M. [Eds.]: *Medical Imaging 2011: Physics of Medical Imaging*. Bellingham, WA : SPIE, 2011 (Proceedings of SPIE ; 7961), 79613C

Cantone, M.C.* & Hoeschen, C.: The role of radiation physics in nuclear medicine. In: Cantone, M.C.; Hoeschen, C. [Eds.]: *Radiation Physics for Nuclear Medicine*. Berlin : Springer, 2011, 3-5

Clemens, M.* et al.: Bioelectromagnetic field simulations using high-resolution human anatomy models with the finite integration technique. *Frequenz* 63, 163-167 (2009)

Fattibene, P.* et al.: The 4th international comparison on EPR dosimetry with tooth enamel. Part 1: Report on the results. *Radiat. Meas.* 46, 765-771 (2011)

Geleijns, J.* et al.: Radiation exposure to patients in a multicenter coronary angiography trial (CORE 64). *Am. J. Roentgenol.* 196, 1126-1132 (2011)

Giussani, A. et al.: Training activities on radiation protection in nuclear medicine in the frame of the EURATOM FP7 collaborative project MADEIRA. *Radiat. Meas.* 46, 1310-1314 (2011)

Giussani, A. & Uusijärvi, H.*: Biokinetic models for radiopharmaceuticals. In: Cantone, M.C.; Hoeschen, C. [Eds.]: *Radiation Physics for Nuclear Medicine*. Berlin : Springer, 2011, 233-255

Greiter, M.B., Giussani, A., Höllriegl, V., Li, W.B. & Oeh, U.: Human biokinetic data and a new compartmental model of zirconium - a tracer study with enriched stable isotopes. *Sci. Total Environ.* 409, 3701-3710 (2011)

Greiter, M.B. & Hoeschen, C.: Mobile measurement setup according to IEC 62220-1-2 for DQE determination on digital mammography systems. In: Samei, E.; Pelc, N.J. [Eds.]: *Medical Imaging 2010: Physics of Medical Imaging*. Bellingham, WA : SPIE, 2010 (Proceedings of SPIE ; 7622), 76224P

Greiter, M.B., Höllriegl, V. & Oeh, U.: Method development for thermal ionization mass spectrometry in the frame of a biokinetic tracer study with enriched stable isotopes of zirconium. *Int. J. Mass. Spectrom.* 304, 1-8 (2011)

Hammer, G.P.* et al.: Childhood cancer risk from conventional radiographic examinations for selected referral criteria: Results from a large cohort study. *Am. J. Roentgenol.* 197, 217-223 (2011)

Publication List 2011

31.12.2011

* external Authors

Research Unit for Medical Radiation Physics and Diagnostics

Han, H.B.* , Xia, Z.L.* , Chen, H.* , Hou, C.* & Li, W.B.: Simple diffusion delivery via brain interstitial route for the treatment of cerebral ischemia. *Sci. China Life Sci.* 54, 235-239 (2011)

Hoeschen, C., Rafecas, M.* & Aspelmeier, T.*: Algorithms for image reconstruction. In: Cantone, M.C.; Hoeschen, C. [Eds.]: *Radiation Physics for Nuclear Medicine*. Berlin : Springer, 2011, 211-232

Hoeschen, C. et al.: How do we measure dose and estimate risk? In: Pelc, N.J.; Samei, E.; Nishikawa, R.M. [Eds.]: *Medical Imaging 2011: Physics of Medical Imaging*. Bellingham, WA : SPIE, 2011 (Proceedings of SPIE ; 7961), 79612F

Höllriegel, V., Arogunjo, A.M., Giussani, A., Michalke, B. & Oeh, U.: Daily urinary excretion of uranium in members of the public of Southwest Nigeria. *Sci. Total Environ.* 412-413, 344-350 (2011)

Keiser, T., Höllriegel, V., Giussani, A. & Oeh, U.: Measuring technique for thermal ionisation mass spectrometry of human tracer kinetic study with stable cerium isotopes. *Isotopes Environ. Health Stud.* 47, 238-252 (2011)

Kinase, S.* et al.: Computer simulations for internal dosimetry using voxel models. *Radiat. Prot. Dosim.* 146, 191-194 (2011)

Li, W.B., Greiter, M., Oeh, U. & Hoeschen, C.: Reliability of a new biokinetic model of zirconium in internal dosimetry: Part II, parameter sensitivity analysis. *Health Phys.* 101, 677-692 (2011)

Li, W.B., Greiter, M., Oeh, U. & Hoeschen, C.: Reliability of a new biokinetic model of zirconium in internal dosimetry: Part I, parameter uncertainty analysis. *Health Phys.* 101, 660-676 (2011)

Li, W.B., Janzen, T., Zankl, M., Guissani, A. & Hoeschen, C.: Uncertainties of organ-absorbed doses to patients from ¹⁸F-choline. In: Pelc, N. J.; Samei, E.; Nishikawa, R.M. [Eds.]: *Medical Imaging 2011: Physics of Medical Imaging*. Bellingham, WA : SPIE, 2011 (Proceedingd of SPIE ; 7961), 796129

Lopez, M.A.* et al.: EURADOS coordinated action on research, quality assurance and training of internal dose assessments. *Radiat. Prot. Dosim.* 144, 349-352 (2011)

Marzocchi, O.* , Breustedt, B.* , Mostacci, D.* , Zankl, M. & Urban, M.*: Theoretical assessment of whole body counting performances using numerical phantoms of different gender and sizes. *Radiat. Prot. Dosim.* 144, 339-343 (2011)

Moores, B.M.* & Regulla, D.: A review of the scientific basis for radiation protection of the patient. *Radiat. Prot. Dosim.* 147, 22-29 (2011)

Morioka, C.* et al.: DICOM structured report to track patient's radiation dose to organs from abdominal CT exam. In: Boonn, W.W.; Liu, B.J. [Eds.]: *Medical Imaging 2011: Advanced PACS-based Imaging Informatics and Therapeutic Applications*. Bellingham, WA : SPIE, 2011 (Proceedings of SPIE ; 7967), 79670X

Müller, B., Schlattl, H., Grüner, F.* & Hoeschen, C.: A laser-driven undulator X-ray source: Simulation of image formation and dose deposition in mammography. In: Pelc, N.J.; Samei, E.; Nishikawa, R.M. [Eds.]: *Medical Imaging 2011: Physics of Medical Imaging*. Bellingham, WA : SPIE, 2011 (Proceedings of SPIE ; 7961), 796106

Publication List 2011

31.12.2011

* external Authors

Research Unit for Medical Radiation Physics and Diagnostics

Nogueira, P., Zankl, M., Schlattl, H. & Vaz, P.*: Dose conversion coefficients for monoenergetic electrons incident on a realistic human eye model with different lens cell populations. *Phys. Med. Biol.* 56, 6919-6934 (2011)

Regulla, D.: Definitions and outlook targeting X-ray exposure of patients in diagnostic imaging. In: Pelc, N.J.; Samei, E.; Nishikawa, R.M. [Eds.]: *Medical Imaging 2011: Physics of Medical Imaging*. Bellingham, WA : SPIE, 2011 (Proceedings of SPIE ; 7961), 79612D

Sato, T.* et al.: Fluence-to-dose conversion coefficients for aircrew dosimetry based on the new ICRP recommendations. *Prog. Nucl. Sci. Tech.* 1, 134-137 (2011)

Schegerer, A.A. et al.: Development and quality characterization of a novel CT system. In: Samei, E.; Pelc, N.J. [Eds.]: *Medical Imaging 2010: Physics of Medical Imaging*. Bellingham, WA : SPIE, 2010 (Proceedings of SPIE ; 7622), 762230

Thekedar, B., Oeh, U., Szymczak, W., Hoeschen, C. & Paretzke, H.G.: Influences of mixed expiratory sampling parameters on exhaled volatile organic compound concentrations. *J. Breath Res.* 5:016001 (2011)

Turner, A.C.* et al.: The feasibility of patient size-corrected, scanner-independent organ dose estimates for abdominal CT exams. *Med. Phys.* 38, 820-829 (2011)

Wieser, A. et al.: Evaluation of dose to tooth enamel from medical diagnostic X-ray examinations at Mayak PA. *Radiat. Meas.* 46, 808-812 (2011)

Xu, Y.* & Tischenko, O.: OPED reconstruction algorithm for limited angle problem. *J. Inverse Ill-Posed Probl.* 17, 795-813 (2009)

Zankl, M.: Adult male and female reference computational phantoms. (ICRP Publication 110). *Jpn. J. Health Phys.* 45, 357-369 (2010)

Zankl, M., Schlattl, H., Petoussi-Henss, N. & Hoeschen, C.: Voxel phantoms for internal dosimetry. In: Cantone, M.C.; Hoeschen, C. [Eds.]: *Radiation physics for nuclear medicine*. Berlin : Springer, 2011, 257-279

Zorn, J., Schwamberger, S., Panzer, W., Adler, H. & Kolb, H.-J.: Transplantation of CD6-depleted peripheral blood stem cells after DLA-haploidentical bone marrow transplantation contributes to engraftment and tolerance in a preclinical model of stem cell transplantation. *Vet. Immunol. Immunopathol.* 144, 27-35 (2011)

Publication List 2011

31.12.2011

* external Authors

Research Unit for Protein Science

Azimzadeh, O. et al.: Rapid proteomic remodeling of cardiac tissue caused by total body ionizing radiation. *Proteomics* 11, 3299-3311 (2011)

Balluff, B. et al.: MALDI imaging identifies prognostic seven-protein signature of novel tissue markers in intestinal-type gastric cancer. *Am. J. Pathol.* 179, 2720-2729 (2011)

Barjaktarovic, Z. et al.: Radiation-induced signaling results in mitochondrial impairment in mouse heart at 4 weeks after exposure to X-rays. *PLoS One* 6:e27811 (2011)

Boldt, K. et al.: Disruption of intraflagellar protein transport in photoreceptor cilia causes Leber congenital amaurosis in humans and mice. *J. Clin. Invest.* 121, 2169-2180 (2011)

Coene, K.L.* et al.: The ciliopathy-associated protein homologs RPGRIP1 and RPGRIP1L are linked to cilium integrity through interaction with Nek4 serine/threonine kinase. *Hum. Mol. Genet.* 20, 3592-3605 (2011)

Del Río, P. et al.: GDNF-induced osteopontin from Müller glial cells promotes photoreceptor survival in the Pde6brd1 mouse model of retinal degeneration. *Glia* 59, 821-832 (2011)

Dong, G.*, Callegari, E.A.*, Gloeckner, C.J., Ueffing, M. & Wang, H.*: Prothymosin- α interacts with mutant Huntingtin and suppresses its cytotoxicity in cell culture. *J. Biol. Chem.* 287, 1279-1289 (2011)

Eberhardt, C.*, Amann, B.*, Feuchtinger, A., Hauck, S.M. & Deeg, C.A.*: Differential expression of inwardly rectifying K⁺ channels and aquaporins 4 and 5 in autoimmune uveitis indicates misbalance in Müller glial cell-dependent ion and water homeostasis. *Glia* 59, 697-707 (2011)

Eberhardt, C.*, Amann, B.*, Stangassinger, M.*, Hauck, S.M. & Deeg, C.A.*: Isolation, characterization and establishment of an equine retinal glial cell line: A prerequisite to investigate the physiological function of Müller cells in the retina. *J. Anim. Physiol. Anim. Nutr.* 96, 260-269 (2012)

Griciuc, A., Aron, L.* & Ueffing M.: ER stress in retinal degeneration: A target for rational therapy? *Trends Mol. Med.* 17, 442-451 (2011)

Hofmaier, F.*, Hauck, S.M., Amann, B.*, Degroote, R.L.* & Deeg, C.A.: Changes in matrix metalloproteinase network in a spontaneous autoimmune uveitis model. *Invest. Ophthalmol. Vis. Sci.* 52, 2314-2320 (2011)

Holzmeister, C. et al.: Proteomic analysis of defense response of wildtype *Arabidopsis thaliana* and plants with impaired NO-homeostasis. *Proteomics* 11, 1664-1683 (2011)

Kiel, C.* et al.: Structural and functional protein network analyses predict novel signaling functions for rhodopsin. *Mol. Syst. Biol.* 7:551 (2011)

Lemberger, S.I.* et al.: Comparison of urine protein profiles in cats without urinary tract disease and cats with idiopathic cystitis, bacterial urinary tract infection, or urolithiasis. *Am. J. Vet. Res.* 72, 1407-1415 (2011)

Publication List 2011

31.12.2011

* external Authors

Research Unit for Protein Science

Limb, G.A.* , Martin, K.R* & Sixth ARVO/Pfizer Ophthalmics Research Institute Conference Working Group: Current prospects in optic nerve protection and regeneration: Sixth ARVO/Pfizer Ophthalmics Research Institute conference. *Invest. Ophthalmol. Vis. Sci.* 52, 5941-5954 (2011)

Nelson, P.J.* , von Toerne, C. & Gröne, H.J.*: Wnt-signaling pathways in progressive renal fibrosis. *Expert Opin. Ther. Targets* 15, 1073-1083 (2011)

Nipp, M. et al.: S100-A10, thioredoxin, and S100-A6 as biomarkers of papillary thyroid carcinoma with lymph node metastasis identified by MALDI Imaging. *J. Mol. Med.* 90, 163-174 (2012)

Piccoli, G. et al.: LRRK2 controls synaptic vesicle storage and mobilization within the recycling pool. *J. Neurosci.* 31, 2225-2237 (2011)

Sibbing, D.* et al.: Mutations in the mitochondrial thioredoxin reductase gene TXNRD2 cause dilated cardiomyopathy. *Eur. Heart J.* 32, 1121-1133 (2011)

Van Campenhout, C.A. et al.: Dlg3 trafficking and apical tight junction formation is regulated by Nedd4 and Nedd4-2 E3 ubiquitin ligases. *Dev. Cell* 21, 479-491 (2011)

Webb, K.J. et al.: The Enhancer of split transcription factor Her8a is a novel dimerisation partner for Her3 that controls anterior hindbrain neurogenesis in zebrafish. *BMC Dev. Biol.* 11:27 (2011)

Publication List 2011

31.12.2011

* external Authors

Research Unit Microbe-Plant Interactions

Arango Isaza, L. et al.: Lack of glyphosate resistance gene transfer from Roundup Ready® soybean to *Bradyrhizobium japonicum* under field and laboratory conditions. *Z. Naturforsch. C* 66c, 595-604 (2011)

Bartha, B., Huber, C. & Schröder, P.: Removal and metabolism of paracetamol (acetaminophen) from waste water - options for phytotechnologies. In: Proceedings of the 12th International Conference on Environmental Science and Technology, 8 - 10 Sept 2011, Rhodes, Greece. Athen : Global NEST, 2011, A-166

Clarke, N.* et al.: Haloorganics in temperate forest ecosystems: Sources, transport and degradation. In: Schröder, P.; Collins, C.D. [Eds.]: *Organic Xenobiotics and Plants: From Mode of Action to Ecophysiology*. Dordrecht : Springer Science+Business Media B.V., 2011 (Plant Ecophysiology ; 8), 17-45

de-Bashan, L.E.*, Schmid, M., Rothballer, M., Hartmann, A. & Bashan, Y.*: Cell-cell interaction in the eukaryote-prokaryote model of the microalgae *Chlorella vulgaris* and the bacterium *Azospirillum brasilense* immobilized in polymer beads. *J. Phycol.* 47, 1350-1359 (2011)

Dosnon-Olette, R.* et al.: Enzymatic basis for fungicide removal by *Elodea canadensis*. *Environ. Sci. Pollut. Res.* 18, 1015-1021 (2011)

Fekete, A., Rothballer, M., Hartmann, A. & Schmitt-Kopplin, P.: Identification of bacterial autoinducers. In: Krämer, R.; Jung, K. [Eds.]: *Bacterial Signaling*. Weinheim : Wiley-VCH, 2010, 95-111

Fischer, D. et al.: Molecular characterisation of the diazotrophic bacterial community in uninoculated and inoculated field-grown sugarcane (*Saccharum* sp.). *Plant Soil* , 10.1007/s11104-011-0812-0 (2011)

Fröhlich, A., Buddrus-Schiemann, K., Durner, J., Hartmann, A. & von Rad, U.: Response of barley to root colonization by *Pseudomonas* sp. DSMZ 13134 under laboratory, greenhouse, and field conditions. *J. Plant Interact.* 7, 1-9 (2012)

Gontia, I.*, Kavita, K.*, Schmid, M., Hartmann, A. & Jha, B.*: *Brachybacterium saurashtrense* sp. nov., a halotolerant root-associated bacterium with plant growth promoting potential. *Int. J. Syst. Evol. Microbiol.* 61, 2799-2804 (2011)

Jha, B.*, Gontia, I.* & Hartmann, A.: The roots of the halophyte *Salicornia brachiata* are a source of new halotolerant diazotrophic bacteria with plant growth-promoting potential. *Plant Soil* , 10.1007/s11104-011-0877-9 (2011)

Kaestli, M.* et al.: Out of the ground: Aerial and exotic habitats of the melioidosis bacterium *Burkholderia pseudomallei* in grasses in Australia. *Environ. Microbiol.* , 10.1111/j.1462-2920.2011.02671.x (2011)

Kremmer, E. et al.: A new strategy for the development of monoclonal antibodies for the determination of human procalcitonin in serum samples. *Anal. Bioanal. Chem.* 402, 989-995 (2012)

Publication List 2011

31.12.2011

* external Authors

Research Unit Microbe-Plant Interactions

Li, D., Rothballer, M., Schmid, M., Esperschütz, J. & Hartmann, A.: *Acidovorax radialis* sp. nov., a wheat-root-colonizing bacterium. *Int. J. Syst. Evol. Microbiol.* 61, 2589-2594 (2011)

Matucha, M.* & Schröder, P.: Trichloroacetic acid in the forest ecosystem. In: Schröder, P.; Collins, C.D. [Eds.]: *Organic Xenobiotics and Plants. From Mode of Action to Ecophysiology*. Dordrecht : Springer, 2011 (*Plant Ecophysiology ; 8, Part 2*), 87-103

Natuschka, M.L.* , Meisinger, D.B.* , Schmid, M., Rothballer, M. & Löffler, F.E.*: Fluorescence in situ hybridization (FISH). In: Reitner, J.; Thiel, V. [Eds.]: *Encyclopedia of Geobiology*. Berlin : Springer, 2011 (*Encyclopedia of Earth Sciences Series*), 373-393

Nehnevajova, E.* et al.: Metal accumulation and response of antioxidant enzymes in seedlings and adult sunflower mutants with improved metal removal traits on a metal-contaminated soil. *Environ. Exp. Bot.* 76, 39-48 (2012)

Picot, M.* , Lapinsonnière, L.* , Rothballer, M. & Barrière, F.*: Graphite anode surface modification with controlled reduction of specific aryl diazonium salts for improved microbial fuel cells power output. *Biosens. Bioelectron.* 28, 181-188 (2011)

Schröder, P., Hesselmann, K.* , Protivova, V.* , Stampfl, A. & Debus, R.*: Effects of ultrafine particles on plants - a pilot study. In: *Proceedings of the 12th International Conference on Environmental Science and Technology*, 8. - 10. Sept 2011, Rhodes, Greece. Athens : Global NEST, 2011, A-1679

Schwitzguébel, J.P.* , Comino, E.* , Plata, N.* & Khalvati, M.: Is phytoremediation a sustainable and reliable approach to clean-up contaminated water and soil in Alpine areas? *Environ. Sci. Pollut. Res.* 18, 842-856 (2011)

Publication List 2011

31.12.2011

* external Authors

Research Unit of Comparative Medicine

Aichler, M. et al.: Origin of pancreatic ductal adenocarcinoma from atypical flat lesions: A comparative study in transgenic mice and human tissues. *J. Pathol.* , 10.1002/path.3017 (2011)

Horstkotte, J.* et al.: Mitochondrial thioredoxin reductase is essential for early postischemic myocardial protection. *Circulation* 124, 2892-2902 (2011)

Kiermayer, C. et al.: Musculoskeletal load in and highly repetitive actions of animal facility washroom employees. *J. Am. Assoc. Lab. Anim. Sci.* 50, 665-674 (2011)

Suhre, K. et al.: Human metabolic individuality in biomedical and pharmaceutical research. *Nature* 477, 54-60 (2011)

Zorn, J., Schwamberger, S., Panzer, W., Adler, H. & Kolb, H.-J.: Transplantation of CD6-depleted peripheral blood stem cells after DLA-haploidentical bone marrow transplantation contributes to engraftment and tolerance in a preclinical model of stem cell transplantation. *Vet. Immunol. Immunopathol.* 144, 27-35 (2011)

Publication List 2011

31.12.2011

* external Authors

Research Unit of Molecular Epidemiology

- Artigas, M.S.* et al.: Genome-wide association and large-scale follow up identifies 16 new loci influencing lung function. *Nat. Genet.* 43, 1082-1090 (2011)
- Bis, J.C.* et al.: Meta-analysis of genome-wide association studies from the CHARGE consortium identifies common variants associated with carotid intima media thickness and plaque. *Nat. Genet.* 43, 940-947 (2011)
- Böger, C.A.* et al.: CUBN is a gene locus for albuminuria. *J. Am. Soc. Nephrol.* 22, 555-570 (2011)
- Bown, M.J.* et al.: Abdominal aortic aneurysm is associated with a variant in low-density lipoprotein receptor-related protein 1. *Am. J. Hum. Genet.* 89, 619-627 (2011)
- Breitling, L.P.* et al.: Dopamine-related genes and spontaneous smoking cessation in ever-heavy smokers. *Pharmacogenomics* 12, 1099-1106 (2011)
- Burgdorf, K.S.* et al.: Studies of the association of Arg72Pro of tumor suppressor protein p53 with type 2 diabetes in a combined analysis of 55,521 Europeans. *PLoS One* 6:e15813 (2011)
- Chambers, J.C.* et al.: Genome-wide association study identifies loci influencing concentrations of liver enzymes in plasma. *Nat. Genet.* 43, 1131-1138 (2011)
- Conde, L.* et al.: Novel associations for coronary artery disease derived from genome wide association studies are not associated with increased carotid intima-media thickness, suggesting they do not act via early atherosclerosis or vessel remodeling. *Atherosclerosis* 219, 684-689 (2011)
- de Miguel-Yanes, J.M.* et al.: Genetic risk reclassification for type 2 diabetes by age below or above 50 years using 40 type 2 diabetes risk single nucleotide polymorphisms. *Diabetes Care* 34, 121-125 (2011)
- Dolmans, G.H.* et al.: Wnt signaling and Dupuytren's disease. *N. Engl. J. Med.* 365, 307-317 (2011)
- Edmondson, A.C.* et al.: Dense genotyping of candidate gene loci identifies variants associated with high-density lipoprotein cholesterol. *Circ. Cardiovasc. Genet.* 4, 145-155 (2011)
- Erdmann, J.* et al.: Genome-wide association study identifies a new locus for coronary artery disease on chromosome 10p11.23. *Eur. Heart J.* 32, 158-168 (2011)
- Eyheramendy, S. et al.: Effect of genome-wide simultaneous hypotheses tests on the discovery rate. *Int. J. Mol. Epidemiol. Genet.* 2, 163-177 (2011)
- Fernández-Santiago, R.* et al.: No evidence of association of *FLJ10986* and *ITPR2* with ALS in a large German cohort. *Neurobiol. Aging* 32, 551.e1-551.e4 (2011)
- Floegel, A.* et al.: Reliability of serum metabolite concentrations over a 4-month period using a targeted metabolomic approach. *PLoS One* 6:e21103 (2011)
- Frank, B.* et al.: Polymorphisms in inflammatory pathway genes and their association with colorectal cancer risk. *Int. J. Cancer* 127, 2822-2830 (2010)
- Frank, B.* et al.: DNA repair gene polymorphisms and risk of chronic atrophic gastritis: A case-control study. *BMC Cancer* 11:440 (2011)

Publication List 2011

31.12.2011

* external Authors

Research Unit of Molecular Epidemiology

Gieger, C. et al.: New gene functions in megakaryopoiesis and platelet formation. *Nature* 480, 201-208 (2011)

Glaser, C.* et al.: Influence of *FADS* polymorphisms on tracking of serum glycerophospholipid fatty acid concentrations and percentage composition in children. *PLoS One* 6:e21933 (2011)

GoDARTS and UKPDS Diabetes Pharmacogenetics Study Group* et al.: Common variants near *ATM* are associated with glycemic response to metformin in type 2 diabetes. *Nat. Genet.* 43, 117-120 (2011)

Graw, J. et al.: The KORA eye study: A population-based study on eye diseases in southern Germany (KORA F4). *Invest. Ophthalmol. Vis. Sci.* 52, 7778-7786 (2011)

Guertler, A.* et al.: The WST survival assay: An easy and reliable method to screen radiation-sensitive individuals. *Radiat. Prot. Dosim.* 143, 487-490 (2011)

Herder, C.* et al.: RANTES/CCL5 and risk for coronary events: Results from the MONICA/KORA Augsburg case-cohort, Athero-Express and CARDIoGRAM studies. *PLoS One* 6:e25734 (2011)

Hinney, A.* et al.: Genome-wide association study in German patients with attention deficit/hyperactivity disorder. *Am. J. Med. Genet. B* 156B, 888-897 (2011)

Hivert, M.F.* et al.: Updated genetic score based on 34 confirmed type 2 diabetes loci is associated with diabetes incidence and regression to normoglycemia in the diabetes prevention program. *Diabetes* 60, 1340-1348 (2011)

Hollingworth, P.* et al.: Common variants at *ABCA7*, *MS4A6A/MS4A4E*, *EPHA1*, *CD33* and *CD2AP* are associated with Alzheimer's disease. *Nat. Genet.* 43, 429-436 (2011)

Holzappel, C. et al.: Association of a *MTNR1B* gene variant with fasting glucose and HOMA-B in children and adolescents with high BMI-SDS. *Eur. J. Endocrinol.* 164, 205-212 (2011)

Horsch, M. et al.: Requirement of the RNA-editing enzyme ADAR2 for normal physiology in mice. *J. Biol. Chem.* 286, 18614-18622 (2011)

International Consortium for Blood Pressure Genome-Wide Association Studies: Genetic variants in novel pathways influence blood pressure and cardiovascular disease risk. *Nature* 478, 103-109 (2011)

International Multiple Sclerosis Genetics Consortium & Wellcome Trust Case Control Consortium 2: Genetic risk and a primary role for cell-mediated immune mechanisms in multiple sclerosis. *Nature* 476, 214-219 (2011)

International Parkinson Disease Genomics Consortium: Imputation of sequence variants for identification of genetic risks for Parkinson's disease: A meta-analysis of genome-wide association studies. *Lancet* 377, 641-649 (2011)

International Parkinson's Disease Genomics Consortium (IPDGC) & Wellcome Trust Case Control Consortium 2 (WTCCC2): A two-stage meta-analysis identifies several new loci for Parkinson's disease. *PLoS Genet.* 7:e1002142 (2011)

Publication List 2011

31.12.2011

* external Authors

Research Unit of Molecular Epidemiology

- Ishikawa, K.* et al.: Pentanucleotide repeats at the spinocerebellar ataxia type 31 (SCA31) locus in Caucasians. *Neurology* 77, 1853-1855 (2011)
- Jafar-Mohammadi, B.* et al.: A role for coding functional variants in HNF4A in type 2 diabetes susceptibility. *Diabetologia* 54, 111-119 (2011)
- Jourdan, C. et al.: Gene-PUFA interactions and obesity risk. *Br. J. Nutr.* 106, 1263-1272 (2011)
- Kanoni, S.* et al.: Total zinc intake may modify the glucose-raising effect of a zinc transporter (*SLC30A8*) variant: A 14-cohort meta-analysis. *Diabetes* 60, 2407-2416 (2011)
- Kaplan, R.C.* et al.: A genome-wide association study identifies novel loci associated with circulating IGF-I and IGFBP-3. *Hum. Mol. Genet.* 20, 1241-1251 (2011)
- Kilpeläinen, T.O.* et al.: Physical activity attenuates the influence of *FTO* variants on obesity risk: A meta-analysis of 218,166 adults and 19,268 children. *PLoS Med.* 8:e1001116 (2011)
- Kilpeläinen, T.O.* et al.: Genetic variation near *IRS1* associates with reduced adiposity and an impaired metabolic profile. *Nat. Genet.* 43, 753-760 (2011)
- Koletzko, B.*, Lattka, E., Zeilinger, S., Illig, T. & Steer, C.*: Genetic variants of the fatty acid desaturase gene cluster predict amounts of red blood cell docosahexaenoic and other polyunsaturated fatty acids in pregnant women: Findings from the Avon Longitudinal Study of Parents and Children. *Am. J. Clin. Nutr.* 93, 211-219 (2011)
- Krumsiek, J., Suhre, K., Illig, T., Adamski, J. & Theis, F.J.: Gaussian graphical modeling reconstructs pathway reactions from high-throughput metabolomics data. *BMC Syst. Biol.* 5:21 (2011)
- Kus, V.* et al.: Unmasking differential effects of rosiglitazone and pioglitazone in the combination treatment with *n*-3 fatty acids in mice fed a high-fat diet. *PLoS One* 6:e27126 (2011)
- Lamina, C.*, Coassin, S.*, Illig, T. & Kronenberg, F.*: Look beyond one's own nose: Combination of information from publicly available sources reveals an association of *GATA4* polymorphisms with plasma triglycerides. *Atherosclerosis* 219, 698-703 (2011)
- Lanktree, M.B.* et al.: Meta-analysis of dense genecentric association studies reveals common and uncommon variants associated with height. *Am. J. Hum. Genet.* 88, 6-18 (2011)
- Lattka, E. et al.: Genetic variants in the *FADS* gene cluster are associated with arachidonic acid concentrations of human breast milk at 1.5 and 6 mo postpartum and influence the course of milk dodecanoic, tetracosenoic, and *trans*-9-octadecenoic acid concentrations over the duration of lactation. *Am. J. Clin. Nutr.* 93, 382-391 (2011)
- Lochhead, P.* et al.: Genetic variation in the prostate stem cell antigen gene and upper gastrointestinal cancer in white individuals. *Gastroenterology* 140, 435-441 (2011)
- Maintz, L.* et al.: Association of single nucleotide polymorphisms in the diamine oxidase gene with diamine oxidase serum activities. *Allergy* 66, 893-902 (2011)

Publication List 2011

31.12.2011

* external Authors

Research Unit of Molecular Epidemiology

- Mayer, C.* et al.: A radiation-induced gene expression signature as a tool to predict acute radiotherapy-induced adverse side effects. *Cancer Lett.* 302, 20-28 (2011)
- Mittelstrass, K. et al.: Discovery of sexual dimorphisms in metabolic and genetic biomarkers. *PLoS Genet.* 7:e1002215 (2011)
- Nalls, M.A.* et al.: Multiple loci are associated with white blood cell phenotypes. *PLoS Genet.* 7:e1002113 (2011)
- Naumann, A.* et al.: A comprehensive analysis of the COL29A1 gene does not support a role in eczema. *J. Allergy Clin. Immunol.* 127, 1187-1194 (2011)
- Neuschl, C.* et al.: A unique genetic defect on chromosome 3 is responsible for juvenile obesity in the Berlin Fat Mouse. *Int. J. Obes.* 34, 1706-1714 (2010)
- Nicholson, G.* et al.: A genome-wide metabolic QTL analysis in Europeans implicates two loci shaped by recent positive selection. *PLoS Genet.* 7:e1002270 (2011)
- Nielsen, T.* et al.: Type 2 diabetes risk allele near *CENTD2* is associated with decreased glucose-stimulated insulin release. *Diabetologia* 54, 1052-1056 (2011)
- Oexle, K.* et al.: Novel association to the proprotein convertase PCSK7 gene locus revealed by analysing soluble transferrin receptor (sTfR) levels. *Hum. Mol. Genet.* 20, 1042-1047 (2011)
- Parra, E.J.* et al.: Genome-wide association study of type 2 diabetes in a sample from Mexico City and a meta-analysis of a Mexican-American sample from Starr County, Texas. *Diabetologia* 54, 2038-2046 (2011)
- Raitoharju, E.* et al.: miR-21, miR-210, miR-34a, and miR-146a/b are up-regulated in human atherosclerotic plaques in the Tampere Vascular Study. *Atherosclerosis* 219, 211-217 (2011)
- Raitoharju, E.* et al.: Common variation in the *ADAM8* gene affects serum sADAM8 concentrations and the risk of myocardial infarction in two independent cohorts. *Atherosclerosis* 218, 127-133 (2011)
- Renström, F.* et al.: Genetic predisposition to long-term nondiabetic deteriorations in glucose homeostasis: Ten-year follow-up of the GLACIER study. *Diabetes* 60, 345-354 (2011)
- Rodriguez, E., Eyerich, K. & Weidinger, S.: Genetik häufiger chronisch-entzündlicher Hauterkrankungen: Ein Update zu atopischem Ekzem und Psoriasis. *Hautarzt* 62, 107-118 (2011)
- Rosenberger, A.* et al.: Validation of a fully automated COMET assay: 1.75 million single cells measured over a 5 year period. *DNA Repair* 10, 322-337 (2011)
- Schnabel, E. et al.: High blood pressure, antihypertensive medication and lung function in a general adult population. *Respir. Res.* 12:50 (2011)
- Schunkert, H.* et al.: Large-scale association analysis identifies 13 new susceptibility loci for coronary artery disease. *Nat. Genet.* 43, 333-340 (2011)

Publication List 2011

31.12.2011

* external Authors

Research Unit of Molecular Epidemiology

Small, K.S.* et al.: Identification of an imprinted master *trans* regulator at the *KLF14* locus related to multiple metabolic phenotypes. *Nat. Genet.* 43, 561-564 (2011)

Smith, N.L.* et al.: Genetic predictors of fibrin D-dimer levels in healthy adults. *Circulation* 123, 1864-1872 (2011)

Speliotes, E.K.* et al.: Genome-wide association analysis identifies variants associated with nonalcoholic fatty liver disease that have distinct effects on metabolic traits. *PLoS Genet.* 7:e1001324 (2011)

Standl, M. et al.: *FADS* gene variants modulate the effect of dietary fatty acid intake on allergic diseases in children. *Clin. Exp. Allergy* 41, 1757-1766 (2011)

Stark, R.G. et al.: Medical care of type 2 diabetes in German disease management programmes: A population-based evaluation. *Diabetes Metab. Res. Rev.* 27, 383-391 (2011)

Strawbridge, R.J.* et al.: Genome-wide association identifies nine common variants associated with fasting proinsulin levels and provides new insights into the pathophysiology of type 2 diabetes. *Diabetes* 60, 2624-2634 (2011)

Suhre, K. et al.: Human metabolic individuality in biomedical and pharmaceutical research. *Nature* 477, 54-60 (2011)

Suhre, K. et al.: A genome-wide association study of metabolic traits in human urine. *Nat. Genet.* 43, 565-571 (2011)

Teumer, A.* et al.: Genome-wide association study identifies four genetic loci associated with thyroid volume and goiter risk. *Am. J. Hum. Genet.* 88, 664-673 (2011)

The IBC 50K CAD Consortium: Large-scale gene-centric analysis identifies novel variants for coronary artery disease. *PLoS Genet.* 7:e1002260 (2011)

Wang, Z.* et al.: Evolution of protein phosphorylation for distinct functional modules in vertebrate genomes. *Mol. Biol. Evol.* 28, 1131-1140 (2011)

Wild, P.S.* et al.: A genome-wide association study identifies *LIPA* as a susceptibility gene for coronary artery disease. *Circ. Cardiovasc. Genet.* 4, 403-412 (2011)

Winkelmann, J. et al.: Genome-wide association study identifies novel restless legs syndrome susceptibility loci on 2p14 and 16q12.1. *PLoS Genet.* 7:e1002171 (2011)

Winkler, C. et al.: An interferon-induced helicase (IFIH1) gene polymorphism associates with different rates of progression from autoimmunity to type 1 diabetes. *Diabetes* 60, 685-690 (2011)

Yu, Z. et al.: Differences between human plasma and serum metabolite profiles. *PLoS One* 6:e21230 (2011)

Zhu, H.* et al.: The *Lin28/let-7* axis regulates glucose metabolism. *Cell* 147, 81-94 (2011)

Zimprich, A.* et al.: A mutation in *VPS35*, encoding a subunit of the retromer complex, causes late-onset Parkinson disease. *Am. J. Hum. Genet.* 89, 168-175 (2011)

Publication List 2011

31.12.2011

* external Authors

Research Unit of Radiation Cytogenetics

Alexandrov, T.* et al.: Super-resolution segmentation of imaging mass spectrometry data: Solving the issue of low lateral resolution. *J. Proteomics* 75, 237-245 (2011)

Arakawa, H. et al.: Functional redundancy between DNA ligases I and III in DNA replication in vertebrate cells. *Nucleic Acids Res.* , 10.1093/nar/gkr1024 (2011)

Balluff, B. et al.: MALDI imaging identifies prognostic seven-protein signature of novel tissue markers in intestinal-type gastric cancer. *Am. J. Pathol.* 179, 2720-2729 (2011)

Heß, J. et al.: Gain of chromosome band 7q11 in papillary thyroid carcinomas of young patients is associated with exposure to low-dose irradiation. *Proc. Natl. Acad. Sci. U.S.A.* 108, 9595-9600 (2011)

Hieber, L. et al.: Chromosomal rearrangements in post-chernobyl papillary thyroid carcinomas: Evaluation by spectral karyotyping and automated interphase FISH. *J. Biomed. Biotechnol.* 2011:693691 (2011)

Huber, R. et al.: Chromosomal radiosensitivity and acute radiation side effects after radiotherapy in tumour patients - a follow-up study. *Radiat. Oncol.* 6:32 (2011)

Kitao, H.* et al.: FancJ/Brip1 helicase protects against genomic losses and gains in vertebrate cells. *Genes Cells* 16, 714-727 (2011)

Nipp, M. et al.: S100-A10, thioredoxin, and S100-A6 as biomarkers of papillary thyroid carcinoma with lymph node metastasis identified by MALDI Imaging. *J. Mol. Med.* 90, 163-174 (2012)

Weaver, J.* et al.: Novel human prostate cell lines derived from the transition and peripheral zones of the prostate for carcinogenesis studies. *Oncol. Rep.* 25, 121-128 (2011)

Weier, H.-U. G.* et al.: Delineating chromosomal breakpoints in radiation-induced papillary thyroid cancer. *Genes* 2, 397-419 (2011)

Zitzelsberger, H. & Unger, K.*: DNA copy number alterations in radiation-induced thyroid cancer. *Clin. Oncol.* 23, 289-296 (2011)

Publication List 2011

31.12.2011

* external Authors

Research Unit Stem Cell Dynamics

- Asami, M. et al.: The role of Pax6 in regulating the orientation and mode of cell division of progenitors in the mouse cerebral cortex. *Development* 138, 5067-5078 (2011)
- Costa, M.R.* et al.: Continuous live imaging of adult neural stem cell division and lineage progression in vitro. *Development* 138, 1057-1068 (2011)
- Coutu, D.L. & Galipeau, J.*: Roles of FGF signaling in stem cell self-renewal, senescence and aging. *Aging-US* 3, 920-933 (2011)
- Heinrich, C.* et al.: Generation of subtype-specific neurons from postnatal astroglia of the mouse cerebral cortex. *Nat. Protoc.* 6, 214-228 (2011)
- Krumsiek, J., Marr, C., Schroeder, T. & Theis, F.J.: Hierarchical differentiation of myeloid progenitors is encoded in the transcription factor network. *PLoS One* 6:e22649 (2011)
- Loeffler, D., Kokkaliaris, K.D & Schroeder, T.: Wnt to notch relay signaling induces definitive hematopoiesis. *Cell Stem Cell* 9, 2-4 (2011)
- Nordon, R.E.*, Ko, K.H.*, Odell, R.* & Schroeder, T.: Multi-type branching models to describe cell differentiation programs. *J. Theor. Biol.* 277, 7-18 (2011)
- Ortega, F.* et al.: Using an adherent cell culture of the mouse subependymal zone to study the behavior of adult neural stem cells on a single-cell level. *Nat. Protoc.* 6, 1847-1859 (2011)
- Schroeder, T.: Long-term single-cell imaging of mammalian stem cells. *Nat. Methods* 8, S30-S35 (2011)
- Schwarzfischer, M. et al.: Efficient fluorescence image normalization for time lapse movies. In: *Proceedings of the Microscopic Image Analysis with Applications in Biology, Heidelberg, Germany, September 2, 2011*. Heidelberg : MIAAB, 2011, <http://www.miaab.org/miaab-2011-heidelberg-papers/miaab-2011-h-schwarzfischer.pdf>
- Tonge, P.D.*, Shigeta, M., Schroeder, T. & Andrews, P.W.*: Functionally defined substates within the human embryonic stem cell compartment. *Stem Cell Res.* 7, 145-153 (2011)
- Warlich, E.* et al.: Lentiviral vector design and imaging approaches to visualize the early stages of cellular reprogramming. *Mol. Ther.* 19, 782-789 (2011)

Publication List 2011

31.12.2011

* external Authors

Research Unit Zebrafish Neurogenetics

Chapouton, P. et al.: Expression of *hairy/enhancer of split* genes in neural progenitors and neurogenesis domains of the adult zebrafish brain. *J. Comp. Neurol.* 519, 1748-1769 (2011)

Norton, W.H.J. et al.: Modulation of Fgfr1a signaling in zebrafish reveals a genetic basis for the aggression-boldness syndrome. *J. Neurosci.* 31, 13796-13807 (2011)

Rothenaigner, I. et al.: Clonal analysis by distinct viral vectors identifies bona fide neural stem cells in the adult zebrafish telencephalon and characterizes their division properties and fate. *Development* 138, 1459-1469 (2011)

Webb, K.J. et al.: The Enhancer of split transcription factor Her8a is a novel dimerisation partner for Her3 that controls anterior hindbrain neurogenesis in zebrafish. *BMC Dev. Biol.* 11:27 (2011)